

ORTHO®

BUG-GETA® PLUS

SNAIL, SLUG & INSECT KILLER

*Kills Snails & Slugs...
PLUS listed Insects*



ACTIVE INGREDIENTS	
Carbaryl(1-naphthyl methylcarbamate).....	5.0%
Metaldehyde (2,4,6,8-tetramethyl-1,3,5,7-tetraoxacyclooctane)	2.0%
OTHER INGREDIENTS	93.0%
TOTAL	100.0%

Intended for residential use only.

KEEP OUT OF REACH OF CHILDREN AND PETS

CAUTION For additional information see Precautionary Statements, Directions for Use and Storage and Disposal on back panel.

NET WT 3 lb / 1.36 kg

NOTE: This package is sold by weight. Contents may have settled during shipment.



Do not use this product unless both insect pests and slugs or snails are present. Pests targeted by this product are listed under Directions for Use.

Keep out of reach of children and domestic animals. This pesticide may be harmful to children and fatal to domestic animals if ingested. Exclude children and pets from treated areas until the applied product is no longer visible. For additional precautionary measures, see "Directions for Use" and "Storage and Disposal."

LB1461



BUG-GETA PLUS

SNAIL, SLUG & INSECT KILLER

• Remains Effective After Rain or Watering • To Be Used Around Listed Fruits & Vegetables • Baits 6,000 sq ft

PRODUCT FACTS
Treats 6,000 sq ft

ATTRACTS & KILLS PESTS Snails & Slugs Plus Ants, (except fire ants, harvester ants, carpenter ants and pharaoh ants), Armyworms, Crickets, Cutworms, Earwigs, Grasshoppers, Millipedes, Pillbugs & Sowbugs

WHERE TO USE • In ornamental gardens & planted borders
• Around strawberries (grown as a perennial only)
• Around vegetables (Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Collards, Kale, and Tomatoes)

AMOUNT TO USE 1 teaspoon per 12 sq ft of soil surface

Questions, Comments or Medical Information?
Call 1-800-225-2883

Broadcast and foliar applications of this product are prohibited. Application is permitted only as a barrier around gardens or individual plants. Application is prohibited within one foot of vegetable plants or fruit-bearing plants not listed on this label.

Certain cultural practices may reduce damage from snails and slugs. Examples of these practices would be:

- Eliminating hiding places by removing leaf litter and debris in garden;
- Removing slugs and snails during daylight hours from nearby leaf litter, mulch, and other protected areas;
- Watering in the morning to reduce humidity during the night when snails and slugs are active.

This product may only be applied with the shaker can packaging. Do not apply by hand, spoon, or belly grinder.

Kills: Slugs & Snails Plus Ants (except fire ants, harvester ants, carpenter ants and pharaoh ants), Armyworms, Crickets, Cutworms, Earwigs, Grasshoppers, Millipedes, Pillbugs & Sowbugs

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Not for use on plants being grown for sale or other commercial use, or for commercial seed production or for research purposes. For use on plants intended for aesthetic purposes or climatic modifications and being grown in ornamental gardens or parks, or on golf courses or lawn and grounds or residential fruit trees.

PRECAUTIONS AND RESTRICTIONS: Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not enter or allow others to enter until dusts have settled.

This pesticide may be harmful to children and fatal to dogs and other domestic animals if ingested. Children and dogs may be attracted to metaldehyde products, both in the package and when applied. Children and domestic animals must be kept out of treated areas from the start of application until the applied product is no longer visible.

Application of this metaldehyde product is prohibited unless children and domestic animals can be excluded from the treated areas from the start of application until the applied product is no longer visible.

Applications to turf and dichondra lawns are prohibited. Application is permitted only to non-turf areas (i.e., on soil or mulch) directly surrounding plants listed for use on the label.

WHEN TO APPLY

- To prevent damage to transplants and seedlings, apply immediately after spring planting.
- Repeat treatments according to the table instructions.

HOW TO APPLY

- If ground is dry, water area to be treated.
- Scatter directly from container via the shaker can, applying 1 teaspoon per 12 sq ft (approximately 15 particles per sq ft).
- Avoid applying pellets in piles that may attract pests.
- Always wear protective gloves. Scatter the granules via the shaker can in ornamental gardens and planted borders, on the soil and mulched surfaces around plants. Do not apply to foliage or edible parts of plants.
- Sprinkle lightly with water after application. Withhold heavy watering for at least 2 days after application.

WHEN TO HARVEST
Harvest according to table instructions.

AROUND LISTED VEGETABLES AND TOMATOES: Apply 1 teaspoon per 12 sq ft (approximately 15 particles per sq ft), distributing granules around listed fruits and vegetables. Do not contaminate edible parts.

PLANT	Minimum Retreatment Interval (Days)	Maximum Number of Applications per Season	Days to Wait to Harvest	Restrictions
Vegetables and Fruits Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Kohlrabi	14	3	3	Not for use in California. Irrigate after application.
Collards, Kale, Lettuce (head and leaf), Mustard Greens, Spinach	14	3	14	
Tomatoes	14	3	3	
Strawberries (grown as a perennial only)	14	3	7	Not for use in California. Irrigate after application.
Ornamentals	21	3	Not Applicable	Do not use on plants taller than 4 feet. Irrigate after application.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Do not put into food or drink containers. Avoid contamination of feed and foodstuffs. This product can be harmful to children and fatal to dogs and other domestic animals if ingested. Dogs have been known to ingest metaldehyde after opening or tearing packaging. Store this product in its original packaging in a cool, secure, location (preferably in a locked storage area), and out of reach of children and pets.

PESTICIDE DISPOSAL: Non-refillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Metaldehyde is a systemic toxin. There is no antidote. The following instructions are not intended for laypeople. There is no home treatment. Exposed individuals and animals should receive emergency care as quickly as possible.

NOTE TO PHYSICIAN: Dust inhalation is usual route of accidental exposure; the product is rarely ingested. Treatment is symptomatic and supportive. Monitor severe exposures closely: seizures, electrolyte imbalances, acidosis, dehydration, and increased body temperature have been reported.

Carbaryl is an N-methyl carbamate and a moderate, reversible cholinesterase inhibitor. Atropine is antidotal. Do not use 2-PAM (pyridine-2-aldoxime methiodide), opiates or cholinesterase inhibiting drugs. Probable mucosal damage may contraindicate the use of gastric lavage.

NOTE TO VETERINARIAN: Animals typically are exposed via ingestion. Treatment is symptomatic and supportive. If significant ingestion suspected, and the animal is asymptomatic, consider induction of emesis or gastric lavage and administration of activated charcoal, cathartic and enema to limit absorption. Monitor asymptomatic and symptomatic animals closely. Treat seizures, electrolyte imbalances, acidosis, dehydration, and increased body temperature. Monitor liver function post recovery.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

IMPORTANT: This product may be harmful to children and fatal to domestic animals if ingested. Children and dogs may be attracted to metaldehyde products and their packaging.

Keep children and pets out of treated areas from the start of application until the applied product is no longer visible.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Seek medical care as soon as possible after exposure. For incidents involving animals, seek veterinary care as soon as possible after exposure. Have the product container or label with you when you call a poison control center or doctor or veterinarian, or going for treatment. For information on this pesticide product (including health concerns, medical emergencies, treatment advice, or pesticide incidents), call 1-800-225-2883.

ENVIRONMENTAL HAZARDS: This product is extremely toxic to aquatic and estuarine invertebrates and is toxic to mollusks (e.g., clams, oysters, scallops, mussels). To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

This pesticide is toxic to birds and mammals. Collect and remove any product that is spilled. See information: May kill honey bees and other bees. The product is highly toxic to honeybees and other bees.

Physical or Chemical Hazards
Keep this product away from strong oxidizers.

NOTICE: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

The ORTHO Guarantee: If for any reason you, the consumer, are not satisfied with this product, mail us your original proof of purchase to obtain a full refund of your purchase price.

Bitrex® and Contains Bitrex® logo design are registered trademarks of Johnson Matthey Plc, London, United Kingdom. ©2011 Licensed by The ORTHO Group. World rights reserved.

Sold by **The ORTHO Group**
P.O. Box 190, Marysville, OH 43040
Form LB1462
EPA Reg. No. 239-2514
EPA Est. No. 66876-OR-001, 085652-OH-1*
Superscript used is first letter of lot number.

