

PROTECTS LISTED
**FRUIT, VEGETABLE &
ORNAMENTAL GARDENS**

FORCE II™

Deadline®

SLUG & SNAIL KILLER

**ONE LAST
MEAL FOR
SLUGS AND
SNAILS®**



**CHILDREN
& PETS**

ACTIVE INGREDIENT:
Metaldehyde (2,4,6,8-tetramethyl-1,3,5,
7-tetraoxocyclo-octane) 4%
OTHER INGREDIENTS: 96%
TOTAL: 100%

KEEP OUT OF REACH OF
CHILDREN & DOMESTIC ANIMALS
CAUTION

This pesticide may be harmful to children and fatal to domestic animals if ingested. Exclude children and pets from treated areas until the applied product is no longer visible. For additional precautionary measures, see "Directions for Use" and "Storage and Disposal"

300511113 - 7/17
DL13v4

NET CONTENTS 1 QT (946 ml)

FORCE II™
Deadline®
SLUG & SNAIL KILLER

PEEL
HERE

EASY-TO-USE, EASY-TO-STORE LIQUID FORCE II™ DEADLINE® SLUG & SNAIL KILLER WITH SNARE®

A POWERFUL ATTRACTANT – lures slugs and snails to this product and away from your plants

Convenient, clean and effective, **FORCE II™ DEADLINE® SLUG & SNAIL KILLER** resists rain and irrigation. A thin line of **FORCE II™ DEADLINE® SLUG & SNAIL KILLER** around the area you want to protect will keep new migrants from taking up residence in your yard or garden.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes.

PRECAUTIONS AND RESTRICTIONS

Keep people and pets out of the area during application. This pesticide may be harmful to children and fatal to dogs and other domestic animals if ingested. Children and dogs may be attracted to metaldehyde products, both in the package and when applied. Children and domestic animals must be kept out of treated areas from the start of application until the applied product is no longer visible. Application of this metaldehyde product is prohibited unless children and domestic animals can be excluded from the treated areas from the start of application until the applied product is no longer visible. Applications to turf and dichondra are prohibited. Application is permitted only to non-turf areas (e.g., on soil or mulch) directly surrounding plants listed on the label. Broadcast and foliar applications of this product are prohibited. Application is permitted only as a barrier around gardens or individual plants. Application is prohibited within one foot of vegetable plants or fruit-bearing plants not listed on this label. Certain cultural practices may reduce damage from snails and slugs. These practices include:

- eliminating hiding places by removing leaf litter and debris in the garden;
- removing slugs and snails during daylight hours from nearby leaf litter, mulch, and other protected areas;
- watering in the morning to reduce humidity during the night when snails and slugs are active.

Matson, LLC
P.O. Box 1620
North Bend, WA 98045
EPA Reg. No. 8119-6
EPA Est. No. 8119-WA-1, 47000-1A-01
Subscript used is first letter of Run Code on container
© 2014, 2016, 2017 Matson, LLC

300511114 - 7/17 • DL13_v4



Deadline, Force II, One Last Meal for Slugs and Snails, and Snare are trademarks of Matson, LLC.

APPLICATION METHOD

FORCE II™ DEADLINE® SLUG & SNAIL KILLER is for outdoor use only. Raise spout and squeeze drops or thin line of product on the soil surface in infested areas as indicated in the Product Application Chart. This product is specially formulated to attract and control slugs and snails. The presence of slugs and snails can be detected by their shiny mucus trail. They are night feeders and prefer damp, cool places. Apply **FORCE II™ DEADLINE® SLUG & SNAIL KILLER** around listed berry, fruit, vegetable and ornamental plants in outdoor residential gardens. Treat all listed sites at the beginning of the spring and fall planting seasons before damage occurs and up to the maximum number of applications as listed below during the growing season or during periods of damp weather, high rainfall or frequent watering as slugs and snails will generally be more active. If ground is dry, thoroughly water area to be treated. Apply only to soil surface around plants and between rows. Do not apply directly to plants. If slugs and snails are invading from adjacent properties, squeeze a solid line or line of drops along the entire perimeter of the infested area as this will form a barrier resulting in excellent control. When dispensing product, occasionally tip bottle upright to be refilled with air. If spout becomes clogged, lift spout and clear with a toothpick.

APPLICATION RATES CHART

| Use Rate: 1 teaspoon per 10 linear feet | Minimum Retreatment Interval: | Maximum Applications Per Growing Season: |
|---|-------------------------------|--|
| Plants: | | |
| Artichokes – annual | 18 days | 2 |
| Artichokes – perennial | 18 days | 6 |
| Blueberries | 14 days | 3 |
| Caneberries (bingeberry, black raspberry, blackberry, boysenberry, dewberry, lowberrry, marionberry, olallieberry, red raspberry, youngberry) and Other Berries (currant, elderberry, gooseberry, huckleberry, loganberry, lingonberry, juneberry, salal) | 14 days | 3 |
| Citrus | 14 days | 6 |
| Lettuce, Cole Crops and other leafy greens (broccoli, Brussels sprouts, cabbage, cauliflower, cavalo broccoli, collards, kale, kohlrabi, mizuna, mustard greens, rape greens, spinach) | 14 days | 3 |
| Tomatoes | 14 days | 3 |
| Strawberries | 14 days | 3 |
| Ornamentals | 21 days | 6 |

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.
PESTICIDE STORAGE: This product can be harmful to children and fatal to domestic animals if ingested. Dogs have been known to ingest metaldehyde after opening or tearing packaging. Store this product in its original packaging, in a cool, secure location, and out of reach of children and pets.
PESTICIDE DISPOSAL: If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.
CONTAINER DISPOSAL: If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

NOTICE: To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. To the extent consistent with applicable law, buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Binding Area no printing

Binding Area no printing

FORCE II™ Deadline® SLUG & SNAIL KILLER
PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Harmful if swallowed. Harmful if inhaled. Avoid breathing spray mist. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

IMPORTANT: This product may be harmful to children and fatal to domestic animals if ingested. Children and dogs may be attracted to metaldehyde products and their packaging. Keep children and pets out of treated areas from the start of application until the applied product is no longer visible.

ENVIRONMENTAL HAZARDS

This product is toxic to mollusks (e.g., clams, oysters, scallops, mussels). Do not apply product near water (including garden ponds) or storm drains. Do not apply if heavy rain is expected. Apply this product only around gardens and ornamental plants.

FIRST AID

IF ON SKIN OR CLOTHING:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

IF SWALLOWED:

- Call poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

IF INHALED:

- Move person to fresh air.
- If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.
- Call a poison control center or doctor for further treatment advice.

POISONING HOTLINE

Seek medical care as soon as possible after exposure. For incidents involving animals, seek veterinary care as soon as possible after exposure. Have the product container or label with you when you call a poison control center or doctor or veterinarian, or when going for treatment. For information on this pesticide product (including health concerns, medical emergencies, treatment advice, or pesticide incidents), call PROSAR at 1-800-308-3723.

Metaldehyde is a systemic toxin. There is no antidote. The following instructions are not intended for laypeople. There is no home treatment. Exposed individuals and animals should receive emergency care as quickly as possible.

NOTE TO PHYSICIAN: Dust inhalation is usual route of accidental exposure; the product is rarely ingested. Treatment is symptomatic and supportive. Monitor severe exposures closely: seizures, electrolyte imbalances, acidosis, dehydration, and increased body temperature have been reported.

NOTE TO VETERINARIAN: Animals typically are exposed via ingestion. Treatment is symptomatic and supportive. If significant ingestion suspected and the animal is asymptomatic, consider induction of emesis or gastric lavage and administration of activated charcoal, cathartic and enema to limit absorption. Monitor asymptomatic and symptomatic animals closely. Treat seizures, electrolyte imbalances, acidosis, dehydration, and increased body temperature. Monitor liver function post recovery.

Matson, LLC
P.O. Box 1620
North Bend, WA 98045
www.corrys.com

EPA Reg. No. 8119-6
EPA Est. 8119-WA-1, 47000-1A-01
Subscript used is first letter of Run Code on container.

300511114 - 7/17
DL13_v4