



WHITNEY FARMS®



☉ LAWN WEED KILLER

Mata Malezas en Césped

*Derived from iron
which occurs in nature*

Kills weeds, not lawns

KEEP OUT OF REACH OF CHILDREN

CAUTION See back booklet label
for additional first aid

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS

PRECAUCION Consulte los primeros auxilios
adicionales en la parte posterior

ACTIVE INGREDIENT:

Iron HEDTA (FeHEDTA) 1.5%

OTHER INGREDIENTS 98.5%

Total 100.0%

LB4174



NET CONTENTS / CONTENIDO NETO 32 FL OZ (946 mL)

DESIGNED FOR
Independent
RETAILERS

L0281701000

01/14/2014 SSL

EPA Reg No. 67702-27-73327

Page 2 of 7

Whitney Farms Lawn Weed Killer (32oz)

RIESGOS AMBIENTALES: Para usos terrestres: No aplique el producto directamente al agua, ni en áreas donde haya aguas superficiales ni en zonas intermareales por debajo del límite de la marea alta. No contamine el agua al deshacerse de la que use para lavar o enjuagar los utensilios. Para proteger el medio ambiente, no permita que el pesticida ingrese o se escurra en desagües de tormenta, zanjas de drenaje, canalones o aguas superficiales. La aplicación de este producto en condiciones de buen tiempo, sin pronóstico de lluvia para las próximas 24 horas, ayudará a garantizar que el viento o la lluvia no dispersen el pesticida del área de tratamiento. Enjuagar los utensilios de aplicación del producto sobre el área tratada ayudará a evitar que se escurra hacia cuerpos de agua o sistemas de drenaje.

ALMACENAMIENTO Y ELIMINACION

ALMACENAMIENTO DEL PESTICIDA: Almacene este producto en su envase original y manténgalo en un área de almacenamiento segura, fuera del alcance de los niños y animales domésticos. Almacene el material sin utilizar herméticamente cerrado sólo en el envase original y lejos del fuego.

ELIMINACION DEL PESTICIDA Y MANEJO DEL ENVASE: Envase no rellenable. No vuelva a utilizar o llenar este envase. **Si está vacío:** Colóquelo en la basura o recíclelo, si corresponde. **Si está parcialmente lleno:** Llame a su agencia de desechos sólidos local para obtener instrucciones sobre cómo eliminar el producto. Nunca tire el producto restante por un drenaje interno ni externo.

¡Preguntas o comentarios?
1-866-541-3114 www.whitneyfarms.com

La garantía Whitney Farms® Si por algún motivo no está satisfecho con este producto, envíenos por correo el comprobante de compra para recibir el reembolso total del precio de compra.

WHITNEY FARMS®

LAWN WEED KILLER

Mata Malezas en Césped



- Kills dandelions, buttercup and clover.
- Works fast. See results in hours.
- Rain-fast in 3 hours.
- Water based. No unpleasant odor.

Peel Here
despegue aquí

The Whitney Farms® Guarantee

If for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.

Questions or Comments?
1-866-541-3114 www.whitneyfarms.com

©2010 Rod McLellan Company World rights reserved.
Distributed by: Swiss Farms Products, Inc.
3993 Howard Hughes PKY, Suite 250
Las Vegas, NV 89169-6754

EPA Reg. No. 67702-27-73327

EPA Est. No. 239-1A-3, 239-MS-1⁴

Superscript is first letter of lot number.

This container is made with a minimum 25% recycled material.
Whitney Farms® Lawn Weed Killer 32oz.
090111010 LB4173

80% SIZE
12-digit UPC-A
(non-suppressed)
For Position Only

0 31547 09011 7

EPA Reg No. 67702-27-73327
Whitney Farms Lawn Weed Killer (32oz)

INSTRUCCIONES PARA LA APLICACIÓN

AGITE BIEN ANTES DE USAR. NO DILUIR. Rocíe abundantemente las malezas. Utilice la boquilla de rociado grueso para reducir los desvíos del rociado. Repita el tratamiento en 3 a 4 semanas para obtener mejores resultados.

¿Cuáles serán los resultados?

Funciona rápidamente; observará que las malezas empiezan a morir horas después de la aplicación. Las malezas o el musgo tratados mostrarán un color marrón o negro. En ocasiones, puede darse el oscurecimiento de las hojas del césped después del tratamiento. No obstante, el césped se recuperará en días a semanas. Puede manchar la paja (pasto muerto debajo del césped); esto no afecta el estado del césped.

Precauciones de uso: No aplique al césped débil y seco; asegúrese de que el césped esté bien regado antes de la aplicación. No aplique cuando la temperatura diurna exceda los 85°F. No aplique a césped agrostis. Si no está seguro de la sensibilidad del césped, pruebe rociar una pequeña área primero. No aplique a áreas recientemente sembradas antes de la germinación de las semillas del césped. Evite que el rociado caiga sobre plantas que desee conservar. Si entra en contacto accidentalmente con plantas o estructuras que desee conservar, enjuague con agua. Para evitar las manchas, espere a que el área tratada se seque antes de volver a ingresar.

Use Precautions:

Do not apply to drought stressed grass; ensure lawn is well watered prior to application. Do not apply when the daytime temperature will exceed 85°F. Do not apply to bentgrass. If unsure of grass sensitivity, test spray a small area of your lawn. Do not apply to newly seeded areas prior to grass seed germination. Avoid spraying desirable plants. Any desirable plants or structures accidentally contacted should be rinsed with water. To avoid staining, wait until treated area dries before re-entry. Do not apply if rainfall is expected within 3 hours of application. Do not irrigate within 3 hours of application. Do not apply to the same area more than 4 times a year, not including spot treatments.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergency information, you may call toll free 1-866-541-3114.

Helpful Hints:

The best times to treat weeds are in the Spring when they are small and growing and in the Fall to eliminate many of next year's weeds.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use Sites: Use to selectively control/suppress broadleaf weeds growing in lawns.

Pests: Controls weeds: Bull thistle (*Cirsium vulgare*), Creeping buttercup (*Ranunculus repens*), Dandelion (*Taraxicum officinale*), Moss, Speedwell spp., Persian speedwell (*Veronica persica*), White clover (*Trifolium repens*).

Suppresses weeds: Black medic (*Medicago lupulina*), English daisy (*Bellis perennis*).

APPLICATION DIRECTIONS

SHAKE WELL BEFORE USING. DO NOT DILUTE. Thoroughly spray weeds.

Use a coarse nozzle setting to reduce drift. Repeat treatment in 3 to 4 weeks for best results.

What will I see?

Works quickly; dying weeds will be seen within hours of application. Treated weeds or moss will turn brown or black. Occasionally a darkening of the grass leaf blades can occur after treatment, however the grass will recover within a few days to weeks. May stain thatch (dead grass under lawn); this does not affect the health of the grass.

No aplique si se prevén lluvias en las 3 horas posteriores a la aplicación. No irrigue dentro de las 3 horas posteriores a la aplicación. No aplique en la misma área más de 4 veces por año, sin incluir puntos reducidos.

PRIMEROS AUXILIOS

Si el producto entra en los ojos: Mantenga los ojos abiertos y enjuague con agua lentamente, con cuidado, durante 15 a 20 minutos. Si usa lentes de contacto, retírelos después de los primeros 5 minutos, luego continúe enjuagando los ojos. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.

Cuando llame a un centro de control de envenenamientos o a un médico, o busque tratamiento, tenga a mano el envase o la etiqueta del producto. Para obtener información médica de emergencia, puede llamar sin costo al 1-866-541-3114.

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS

AVISOS DE PRECAUCION

RIESGOS PARA HUMANOS Y ANIMALES DOMESTICOS

PRECAUCION: Causa irritación moderada de los ojos. Evite el contacto con los ojos o la ropa. Lávese bien con agua y jabón después de manipular el producto y antes de comer, beber, masticar chicle o usar tabaco. En algunas personas, el contacto prolongado o frecuente con la piel puede provocar reacciones alérgicas.

KEEP OUT OF REACH OF CHILDREN

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS:

CAUTION: Causes slight eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

ENVIRONMENTAL HAZARDS: For terrestrial uses: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store this product in its original container and keep in a secure storage area out of reach of children and domestic animals. Store unused material tightly closed, in original container only, away from open flame.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Questions or Comments? 1-866-541-3114 www.whitneyfarms.com

The Whitney Farms® Guarantee If for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.

Whitney Farms® Mata Malezas en Césped

- Elimina dientes de león, botones de oro y tréboles.
- Funciona rápidamente. Obtenga resultados en horas.
- A prueba de lluvia en 3 horas.
- A base de agua. Sin olor desagradable.

Consejos útiles: el mejor momento para tratar las malezas es en la primavera cuando son pequeñas y están en crecimiento y en el otoño para eliminar muchas de las malezas del siguiente año.

**¡Preguntas o comentarios?
1-866-541-3114 www.whitneyfarms.com**

MODO DE EMPLEO

Se considera una violación a la ley federal usar este producto con otros fines que los indicados en la etiqueta.

Lugar de aplicación: Utilice para controlar o eliminar selectivamente malezas de hoja ancha que crezcan en los jardines.

Plagas: Controla malezas: cardo común (*Cirsium vulgare*), botón de oro (*Ranunculus repens*), diente de león (*Taraxacum officinale*), musgo, verónica, verónica persa (*Verónica pérsica*), trébol blanco (*Trifolium repens*).

Sofoca malezas: lupina (*Medicago lupulina*), margarita inglesa (*Bellis perennis*).

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergency information, you may call toll free 1-866-541-3114.

KEEP OUT OF REACH OF CHILDREN

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS:

Caution: Causes slight eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

ENVIRONMENTAL HAZARDS: For terrestrial uses: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

Questions or Comments? 1-866-541-3114 www.whitneyfarms.com

The Whitney Farms® Guarantee If for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.

©2010 Rod McLellan Company World rights reserved.

Distributed by: Swiss Farms Products, Inc.

3993 Howard Hughes PKY, Suite 250, Las Vegas, NV 89169-6754

EPA Reg. No. 67702-27-73327 EPA Est. No. 239-1A-3¹, 239-MS-1^M

Superscript is first letter of lot number.



NEUDORFF
Manufactured under a
license of W. Neudorff
GmbH KG, Germany