

KLEENUP[®]

TRUSTED SINCE 1926

BONIDE[®]

WEED & GRASS KILLER

Ready to Use

Kills grass and weeds around
flower beds, trees, shrubs
and sidewalks

Kills to the root!

See results
in 24 hours!

ACTIVE INGREDIENT

Glyphosate, isopropylamine salt . . . 1.92%

OTHER INGREDIENTS 98.08%

TOTAL 100.00%

EPA Est. No. 4-NY-1 EPA Reg. No. 4-483

Keep Out Of Reach Of Children

CAUTION (See back panel for additional
Precautionary Statements and First Aid)

Net Contents 32 FL OZ (946 ML)

XXXXXXXX



KLEENUP WEED & GRASS KILLER READY TO USE

- **KILLS TO THE ROOT SO WEEDS WON'T GROW BACK.**
- **USE AS A SPOT TREATMENT AROUND FLOWER BEDS, FRUIT TREES, ORNAMENTALS, VEGETABLES AND GARDEN SITES**
- **KILLS WEEDS IN FLOWER BEDS AND AROUND FENCES, TREES, DRIVEWAYS, WALKWAYS AND SHRUBS, IN AND AROUND PATIOS, PATHS, SIDEWALK CRACKS**
- **REPLANT TREATED AREAS IN AS LITTLE AS ONE DAY**
- **STARTS WORKING IN 24 HOURS!**

Store and transport in an upright position.
EPA Est. No. 4-NY-1 EPA Reg. No. 4-483
Buyers Guarantee Limited to Label Claims.
©Bonide Products, Inc. All Rights Reserved

Bonide Products, Inc.
6301 Sutliff Road
Oriskany, NY 13424

Quart



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For household use only. Shake well before use.

USE PRECAUTIONS: READ ENTIRE LABEL. USE ONLY IN ACCORDANCE WITH LABEL INSTRUCTIONS. Application of this product will kill almost all plants contacted. Do not allow this product to contact leaves, green stems, or exposed roots of desirable lawn grasses, plants, shrubs, or trees – they will be damaged or killed. Spray when air is calm. If spray contacts desirable foliage, immediately rinse the foliage with water. Use cardboard or plastic to shield desirable plants from spray drift.

WHERE TO USE

Use outdoors on **patios, paths, walkways, driveways, sidewalks, mulch, and around fences and buildings;** around **fruits, fruit and nut trees, grapevines, and vegetables;** in and around **flower beds and gardens, and around ornamental shrubs and trees;** and to trim and edge **landscape areas.** Do not use for spot weed control in lawns; this product kills all green plants, including lawn grass.

WHEN TO USE

Use anytime unwanted weeds and grasses are actively growing. Apply when daytime temperature is above 60°F, when air is calm, and when rainfall is not expected within 24 hours. Warm sunny weather will speed up weed control. Reapply if rain or watering occurs within 6 hours after application. Rainfall or watering 6 hours after application will not wash away effectiveness. Hard-to-control weeds and grasses (such as bermudagrass) may require a repeat application in 10-14 days.

HOW TO USE

Adjust nozzle to a coarse spray. Point sprayer at unwanted weeds and grasses, 1-2 feet away from the foliage to be treated. Spray carefully, until foliage is wet. 1 quart covers approximately 75 sq. ft. Coverage may be reduced if large brush species are treated.

WHEN TO REPLANT TREATED AREAS

This product kills weeds by stopping the production of a substance found in plants. Any of this product not absorbed by the plant breaks down into natural materials. This product does not move in or on the soil or build up in the soil to hurt desirable plants growing nearby. Flowers and ornamentals may be reseeded or replanted into treated areas the next day.

CONTROL ANNUAL WEEDS AND GRASSES INCLUDING

Annual Bluegrass, Annual Ryegrass, Barnyardgrass, Beggarweed, Black Medic, Blue Toadflax, Brassbuttons, Blue Mustard, Buttercup, Bromegrass, Bur Clover, Chickweed, Common Groundsel, Common Plantain, Crabgrass, Creeping Beggarweed, Diffuse Lovegrass, Dog Fennel, Evening Primrose, False Dandelion, Fiddleneck, Fall Panicum, Field Pennycress, Field Sandbur, Filaree, Florida Pusley, Foxtail, Goosegrass, Garden Spurge, Horseweed/marestail, Henbit, Knotweed, Lambsquarters, Little Bittercress, London Rocket, Maiden Cane, Mallow, Mayweed, Mouseear Chickweed, Pennsylvania Smartweed, Prickly Lettuce, Prostrate Spurge, Puncture Vine, Redroot Pigweed, Sandspur, Shepherdspurge, Smooth Catsear, Smooth Pigweed, Sowthistle, Spotted Spurge, Tansy Ragwort, Tansy Mustard, Teaweed, Texas Panicum, Tumble Mustard, Sprangletop, Witchgrass, Wild Mustard.

CONTROL BRUSH, PERENNIALS AND OTHER HARD-TO-CONTROL WEEDS AND GRASSES INCLUDING

Alder, Artichoke Thistle, Bahiagrass, Bentgrass, Bermudagrass, Blackberries, Broadleaf Plantain, Canada Thistle, Cattail, Ceanothus, Cherry species, Cocklebur, Cogongrass, Common Mullein, Common Ragweed, Coyote Brush, Creeping Bentgrass, Creeping Charlie, Curly Dock, Dallisgrass, Dandelion, Dewberry, Elderberry, False Dandelion, Fescue species, Field Bindweed (Wild Morningglory), Guineagrass, Honeysuckle, Horsenettle, Horseradish, Iceplant, Johnsongrass, Kentucky Bluegrass, Kikuyugrass, Knapweed, Kudzu, Lantana, Milkweed, Multiflora Rose, Nightshade (silverleaf), Nimblewill, Nutsedge, Oak species, Oldenlandia, Orchardgrass, Oxalis, Pampasgrass, Pennywort, Perennial Ryegrass, Poison Hemlock, Poison Ivy, Poison Oak, Primrose, Purple Nutsedge, Quackgrass, Quaking Aspen, Ragweed, Raspberry, Red Clover, Smooth Bromegrass, St. Augustinegrass, Sumac, Tall Fescue, Timothy, Torpedograss, Trumpet creeper, Vaseygrass, Virginia Creeper, White Clover, Whitetop, Wild Barley, Wild Oats, Wild Sweet Potato, Willow, Yellow Nutgrass, Yellow Starthistle, Zoysia.

STORAGE AND DISPOSAL

STORAGE: Store product in original container in a safe place away from direct sunlight. Keep from freezing. Store and transport in an upright position.

DISPOSAL: Nonrefillable container. Do not reuse or refill this container:
If Empty: Place in trash or offer for recycling if available. **If Partly Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

FIRST AID

If in eyes	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after first 5 minutes, then continue rinsing eyes.• Call a poison control center or doctor for additional treatment advice.
-------------------	---

Emergency Medical Information

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may contact the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment information. This product is identified as Bonide KleenUp Weed & Grass Killer Ready to Use, Reg. No. 4-483.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling. People and pets may enter treated areas after spray has dried.

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow this product to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash it off the treatment area.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions. Product guaranteed to the extent of purchase price, only when used according to label directions.

THIS PAGE LEFT INTENTIONALLY BLANK