

# SUPPLEMENTAL LABEL

**ENGAGE** AGRO USA

## FIESTA TURF WEED KILLER

EPA Reg. No. – 67702-26-87865

**NOT FOR USE IN CALIFORNIA**

Active Ingredient:

Iron HEDTA (FeHEDTA) .....	26.52%
Other Ingredients: .....	<u>73.48%</u>
Total:.....	100.00%

**KEEP OUT OF REACH OF CHILDREN**

### CAUTION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use of FIESTA TURF WEED KILLER, according to this supplemental label, is subject to the use precautions and limitations imposed by the label affixed to the FIESTA TURF WEED KILLER container. Read the label affixed to the container for FIESTA TURF WEED KILLER before applying.

This Supplemental Labeling contains the addition of pests controlled; revised use instructions that are different from those that appear on the container label; and a section with the heading name “Environmental Hazards” and associated language. This Supplemental Labeling supersedes the Application Directions on the container label and must be in the possession of the user at the time of application.

**Additional Pests:**

Controls or suppresses weeds such as but not limited to:

- Oxalis (*Oxalis* spp.)
- Creeping Charlie/Ground ivy (*Glechoma hederacea*)
- Prostrate knotweed (*Polygonum aviculare*)
- Lawn burweed (*Soliva ptero-sperma*)
- Wild geranium (*Geranium robertianum*)

Controls or suppresses diseases such as but not limited to:

- Dollar Spot
- Rust
- Snow Mold

**Application Directions:**

Rate of Spray Solution	Rate of Concentrate	Weeds	Area Treated
2.5 ga/1000 ft <sup>2</sup>	12.6 fl. oz/1000 ft <sup>2</sup>	Rate for easy-to-control weeds: black medic ( <i>Medicago lupulina</i> ), slender speedwell ( <i>Veronica filiformis</i> ), wild geranium ( <i>Geranium robertianum</i> ) and moss. This rate can also be used for weed seedlings of: false dandelion ( <i>Hypochaeris radicata</i> ), English daisy ( <i>Bellis perennis</i> ), dandelion ( <i>Taraxacum officinale</i> ) or white clover ( <i>Trifolium repens</i> ).	25400 ft <sup>2</sup> /2.5 ga jug
4.9 ga/1000 ft <sup>2</sup>	25.2 fl. oz/1000 ft <sup>2</sup>	Standard rate for control of most weed species: dandelion ( <i>Taraxacum officinale</i> ), English daisy ( <i>Bellis perennis</i> ), false dandelion ( <i>Hypochaeris radicata</i> ), Creeping Charlie/Ground ivy ( <i>Glechoma hederacea</i> ), Prostrate knotweed ( <i>Polygonum aviculare</i> ), white clover ( <i>Trifolium repens</i> ), bull thistle ( <i>Cirsium vulgare</i> ), Canada thistle ( <i>Cirsium arvense</i> ), common chickweed ( <i>Stellaria media</i> ), narrow-leaved plantain ( <i>Plantago lanceolata</i> ), dove's foot geranium ( <i>Geranium molle</i> ), Oxalis ( <i>Oxalis</i> spp.), lawn burweed ( <i>Soliva ptero-sperma</i> ), and algae, and for the SUPPRESSION of broad-leaved plantain ( <i>Plantago major</i> )	12700 ft <sup>2</sup> /2.5 ga jug
9.8 ga/1000 ft <sup>2</sup>	50 fl. oz./1000 ft <sup>2</sup>	Rate for tough perennial weeds such as: creeping buttercup ( <i>Ranunculus repens</i> ) and broad-leaved plantain ( <i>Plantago major</i> )	6340 ft <sup>2</sup> /2.5 ga jug

Rate of Spray Solution	Rate of Concentrate	Diseases	Area Treated
2.5 ga/1000 ft <sup>2</sup>	12.6 fl. oz./1000 ft <sup>2</sup>	Rate for control of diseases such as dollar spot , snow mold, and rust. Use the higher rate when disease pressure is high.	25400 ft <sup>2</sup> /2.5 ga jug
4.9 ga/1000 ft <sup>2</sup>	25.2 fl. oz./1000 ft <sup>2</sup>		12700 ft <sup>2</sup> /2.5 ga jug

**For Broadcast Treatment:**

Shake well before using. Mix one part FIESTA TURF WEED KILLER with 24 parts water (5 oz. in 1 gallon of water). Apply the mixed solution at a rate of 2.5-10 gallons/1000 ft<sup>2</sup> (2.8-11.5 fluid oz./yard<sup>2</sup>), using the chart to determine how much diluted spray to use per area. Any standard hand-held or backpack sprayer can be used. Thoroughly spray weeds. Use a coarse nozzle setting to reduce drift. Uniform coverage is important. Repeat treatment in 3 to 4 weeks for best results.

**For Spot Treatment:**

Shake well before using. Mix one part FIESTA TURF WEED KILLER with 24 parts water (5 oz. in 1 gallon of water). Thoroughly spray weeds to point of runoff using any standard hand-held or backpack sprayer. Use a coarse nozzle setting to reduce drift. Repeat treatment in 3 to 4 weeks for best results.

**ENVIRONMENTAL HAZARDS**

For terrestrial uses: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate.

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

Registrant:

W. Neudorff GmbH KG  
An der Muhle 3, Postfach 1209  
D-31860 Emmerthal, Germany

Manufactured For:

Engage Agro USA, LLC  
118 E. Carleton Street, Suite A  
Prescott, AZ 86303  
Phone: 928-445-7990

For Chemical Emergency  
Spill, Leak, Fire, Exposure, or Accident  
Call CHEMTREC Day or Night  
Within USA and Canada: 1-800-424-9300

For product use or customer service inquiries, call 928-445-7990