

TREATMENT FOR PET POISONING

If animal eats bait, call veterinarian at once.

NOTE TO PHYSICIAN OR VETERINARIAN

Contains the phosphine-producing active, Zinc Phosphide. Probable mucosal damage may contraindicate the use of gastric lavage. For animals ingesting bait and/or showing poisoning signs, induce vomiting by using hydrogen peroxide. Sodium bicarbonate can be given orally to neutralize the stomach acidity. The stomach and intestinal tract can be evacuated, oxygen administered and cardiac and circulatory stimulants given.

PRECAUTIONARY STATEMENTS**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

Harmful if swallowed. Harmful if absorbed through the skin. Avoid contact with eyes. Avoid breathing dust. Wear long-sleeved shirt and long pants, shoes plus socks and waterproof gloves. Wash hands thoroughly with soap and water before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash clothing before reuse. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to birds, fish and other wildlife. Wildlife feeding on treated bait may be killed. Dogs, cats, and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water.

STORAGE AND DISPOSAL

STORAGE: Store only in original container, in a dry place inaccessible to children and pets.

DISPOSAL: Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never placed unused product down any indoor or outdoor drain.

Manufactured for:

LAWN AND GARDEN PRODUCTS, INC.
P.O. Box 35000 • Fresno, CA 93745 • (559) 499-2100
Info@montereylawnandgarden.com

UPC Code
0-22179-10407-5

(WIL-120710A) 0213(01)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions, restrictions and use precautions. For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Telecommunications Network at 1-800-858-7378.

USE RESTRICTIONS:

- This product may only be applied against the pests listed on this label, and by the application methods listed on this label. This product may only be used to control pocket gophers in manual, below-ground applications in lawns.
- Bait must be applied directly into the burrow or tunnel systems.
- Do not apply in gardens and areas where food or feed may become contaminated.
- Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.
- Do not apply this product by the use of an artificial burrow builder.
- Not to be sold in individual containers containing more than 1 lb. of product.

APPLICATION DIRECTIONS FOR POCKET GOPHERS

Apply bait to control pocket gophers using one of the two methods outlined below:

Plug Removal Baiting: Burrowing pocket gophers (*Thomomys* spp. and *Geomys* spp.) throw out low, fan shaped mounds on either side of their underground tunnel. These lateral tunnels coming to the surface are on the flat side of the fan and are plugged with soil. Using a long-handled spoon, carefully remove the plug. Insert one teaspoon of bait as far down as possible. Reclose opening, being careful not to cover bait with soil.

Main Runway Baiting: To locate main runways, probe about 6 to 8 inches away from mounds by use of an iron bar, a strong stick, or other suitable implement. Resistance on probe will drop suddenly and probe will fall about two inches when main runway is entered. Carefully enlarge the opening to accommodate insertion of the bait. Insert one teaspoon of bait into each active tunnel. Carefully close the hole with a stone, sod, or soil. Take care not to cover bait with soil.

FOLLOW-UP

Wearing waterproof gloves, collect and dispose of all dead, exposed animals and of leftover bait in accordance with disposal instructions. Use detergent and hot water to wash spoons. Do not use spoons for mixing, holding or transferring food or feed. If reinfestation does occur, repeat treatment.

NOTICE OF WARRANTY

NOTICE: To the extent consistent with applicable law, Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

For Gopher Control



Go-Die[®] Gopher Bait^{II}



This product may only be used for the control of pocket gophers in manual, below ground applications.

Intended for residential use.

Active Ingredient:
Zinc Phosphide.....2.0%
Inert Ingredients:98.0%
Total:100.0%

EPA Reg. No. 36029-12-54705
EPA Est. No. 36029-CA-1
GO-DIE is a registered trademark of
Lawn and Garden Products, Inc.

KEEP OUT OF REACH OF CHILDREN
CAUTION

NET WT: 1 Lb/453.6 kg

FIRST AID

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-858-7378 (National Pesticide Information Center) for emergency medical treatment information. If you experience signs and symptoms such as nausea, abdominal pain, tightness in chest, or weakness, see a physician immediately. For information on pesticide products (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice or transport the patient to the nearest hospital. Do not give any liquid to the patient. Do not administer anything by mouth. Do not induce vomiting unless told to do so by a poison control center or doctor.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Remove person to fresh air. If person is not breathing, call an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

IF IN EYES:

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center, or doctor immediately for treatment advice.