



Repels and controls biting flies & nuisance flying insects

For use on ratites, sheep, goats, alpaca, horses & more

CTIVE INGREDIENTS:

ACTIVE INGREDIENTS.		
Cedarwood Oil	0.6	9
Citronella Oil	0.6	9/
Clove Oil	0.6	9/
Sodium Laurvl Sulfate	1.0	9/
INERT INGRÉDIENTS:*	7.2	9/
TOTAL:	0.00	9/

*Inert Ingredients: Water

Keep Out Of Reach Of Children CAUTION (See back panel for additional Precautionary Statements) Net Contents 32 FL OZ (946 ML)



All-natural botanical formula



- ✓ A gentle, effective blend of natural botanical oils to repel and control flies
- ✓ Provides a pleasant odor
- √ Water-based
- ✓ Helps keep coats shiny and healthy

Store and transport in an upright position. Buyers Guarantee Limited to Label Claims. ©Bonide Products, Inc. All Rights Reserved

Quart

Bonide Products, Inc. 6301 Sutliff Boad Oriskany, NY 13424 (315) 736-8231







GENERAL INFORMATION REVENGE Fly Beater Natural Fly Repellent is fast acting and

repels horn, stable, house, horse, deer, and garbage flies and gnats. It can be used on animals such as ratites, sheep, goats, alpaca, horses, chickens and more. It can be used inside horse stables, dairy barns, milking parlors, paddocks around livestock and horses, and chicken coops. This product has a pleasant scent and will leave the area smelling fresh and pleasant. Flies breed in warm, moist, organic materials such as manure, garbage, lawn clippings, decaying plant material, or soils contaminated with any of these materials. Regular removal (at least once per week) of organic materials is the key to a successful fly control program. This will break the life cycle of the fly, preventing the production of more adult flies by limiting their breeding sites.

DIRECTIONS FOR USE

No mixing required. Shake well before using. This product is intended to be used on horses, ponies, ratites, sheep goats, alpaca, chickens, and other farm animals to control and repel biting and ruisance flying insects. Thoroughly brush the animal's coat prior to application to remove loose dirt and debris. Turn nozzle to ON position and hold spray container 10-12 inches from animals coat. Apply evenly on entire animal with trigger spray, paying

particular attention to legs, shoulders, shanks, neck and ears where flies are most often seen. Do not saturate animal. Do not spray in sensitive areas such as eyes, mouth, nose and genitalia. Do NOT apply on animals younger than 12 weeks. Cover eyes of animal when spraying around its face, or apply this product to a towel and wipe onto skin around face of animal. If in doubt, test a small area before making full application. Repeat application as needed.

USE AS A PREMISE SPRAY

Shake well before using. This product can be sprayed around animal premises to repel biting flies and nuisance flying insects. Can be used inside horse stables, dairy barns, milking parlors, paddocks around livestock and horses, chicken coops and other areas. Turn nozzle to ON position and hold spray container 10-12 inches from surface. Do not spray to painted surfaces or fine finishes without testing on a small inconspicuous area first. Repeat application as needed.

This product is exempt from registration with the Federal EPA under section 25(b) of FIFRA, and as such, is not registered with the Environmental Protection Agency. Bonide represents that the ingredients qualify for exemption from registration under FIFRA.

STORAGE AND DISPOSAL

Store and transport in an upright position. Store only in original container, in a dry place inaccessible to children and pets. Do not reuse empty container. Discard empty container in trash.

Other Precautions: Do not apply directly to water. Not for aquatic use. Not for food use.

FIRST AID

Product can cause moderate eye irritation. For certain individuals, skin irritation may occur. In case of eye contact, flush with plenty of water. In case of skin irritation, wash area thoroughly with soap and water. Seek medical attention if irritation persists.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with label directions.