

KILLS HIV-1 (AIDS VIRUS), HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD AND BODY FLUIDS.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV OR HCV ON SURFACES/OBJECTS SOILED WITH BLOOD AND BODY FLUIDS.

On pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B Virus (HBV), or Hepatitis C Virus (HCV).

PERSONAL PROTECTION

When handling items soiled with blood or body fluids, use appropriate barrier protection such as disposable latex gloves, gowns, masks and eye coverings.

CLEANING PROCEDURE


Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant.

DISPOSAL OF INFECTIOUS MATERIALS

Blood and other body fluids must be autoclaved and disposed of according to Federal, State and local regulations for infectious waste disposal.

CONTACT TIME

Leave surface wet for 10 minutes.



0 17922 51611 3

BARBICIDE 16 oz.

BARBICIDE®

Hospital

**GERMICIDE
PSEUDOMONACIDE
FUNGICIDE
AND VIRUCIDE***

Anti-Rust Formula

ACTIVE INGREDIENT:

Alkyl (50% C₁₄, 40% C₁₂, 10% C₁₆)
dimethyl benzyl ammonium
chloride 5.12%

INERT INGREDIENTS: 94.88%

TOTAL: 100.00%
(contains Sodium Nitrite)

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID

Call poison control center or doctor immediately for treatment advice. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present after the first 5 minutes, then continue rinsing eye. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **IF SWALLOWED:** Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

**SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS**

A PRODUCT OF

KING
RESEARCH®

7025 West Marcia Road
MILWAUKEE, WI USA

EPA Reg No. 954-11 EPA Est. No.051435-WI-004
Net Contents: 16 Fl. Oz. 473 mL

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: KEEP OUT OF REACH OF CHILDREN. CORROSIVE. CAUSES IRREVERSIBLE EYE DAMAGE AND SKIN BURNS. DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING. HARMFUL IF SWALLOWED. AVOID CONTAMINATION OF FOOD. WEAR EYE PROTECTION (FACE SHIELD AND/OR GOGGLES), PROTECTIVE CLOTHING, AND RUBBER GLOVES WHEN HANDLING. WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING AND BEFORE EATING, DRINKING, CHEWING GUM, USING TOBACCO OR USING A TOILET. REMOVE CONTAMINATED CLOTHING AND WASH BEFORE REUSE.

STORAGE AND DISPOSAL

Do not store on side. Avoid creasing or impacting of side walls. Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available or wrap container and put in trash.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinse water is a violation of Federal Law. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. To make a HOSPITAL DISINFECTANT mix 2 ounces of BARBICIDE in 32 ounces of water. BARBICIDE is for use in hospitals, health care facilities, tanning facilities and in beauty salons, barbershops, and hairstyling establishments. SURFACES: On inanimate, hard non-porous surfaces such as floors, sink tops, tables, acrylic tanning beds, telephones, toilet seats, and door handles. Apply solution prepared as above to pre-cleaned surfaces with a cloth, mop, sponge, or coarse mist pump or trigger sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes and then let air-dry. BEAUTY/BARBER INSTRUMENTS AND TOOLS: Thoroughly clean brushes, combs, clipper blades, shears, razors, and other inanimate hard surfaced non-porous tools and implements prior to complete immersion for 10 minutes (or as required by local authorities) in a solution as prepared above. Rinse to remove BARBICIDE after immersion and dry before use. Fresh solution must be prepared daily or more often if solution becomes diluted or soiled. PERFORMANCE: When tested with full immersion for 10 minutes in a solution prepared as above, BARBICIDE has been found to be effective against: *Pseudomonas aeruginosa*, *Salmonella enterica*, *Staphylococcus aureus* (including *Staphylococcus aureus* Methicillin Resistant (MRSA)), *Trichophyton mentagrophytes*, *Herpes Simplex Virus Type-1 and Type-2, *Human Immunodeficiency Virus Type 1 (HIV-1) (AIDS virus), *Hepatitis B Virus and *Hepatitis C Virus.

BAR-0473-01

BARBICIDE®

Hospital

**GERMICIDE, PSEUDOMONACIDE
FUNGICIDE & VIRUCIDE***

Anti Rust Formula

ACTIVE INGREDIENT:
Alkyl (50% C₁₂, 40% C₁₃, 10% C₁₄) dimethyl benzyl ammonium chloride 5.12%
INERT INGREDIENTS 94.88%
TOTAL: 100.00%
(Contains sodium nitrite)

**KEEP OUT OF REACH OF CHILDREN
DANGER**

Call poison control center or doctor immediately for treatment advice. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. IF SWALLOWED: Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Net Contents 64 FL. OZ.

1.89 L

KILLS *HIV-1 (AIDS VIRUS), *HBV AND *HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD AND BODY FLUIDS.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATING AGAINST HIV-1, HBV OR HCV ON SURFACES/OBJECTS SOILED WITH BLOOD AND BODY FLUIDS.

On pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B Virus (HBV), or Hepatitis C Virus (HCV).

PERSONAL PROTECTION

When handling items soiled with blood or body fluids, use appropriate barrier protection such as disposable latex gloves, gowns, masks and eye coverings.

CLEANING PROCEDURE

Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant.

DISPOSAL OF INFECTIOUS MATERIALS

Blood and other body fluids must be autoclaved and disposed of according to Federal, State and local regulations for infectious waste disposal.

CONTACT TIME

Leave surface wet for 10 minutes.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: KEEP OUT OF REACH OF CHILDREN. CORROSIVE. CAUSE IRREVERSIBLE EYE DAMAGE AND SKIN BURNS. DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING. HARMFUL IF SWALLOWED. AVOID CONTAMINATION OF FOOD. WEAR EYE PROTECTION (FACE SHIELD AND/OR GOGGLES), PROTECTIVE CLOTHING, AND RUBBER GLOVES WHEN HANDLING. WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING AND BEFORE EATING, DRINKING, CHEWING GUM, USING TOBACCO OR USING A TOILET. REMOVE CONTAMINATED CLOTHING AND WASH BEFORE REUSE.

STORAGE AND DISPOSAL

Do not store on side. Avoid creasing or impacting of side walls. Non-refillable container. Do no reuse or refill this container. Offer for recycling, if available or wrap container and put in trash.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinse water is a violation of Federal Law. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

A PRODUCT OF
KING
RESEARCH®

7025 West Marcia Road
MILWAUKEE, WI 53223

EPA Registration No. 954-11 EPA Establishment No. 051435-WI-004

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. To make a HOSPITAL DISINFECTANT mix 2 ounces of BARBICIDE in 32 ounces of water. BARBICIDE is for use in hospitals, health care facilities, tanning facilities and in beauty salons, barbershops, and hairstyling establishments. SURFACES: On inanimate, hard non-porous surfaces such as floors, sink tops, tables, acrylic tanning beds, telephones, toilet seats, and door handles. Apply solution prepared as above to pre-cleaned surfaces with a cloth, mop, sponge, or coarse mist pump or trigger sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes and then let air-dry. BEAUTY/BARBER INSTRUMENTS AND TOOLS: Thoroughly clean brushes, combs, clipper blades, shears, razors, and other inanimate hard surfaced non-porous tools and implements prior to complete immersion for 10 minutes (or as required by local authorities) in a solution as prepared above. Rinse to remove BARBICIDE after immersion and dry before use. Fresh solution must be prepared daily or more often if solution becomes diluted or soiled. PERFORMANCE: When tested with full immersion for 10 minutes in a solution prepared as above, BARBICIDE has been found to be effective against: Pseudomonas aeruginosa, Salmonella enterica, Staphylococcus aureus (including Staphylococcus aureus Methicillin Resistant (MRSA)), Trichophyton mentagrophytes, *Herpes Simplex Virus Type-1 and Type-2, *Human Immunodeficiency Virus Type 1 (HIV-1) (AIDS virus), *Influenza A Virus (in 5% Serum), *Hepatitis B Virus and *Hepatitis C Virus.
BAR-1890-01

BARBICIDE 64 OZ - DOM half gallon
PAK TECHNOLOGIES 12" x 20" O.D. / 280 Mesh
revised 10/17

BARBICIDE®

Hospital

**GERMICIDE, PSEUDOMONACIDE
FUNGICIDE & VIRUCIDE***

Anti Rust Formula

ACTIVE INGREDIENT:	
Alkyl (50% C., 40% C., 10% C.) dimethyl benzyl ammonium chloride	5.12%
INERT INGREDIENTS	94.88%
TOTAL	100.00%
(Contains sodium nitrite)	

**KEEP OUT OF REACH OF CHILDREN
DANGER**

Call poison control center or doctor immediately for treatment advice. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. IF SWALLOWED: Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Net Contents 128 FL. OZ. 3.78 L

KILLS *HIV-1 (AIDS VIRUS), *HBV AND *HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD AND BODY FLUIDS.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATING AGAINST HIV-1, HBV OR HCV ON SURFACES/OBJECTS SOILED WITH BLOOD AND BODY FLUIDS.

On pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B Virus (HBV), or Hepatitis C Virus (HCV).

PERSONAL PROTECTION

When handling items soiled with blood or body fluids, use appropriate barrier protection such as disposable latex gloves, gowns, masks and eye coverings.

CLEANING PROCEDURE

Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant.

DISPOSAL OF INFECTIOUS MATERIALS

Blood and other body fluids must be autoclaved and disposed of according to Federal, State and local regulations for infectious waste disposal.

CONTACT TIME

Leave surface wet for 10 minutes.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS**

DANGER: KEEP OUT OF REACH OF CHILDREN. CORROSIVE. CAUSE IRREVERSIBLE EYE DAMAGE AND SKIN BURNS. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. HARMFUL IF SWALLOWED. AVOID CONTAMINATION OF FOOD. WEAR EYE PROTECTION (FACE SHIELD AND/OR GOGGLES), PROTECTIVE CLOTHING, AND RUBBER GLOVES WHEN HANDLING. WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING AND BEFORE EATING, DRINKING, CHEWING GUM, USING TOBACCO OR USING A TOILET. REMOVE CONTAMINATED CLOTHING AND WASH BEFORE REUSE.

STORAGE AND DISPOSAL

Do not store on side. Avoid creasing or impacting of side walls. Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available or wrap container and put in trash.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinse water is a violation of Federal Law. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

A PRODUCT OF
KING
RESEARCH.

7025 West Marcia Road
MILWAUKEE, WI 53223 0 17922 5067 9
EPA Registration No. 954-11 EPA Establishment No. 051435-WI-004



DIRECTIONS FOR USE


It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. To make a HOSPITAL DISINFECTANT mix 2 ounces of BARBICIDE in 32 ounces of water. BARBICIDE is for use in hospitals, health care facilities, tanning facilities and in beauty salons, barbershops, and hairstyling establishments. SURFACES: On inanimate, hard non-porous surfaces such as floors, sink tops, tables, acrylic tanning beds, telephones, toilet seats, and door handles. Apply solution prepared as above to pre-cleaned surfaces with a cloth, mop, sponge, or coarse mist pump or trigger sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes and then let air-dry. BEAUTY/BARBER INSTRUMENTS AND TOOLS: Thoroughly clean brushes, combs, clipper blades, shears, razors, and other inanimate hard surfaced non-porous tools and implements prior to complete immersion for 10 minutes (or as required by local authorities) in a solution as prepared above. Rinse to remove BARBICIDE after immersion and dry before use. Fresh solution must be prepared daily or more often if solution becomes diluted or soiled. PERFORMANCE: When tested with full immersion for 10 minutes in a solution prepared as above, BARBICIDE has been found to be effective against: Pseudomonas aeruginosa, Salmonella enterica, Staphylococcus aureus (including Staphylococcus aureus Methicillin Resistant (MRSA)), Trichophyton mentagrophytes, Herpes Simplex Virus Type-1 and Type-2, Human Immunodeficiency Virus Type 1 (HIV-1) (AIDS virus), Hepatitis B Virus and Hepatitis C Virus. BAR-3780-01

BARBICIDE US GALLON
BARBICIDE 128 OZ
PAK TECHNOLOGIES 13" x 24" O.D. / 280 Mesh
revised 10/17

SIZE: 4.5"x 3.54"

4/C 1-SPOT WHITE 2-PMS2995 3-PMS2935 4-BLACK DIELINE

JOB#155757-DATE:09/27/17-PART#PAK1CLLBRBFLA



BARBICIDE®

DISINFECTANT

Hard Non-Porous Surface Cleaner

**32 FL OZ
(1 QT) 946mL**

ACTIVE INGREDIENT:

Alkyl (50% C₁₄, 40% C₁₂, 10% C₁₆)

Dimethyl benzyl ammonium chloride..... 5.12%

INERT INGREDIENTS..... 94.88%

TOTAL..... 100%

(contains Sodium Nitrite)

KEEP OUT OF REACH OF CHILDREN

DANGER: SEE BACK PANEL FOR PRECAUTIONARY STATEMENTS AND FIRST AID

The product in this container is diluted as directed on the product label.

BARBICIDE[®]

DISINFECTANT

FIRST AID: Call a Poison Control Center or doctor immediately for treatment advice.
IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present after the first 5 minutes, then continue rinsing. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **IF SWALLOWED:** Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the Poison Control Center or doctor. Do not give anything by mouth to an unconscious person. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

SEE LABEL ON ORIGINAL CONTAINER FOR DIRECTIONS FOR USE AND ADDITIONAL PRECAUTIONARY INFORMATION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: KEEP OUT OF REACH OF CHILDREN. CORROSIVE. CAUSES IRREVERSIBLE EYE DAMAGE AND SKIN BURNS. DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING. HARMFUL IF SWALLOWED. AVOID CONTAMINATION OF FOOD. WEAR EYE PROTECTION, PROTECTIVE CLOTHING, AND RUBBER GLOVES WHEN HANDLING. WASH HANDS THOROUGHLY WITH SOAP AND WATER AFTER HANDLING AND BEFORE EATING, DRINKING, CHEWING GUM, USING TOBACCO OR USING A TOILET. REMOVE CONTAMINATED CLOTHING AND WASH BEFORE USE.

STORAGE AND DISPOSAL Do not store on side. Avoid creasing or impacting of side walls. Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available or wrap container and put in trash.

PESTICIDE DISPOSAL Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinse waste is a violation of Federal Law. Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

EPA Reg. No. 954-11
EPA Est. No. 051435-WI-002-004

QUESTIONS OR COMMENTS?
Please call 1-800-222-8160 or visit our
web site at www.king-research.com

KING
RESEARCH[®]

Distributed By King Research
Milwaukee, WI USA