

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

CAUTION:
HARMFUL IF SWALLOWED OR ABSORBED THROUGH THE SKIN. CAUSES EYE IRRITATION. AVOID CONTACT WITH SKIN, EYES, OR CLOTHING. WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product may be used in homes, restaurants, and other food and handling establishments, markets, schools, warehouses, factories, offices, hotels, motels, hospitals, nursing homes, garages, grocery stores, apartment buildings, new construction, commercial buildings, trailers, shops, boats, trains, trucks, yards, camps, and trailers, 200s, kennels, military bases, libraries, utilities and sewers.

FOR RESIDENTIAL USE TO CONTROL FLEAS AND DUST MITES

Use Restrictions: Children and pets should not be in treatment area until the application is completed. Do not treat pets with this product. Avoid contamination of feed and foodstuffs. Avoid contamination of ornamental plants.

Application Directions for Fleas and Dust Mite Control: Apply to dry surfaces only. Apply directly on carpets, where a pet frequently traffic or sleep at the rate of one pound per 300 square feet. Work powder deep into fibers and mat with a broom or rug beater. Any powder visible after application must be brushed into carpet fibers or removed by vacuuming. Allow powder to remain for a period of three weeks to achieve maximum flea control in carpets. Re-apply as necessary.

Additional Use Sites and Application Instructions: Apply powder lightly to hardwood floor surfaces. Using a broom, completely work any visible powder into all cracks and surfaces.

FOR RESIDENTIAL USE TO CONTROL COCKROACHES, ANTS AND SILVERFISH

Use Restrictions: Children and pets should not be in treatment area until the application is completed. Do not treat pets with this product. Avoid contamination of feed and foodstuffs. Avoid contamination of ornamental plants.

Application Directions for Cockroaches, Ants and Silverfish Control: Apply sparingly, scattering under and behind refrigerator, stove, sink, dishwasher, washing machine and dryer. Do not use openings around doors, water pipes and electrical conduits in walls, ceilings, attics, and basements. Remove all lower drawers in kitchen and bathroom cabinets, bedroom dressers and chests of drawers, then scatter liberally in drawer wells. Any powder visible after application must be removed. Re-apply after 30 days if necessary.

**NON-DOMESTIC USE
(NON-EDIBLE PRODUCT AREAS ONLY)**

Use Restrictions: Children and pets should not be in treatment area until after application is completed. Do not use in edible product areas of food handling establishments, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas where food is exposed.

Directions for Applying in New and Existing Construction to Control Cockroaches: When treating large areas, such as walls, voids, soffits and subterranean voids in new and existing construction, dust liberally using dusting application equipment.

Directions for Applying in Sewers and Manhole Cavities: Apply this product at a rate not to exceed 1.2 oz. per 190 sq. ft. using portable blowers or air pressure tanks.



KILLS FLEAS
ALSO KILLS COCKROACHES, ANTS, SILVERFISH, DUST MITES

ODORLESS • PATENTED • NON-STAINING

ACTIVE INGREDIENT:	ORTHOBORIC ACID	64.00%
	INERT INGREDIENTS:	36.00%
TOTAL:		100.00%

**KEEP OUT OF REACH OF CHILDREN
CAUTION - FIRST AID**

If Swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible. Call a poison control center or doctor for further treatment advice.

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

NET CONTENTS 30lb. (13.59 kg) See Side Panel For Additional Precautions

MANUFACTURED FOR **RX FOR FLEAS INC.** 6555 N.W. 3th Avenue, Suite 412, Fort Lauderdale, FL 33309

EPA REG. NO. 591111-1/EPA EST. NO. 44757-AZ-1

UNLAWFUL TO REPRODUCE OR TRANSMIT IN ANY MANNER WITHOUT THE WRITTEN PERMISSION OF THE MANUFACTURER.

Directions for Applying as a Mop Solution to Control Cockroaches:

Mixing and Application Directions: Add one cup of powder to each gallon of fresh water. Agitate thoroughly. Dip mop head in solution enough for each application. Supplement with spray. Apply liberally as necessary. Any powder visible after application must be brushed into cracks and crevices or removed. Avoid contamination of feed and foodstuffs.

FOOD HANDLING ESTABLISHMENTS

Place over that private residences in which food or feed is held, processed, prepared or served.

1. FOOD AREAS (INCLUDING SOME SERVING AREAS)
Includes areas for receiving, storage, packing (loading, bottling, wrapping, dicing), preparing, edible waste storage and enclosed processing systems, mills, saws, edible oils, syrups. Also includes some SERVING AREAS.

FOOD SERVING AREAS

SERVING AREAS are facilities where food is served, such as dining rooms, but not where food is prepared or held. These areas are considered **FOOD AREAS** when food is exposed and the facility is in operation. Follow application directions in this section. If food is not exposed and facility is not in operation, follow application directions under **NON-FOOD SERVING AREAS** below.

Use Restrictions: FOOD AREA application is limited to CRACK AND CREVICE TREATMENT ONLY. Applications to other areas are not permitted.

Application Directions: Apply in small amounts directly into cracks and crevices using a bulbous duster or other suitable equipment capable of applying insecticides directly into cracks and crevices, in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases, conduits, motor housing and electrical switch boxes, where cockroaches hide.

Do not apply this product to exposed food or food contact surfaces. Do not apply dust into the air.

2. NON-FOOD AREAS (INCLUDING SOME SERVING AREAS)

Includes garbage rooms, lavatories, floor drains, to sewers, entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after cleaning or bottling). Also includes some SERVING AREAS.

NON-FOOD SERVING AREAS

SERVING AREAS are facilities where food is served, such as dining rooms, but not where food is prepared or held. These areas are considered **NON-FOOD AREAS** when food is not exposed and the facility is not in operation.

Follow application directions in this section. If food is exposed and the facility is in operation, follow application directions under **FOOD SERVING AREAS**.

Application Directions: Apply as a spot treatment to selective surfaces such as baseboards, under elements of construction into cracks and crevices. Avoid treating surfaces likely to be contacted by food.

OTHER NON-FOOD AREAS

Application Directions: Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

STORAGE AND DISPOSAL

If Empty: Do not reuse this container.

If Partially Filled: Call your local solid waste agency or 800-666-3333 for disposal instructions. Never place unused product down any indoor or outdoor drain.