

PRECAUTIONARY STATEMENTS**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: Harmful if absorbed through the skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

FIRST AID

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice. Have the product container with you when calling a Poison Control Center or doctor or going for treatment.

Medical Emergency Telephone 1-800-535-5053 (U.S.). Outside the U.S. 1-352-323-3500.

Not only helps control the hazards of cross-contamination from treated hard, nonporous, environmental surfaces, but also kills many microorganisms that cause odors. This product is for disinfecting hard, nonporous surfaces. It is formulated for use in schools, colleges, office buildings, shower and bath areas, institutional facilities, public restrooms and airports. Sani Blue Plus Daily Bathroom Cleaner delivers non-acid disinfectant and cleaning performance and is effective yet economical.

Sani Blue Plus Daily Bathroom Cleaner kills *Pseudomonas aeruginosa* (*Pseudomonas*), *Staphylococcus aureus* (*Staph*), *Salmonella enterica* (*Salmonella*) and *Streptococcus pyogenes* (*Strep*). Also kills viruses such as *Herpes Simplex Virus Type 2 (*Herpes*), *HIV-1 (the AIDS Virus) and *Influenza Type A/ Brazil Virus (*Influenza*). It is also effective against the pathogenic fungi *Trichophyton mentagrophytes* (*Athlete's foot fungus*) (cause of Ringworm) when used as directed for disinfection with a contact time of 10 minutes on hard, nonporous surfaces in bathrooms, including shower stalls, floors, bath mats, glazed bathroom tiles and locker room benches. Kills Pandemic 2009 H1N1 influenza A virus.

Use Sani Blue Plus Daily Bathroom Cleaner to clean and disinfect finished floors, sinks and tubs with a mop and bucket, trigger sprayer, sponge or by soaking. It may be used for non-scratch cleaning of showers and tubs, shower doors and curtains, fixtures and toilet bowls. It is a mildewstat and will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard nonporous surfaces.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DISINFECTION / *VIRUCIDAL / FUNGICIDAL / MOLD OR MILDEW DIRECTIONS: If surfaces are visibly dirty pre-clean first. Apply with a mop, sponge, cloth, or spray on hard, nonporous surfaces to thoroughly wet surfaces. For sprayer applications, use a coarse spray device. Spray 6 - 8 inches from surfaces until thoroughly wet for 10 minutes. Avoid breathing spray. Rub with a brush, sponge or cloth. Treated surfaces must remain wet for 10 minutes. Wipe dry with a clean cloth, or sponge or allow to air dry. Rinsing is not necessary on floor surfaces that are to be waxed or polished. For mold and mildew control, repeat application weekly or when growth reappears. Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. This product should not be used to clean utensils, glassware and dishes. This product not for use on medical device surfaces.

TO CLEAN AND / OR DEODORIZE: Apply by mop, sponge, cloth or spray on hard, nonporous surfaces. Wipe dry with a clean cloth, or sponge, or allow to air dry.

SANITIZING NON-FOOD CONTACT SURFACES: Use on washable, hard, nonporous surfaces: walls, floors, tables, garbage cans and telephones. The product is effective against *Staphylococcus aureus* and *Enterobacter aerogenes* in the presence of 5% serum. Apply by mop, sponge, cloth or spray to thoroughly wet surfaces for a minimum contact time of 5 minutes. Wipe dry with a clean cloth or sponge, or allow to air dry.

Form 117714-ssq (6/29/12)



Institutional Division

Sani Blue Plus

Daily Bathroom Cleaner

EPA Reg. No. 47371-97-527

EPA Est. No. 527-NY-2 EPA Est. No. 527-IL-1

ONE STEP *VIRUCIDAL READY TO USE GERMICIDE
CLEANER - DISINFECTANT - DEODORANT

ACTIVE INGREDIENTS:

n-Alkyl (C ₁₄ 60%, C ₁₆ 30%, C ₁₂ 5%, C ₁₈ 5%)	
dimethyl benzyl ammonium chloride	0.09%
n-Alkyl (C ₁₂ 50%, C ₁₄ 30%, C ₁₆ 17%, C ₁₈ 3%)	
dimethyl ethyl-benzyl ammonium chloride	0.09%
OTHER INGREDIENTS:	99.82%
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panels for Precautionary Statements

11771415

Net Contents: 1 Quart (.95 Liters)

Do not use in food preparation, food handling and food storage areas. Do not use to sanitize glassware, dishes or utensils.

TO CLEAN AND DISINFECT TOILET BOWLS AND URINALS: Remove gross filth from bowl. Remove or expel over the inner trap residual bowl water. Use 4 ounces of product in toilet bowl or urinal. Apply (squeeze) directly around bowl and under rim; then brush or swab thoroughly. Allow product to remain on surface for a contact time of 10 minutes; then flush toilet. This product, when used as directed, will not harm white or colored bowls or inanimate, hard surfaces. Close cap on container after use.

***KILLS HIV-1 (AIDS VIRUS) ON PRE-CLEANED, ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surface/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

Personal Protection: Clean-up must always be done wearing protective gloves, gowns, masks and eye protection.

Cleaning Procedures: Blood and body fluids must be thoroughly cleaned from surfaces and objects before application of disinfectant.

Contact Time: Effective against HIV-1 (AIDS virus) on hard, nonporous surfaces in the presence of a moderate amount of organic soil (5% blood serum) (providing 1800 ppm of active quaternary) for a contact time of 5 minutes at room temperature (20-25°C). Use a ten (10) minute contact time for disinfection against all other bacteria, fungi and viruses claimed.

Disposal of Infectious Materials: Blood and other body fluids must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage:

Open dumping is prohibited. Store in original container in areas inaccessible to children.

Pesticide Disposal:

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal:

Nonrefillable container. Do not reuse or refill this container. Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

MADE IN USA

Distributed by:

Rochester Midland Corporation World Headquarters

155 Paragon Drive
Rochester, NY 14624 USA
www.rochemidland.com