7969-58-7401_Hi-Yield Grass Killer_20211123_109_7401_.pdf

Hi-Yield®

Grass Killer

Postemergence Grass Herbicide

- **Systemic Selective Herbicide Kills Weedy Grasses Without Injuring Desirable Plants**
- **Controls: Bermudagrass, Crabgrass, Foxtails, Quackgrass and Many Other Weedy Grasses**
- **Concentrate Makes 8 Gallons of Spray Solution**

ACTIVE INGREDIENT:

Sethoxydim: 2-[1(ethoxyimino)butyl]-5-[2-(ethylthio)propyl]-3-hydroxy-2-cyclohexen-1-one* 18.0%

OTHER INGREDIENTS: 82.0%

TOTAL: 100.0%

*Equivalent to 1.5 lbs sethoxydim per gallon formulated as an emulsifiable concentrate.

Contains petroleum distillate

KEEP OUT OF REACH OF CHILDREN

WARNING/AVISO

See the attached booklet for complete Precautionary Statements, Directions For Use, First Aid, Conditions Of Sale And Warranty, and state-specific crop and/or use site restrictions.

NET CONTENTS (8 FL. OZ./ 236 ML)

Hi-Yield® Grass Killer

FIRST AID	
If In Eyes	• Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. • Call a poison control center or doctor for treatment advice.
If On Skin Or Clothing	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice.
If Swallowed	• Call a poison control center or doctor immediately for treatment advice. • **DO NOT** give any liquid to the person. • **DO NOT** induce vomiting unless told to do so by a poison control center or doctor. • **DO NOT** give anything by mouth to an unconscious person.
If Inhaled	• Move person to fresh air. • If person is not breathing, call 911 or an ambulance; then give artificial respiration, preferably by mouth to mouth, if possible. • Call a poison control center or doctor for further treatment advice.

HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

In the event of a medical or chemical emergency, contact ChemTel INC.
North America 1-800-255-3924 or Worldwide Intl. + 01- 813-248-0585

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage. Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

Hi-Yield® is a registered trademark of Voluntary Purchasing Groups, Inc.

Manufactured For:
VPG Voluntary Purchasing Groups, Inc.™
230 FM 87
BONHAM, TEXAS 75418
EPA Reg. No. 7969-58-7401
EPA Est. No. 7401-TX-01
NVA: 2019-04-025-0076
855-270-4776

7 32221 31134 3

PEEL FROM CORNER OF BOOKLET

Intended for residential use on and around:

Flowers	**Trees**	**Ornamental-Groundcovers**
Evergreens	**Fruits***	
Shrubs	**Vegetables***	**Bedding Plants**

*See **Table 2. Fruits and Vegetables** for specific crops.

Manufactured For:

VPG Voluntary Purchasing Groups, Inc.

230 FM 87 • BONHAM, TX 75418
EPA Reg. No. 7969-58-7401
EPA Est. No. 7401-TX-01
NVA: 2019-04-025-0076
Product Questions? 855-270-4776

31134-1-0621-REG2



PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes substantial but temporary eye injury. Causes skin irritation. Harmful if absorbed through skin or swallowed. **DO NOT** get in eyes, on skin, or on clothing. Wear long-sleeved shirt, long pants, chemical-resistant gloves made of any waterproof material, protective eyewear, shoes, and socks. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

RE-ENTRY STATEMENT

DO NOT allow people or pets to come into contact with treated areas until spray has dried.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms. To protect the environment, **DO NOT** allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

Nontarget Organism Advisory: This product is toxic to plants and may adversely impact the forage and habitat of nontarget organisms, including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of nontarget organisms by following label directions intended to minimize spray drift.

ENDANGERED SPECIES CONCERNS

The use of any pesticide in a manner that may kill or otherwise harm an endangered or threatened species or adversely modify their habitat is a violation of federal law.

PHYSICAL AND CHEMICAL HAZARDS

COMBUSTIBLE. DO NOT use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with this labeling.

READ ENTIRE LABEL BEFORE USING THIS PRODUCT.

This product is a selective systemic grass killer to eliminate existing weedy grasses growing in and around plant beds, landscapes, and individual shrubs, and trees (See **Tolerant Plants**). This product can be used through a hose-end sprayer according to the directions of the sprayer used or through a tank-type sprayer. This product can also be used around listed fruit and vegetable areas (see **Table 2**) wherever listed weedy grasses occur. Use only tank-type sprayers.

WEEDY GRASSES CONTROLLED

This product kills most annual and hard-to-kill perennial grasses up to 1 foot high, including the following examples, in one or two applications. Younger, actively growing seedling weeds are more easily killed than older, mature, well-established grassy weeds that may require a repeat application for control. Adding oil concentrate may help control grassy weeds.

WEEDY GRASSES CONTROLLED (Continued)

Barnyardgrass
Bermudagrass
Broadleaf Signalgrass
Crabgrass, Large
Crabgrass, Smooth
Fall Panicum
Foxtail, Giant
Foxtail, Green
Foxtail, Yellow
Goosegrass
Johnsongrass, Seedling
Johnsongrass, Rhizome
Junglerice
Lovegrass
Orchardgrass, Seedling
Quackgrass
Tall Fescue Seedling
Texas Panicum
Shattercane/Wildcane
Wild Proso Millet
Wirestem Muhly
Witchgrass
Woolly Cupgrass

Note: This product does not control sedge (including Nutsedge or Nutgrass), Annual Bluegrass, or broadleaf weeds. Red Fescue, Chewings Fescue, Hard Fescue, and Dichondra Turfs are also tolerant to this product.

APPLICATION TIMING

Apply when grassy weeds are actively growing, not exceeding the minimum of days from application to harvest when used on vegetables and fruits. Warm sunny weather will accelerate systemic movement from leaves and stems down to the roots to give complete kill. **DO NOT** mow or cut off tops of weeds before spraying. **DO NOT** apply if rainfall is expected within one hour following application. Growth of treated grass stops soon after application. Grass turns yellow and dies within one to three weeks depending on the grass species, stage of growth and weather conditions. Cool weather, drought, and heat stress slow activity.

TABLE 1. Hi-Yield® Grass Killer (concentrate) and Oil Concentrate Dilution

Water (gals)	Hi-Yield® Grass Killer		Oil Concentrate*		Coverage (sq ft)
	Fluid Ounces	Tbsp.	Fluid Ounces	Tbsp.	
1	1	2	1	2	1,800
3	3	6	3	6	5,400
5	5	10	5	10	9,000
8	8	16	8	16	14,400

One gallon of spray will treat 1,800 square feet.

*To prevent leaf burn of desirable plants, **DO NOT** use oil concentrate when comfort index (temperature °F + humidity) exceeds 150.

HOSE-END SPRAYER APPLICATION

Water Dilution/Premixing Not Needed. Determine the area to treat in square feet. Pour 1 fluid ounce of this product and 1 fluid ounce oil concentrate in the hose-end sprayer bottle for each 1,800 square feet treated. Apply 1 fluid ounce per gallon. After application, wash the sprayer with a dilute soap solution and rinse according to the sprayer instructions. Take precautions to minimize spray drift.

Water Dilution/Premixing Needed. Some hose-end applicators recommend premixing liquid products with water before pouring into the sprayer bottle. Read the hose-end sprayer instructions for treatments at 1 fluid ounce per 1,800 square feet. Clean the sprayer after use according to the sprayer instructions.

TANK SPRAYER APPLICATION

Mix 1 fluid ounce of this product plus 1 fluid ounce oil concentrate per 1 gallon water; spray to just wet the unwanted weedy grasses. One gallon of spray will treat 1,800 square feet. Wash sprayer by flushing soapy water through the sprayer; then flushing clean water through the sprayer.

Important:

For spot treating grassy weeds near lawns and around sensitive plants, a tank-type sprayer is recommended. Spray carefully to avoid spray or drift contact with desirable plants. Setting nozzles at the lowest effective height will help to reduce the potential for spray drift. If drift occurs, wash foliage immediately with water.

FLOWERS, BEDDING PLANTS, EVERGREENS SHRUBS, TREES AND ORNAMENTAL GROUNDCOVERS

This product may be applied over the top of desirable plants infested by weedy grasses, or as a directed spray to weedy grasses at the labeled rate. **DO NOT** exceed dosage rate per gallon of spray. Most ornamental species tested have been found tolerant to this product (see **Tolerant Plants** list). However, use with caution around the following plants as they may be damaged if spray contacts foliage: Azaleas (var. Snow), Japanese Privet, Potentilla, Snow in Summer, Red Oak, White Oak and ornamental grass.

This product may also be used on the following nonbearing food plants. **DO NOT** apply within 1 year of harvest.

Avocados	Dates	Figs	Olives
Plums	Pomegranates	Prunes	

FRUITS AND VEGETABLES
(use only with tank-type sprayers)

Use this product on the fruits and vegetables listed in **Table 2. Fruits and Vegetables. DO NOT** apply on or around any fruits and vegetables not listed on this label, especially Sweet Corn. Apply on and around tolerant fruits and vegetables with a tank-type sprayer only. A second application may be made to all listed fruits and vegetables except Peanut, Root Vegetables, and Strawberry.

The quantities presented in **Table 1. Hi-Yield® Grass Killer (concentrate) and Oil Concentrate Dilution** do not exceed the registered rates for the fruits and vegetables listed. **DO NOT** exceed the quantities presented.

STORAGE AND DISPOSAL

PESTICIDE STORAGE
DO NOT allow this product to freeze. **DO NOT** store below 32° F or above 100° F. Store unused product in original container only, out of reach of children and animals. **NEVER TRANSFER THIS PRODUCT TO ANOTHER CONTAINER FOR STORAGE.**

PESTICIDE DISPOSAL
To avoid pesticide waste, use all material in this container by application according to label directions. If pesticide waste cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or by industry).

STORAGE AND DISPOSAL *(continued)*

CONTAINER HANDLING

Nonrefillable Container. DO NOT reuse or refill this container. Triple rinse or pressure rinse container (or equivalent) promptly after emptying; then offer for recycling, if available, or reconditioning, if appropriate, or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures approved by state and local authorities. **Triple rinse containers small enough to shake (capacity ≤ 5 gallons) as follows:** Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank, or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. **Triple rinse containers too large to shake (capacity > 5 gallons) as follows:** Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank, or store rinsate for later use or disposal. Repeat this procedure two more times.

Pressure rinse as follows: Empty the remaining contents into application equipment or mix tank and continueto drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank, or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

NOTE: Buyer assumes all liability, including personal injury and property damage which may result from the use of this product in a manner inconsistent with labeling directions. If these terms are not acceptable, return at once unopened.

TABLE 2. FRUITS AND VEGETABLES *Continued*

CROP	MINIMUM TIME FROM LAST APPLICATION TO HARVEST (days)
Apple	14
Apricot	25
Artichoke (California only)	7
Asparagus	1
Beans (Dry)	30
Beans (Green)	15
Beet (Garden)	60
Blackberry	45
Blueberry[1]	30
Broccoli	30
Cabbage	30
Cantaloupe	14
Carrots	30
Cauliflower	30
Celery	30
Cherries (Sweet and Sour)	25
Citrus	15
Crabapple	14
Cranberries[1]	60

TABLE 2. FRUITS AND VEGETABLES *Continued*	
CROP	**MINIMUM TIME FROM LAST APPLICATION TO HARVEST (days)**
Cucumber	14
Dill[1]	14
Eggplant	20
Endive (Florida only)	15
Grape	50
Horseradish	60
Lentils[1]	50
Lettuce, head	30
Lettuce, leaf	15
Loganberry	45
Mint	20
Muskmelon	14
Nectarine	25
Okra[1]	14
Onion, Garlic	30
Peach	25
Peanut[2]	40
Pear	14
Peas (Dry)	30
Peas (Green)	15
Pepper	20
Potato	30
Pumpkin	14
Quince	14

TABLE 2. FRUITS AND VEGETABLES *Continued*	
CROP	**MINIMUM TIME FROM LAST APPLICATION TO HARVEST (days)**
Raspberry	45
Root Vegetables[1], [2] (except sugar beet) Black salsify Celeriac Chervil, turnip-rooted Chicory Edible burdock Ginseng Oriental radish Parsley, turnip-rooted Parsnip Radish Rutabaga Salsify Skirret Spanish salsify Turnip	14
Spinach	15
Squash (all)	14
Strawberry[2]	7
Tomato	20
Tree Nuts	15
Watermelon	14

[1]Not for use in California

[2]Use no more than 1 application per season. Up to 2 applications per season may be made on all other plants.

TOLERANT PLANTS

Trees - Common Name (Scientific Name)

Acacia, knife leaf (*Acacia cultriformis*)
Arborvitae, Eastern (*var. Teehny*) (*Thuja occidentalis*)
Arborvitae, Berkman's, Oriental (*Thuja orientalis*)
(*Platycladus orientalis*)
Ash, green (*Fraxinus pennsylvanicum*)
Ash, mountain (*Sorbus aucuparia*)
Ash, mountain (*Sorbus americana decora*)
Ash, white (*Fraxinus americana*)
Basswood, American (*Tilia americana*)
Berkman's, Oriental (*Thuja orientalis*)
Birch (*Betula sp.*)
Birch, Asian white (var. Japonica) (*Betula platyphylla*)
Birch, European white (*Betula pendula*)
Birch, paper (*Betula papyrifera*)
Birch, river, black or red (*Betula nigra*)
Black locust (*Robinia pseudoacacia*)
Bottle-brush (*Callistemon lanceolatus*) (*Callistemon citrinus*)
Bottle tree (*Brachychiton populneus*)
Brisbane box tree (*Tristania conferta*)
Cajeput tree (*Melaleuca quinquenervia*)
Carob tree (*Ceratonia siliqua*)
Carrot wood (*Cupaniopsis anacardioides*)
Catalpa, Southern (*Catalpa bignonioides*)
Cherry, black (*Prunus serotina*)
Cherry, Carolina (*Prunus caroliniana 'compacta'*)
Crabapple, flowering (var. Dalgo, Radiant, Red splendor, Royalty, Vanguard, Sylvestris, Domestic) (*Malus sp.*)
Cypress, false (*Chamaecyparis pisifera*)
Cypress, Italian (*Cupressus sempervirens*)
Cypress, leyland (*Cupressocyparis leylandii*)
Dogwood, flowering (*Cornus florida*)
Dogwood, pagoda (*Cornus alternifolia*)
Dogwood, silky (*Cornus amomum*)
Elm, Chinese evergreen (*Ulmus parvifolia*)
Eucalyptus (*Eucalyptus robusta, E. lehmannii, E. nicholii, E. grandis*)
Fir (*Abies sp.*)

TOLERANT PLANTS		
Trees - Common Name (Scientific Name) ***continued***		
Fir, Douglas (*Pseudotsuga menziesii*)	Holly, Chinese (var. Bufordii, Rotunda) (*Ilex cornuta*)	Linden, littleleaf (*Tilia cordata*)
Fir, Frasier (*Abies fraseri*)	Holly, hybrid (*var. Nellie Stevens*) (*Ilex spares*)	Locust, honey (*Gleditsia triacanthos inermis*)
Fir, white (*Abies concolor*)	Holly, Japanese (*var. convexa, compacta, helleri, hoogendorn*) (*Ilex crenata*)	Loquat (*Eriobotrya japonica*)
Goldenrain tree (*Koelreuteria paniculata*)	Holly, yaupon (*Ilex vomitoria*)	Magnolia, Southern (*Magnolia grandiflora*)
Guava (*Psidium littorale*)	Ironbark, red (*Eucalyptus sideroxylon*)	Maple, Japanese (*Acer palmatum*)
Guava, pineapple (*Feijoa sellowiana*)	Jacaranda (*Jacaranda mimosifolia*)	Maple, red (*Acer rubrum*)
Gum, blue (*Eucalyptus globulus*)	Kentucky coffee tree (*Gymnocladus dioicus*)	Maple, silver (*Acer saccharinum*)
Gum, lemon-scented (*Corymbia citriodora*) (*Eucalyptus citriodora*)	Larch, European (*Larix europa*)	Mimosa tree (*silktree*) (*Albizia julibrissin*)
Gum, red box (*Eucalyptus polyanthemos*)	Laurel, Indian (*Ficus microcarpa nitida*)	Myoporum (*Myoporum laetum*)
Hackberry, common (*Celtis occidentalis*)	Linden (*Tilia americana*)	New Zealand Christmas tree (*Metrosideros excelsus*)
Hemlock, Canadian (*Tsuga canadensis*)		Oak (*Quercus sp.*)
		Oak, water (*Quercus nigra*)
		Oak, willow (*Quercus phellos*)

TOLERANT PLANTS		
Trees - Common Name (Scientific Name) ***continued***		
Olive Tree (*Olea europaea*)	Pear, Ussurian (*Pyrus ussuriensis*)	Pine, shore (*Pinus contra*)
Olive, Russian (*Elaeagnus angustifolia*)	Pepper, Brazilian (*Schinus terebinthifolius*)	Pine, slash (*Pinus elliottii*)
Orchid tree, purple (*Bauhinia variegata*)	Pine, Aleppo (*Pinus halepensis*)	Pine, Southern (*Pinus palustris*)
Osage orange (*Maclura pomifera*)	Pine, Austrian (*Pinus nigra*)	Pine, Virginia (*Pinus virginiana*)
Palm, Mediterranean fan (*Chamaerops humilis*)	Pine, Canary Island (*Pinus canariensis*)	Pine, Western yellow (*Pinus ponderosa*)
Palm, pygmy date (*Phoenix roebelenii*)	Pine, Caribbean slash (*Pinus caribaea*)	Pine, white (*Pinus parviflora*)
Palm, queen (*Arecastrum romanzoffianum*)	Pine, Italian stone (*Pinus pinea*)	Pine, white (*Pinus strobus*)
Palm, sago (*Cycas revoluta*)	Pine, jack (*Pinus banksiana*)	Pine, yew (*Podocarpus macrophyllus*)
Palm, windmill (*Tracheocarpus fortunei*)	Pine, Japanese black (*Pinus thunbergii*)	Plum, wild (*Prunus americana*)
Palo verde, green (*Parkinsonia aculeata*)	Pine, loblolly (*Pinus taeda*)	Poplar, hybrid (*Populus alba*)
Paulownia royal (*Paulownia tomentosa*)	Pine, Mugo (*Pinus mugo*)	Popular, tuliptree (*Liriodendron tulipifera*)
Pear, common (*Pyrus communis*)	Pine, ponderosa (*Pinus ponderosa*)	Popular, yellow (*Liriodendron tulipifera*)
Pear, evergreen (*Pyrus kawakamii*)	Pine, red (*Pinus resinosa*)	Purpleleaf, Bailey acacia (*Acacia baileyana*)
	Pine, Scotch (*Pinus sylvestris*)	Redwood, coast (*Sequoia sempervirens*)

TOLERANT PLANTS		
Trees - Common Name (Scientific Name) ***continued***		
Sandcherry, Western (*Prunus besseyi*) Sensitive plant (*Mimosa pudica*) Silktree (*Albizia julibrissin*) Spruce, Black Hills (*var. Densata*) (*Picea glauca*) Spruce, Colorado blue (*Picea pungens*) Spruce, Norway (*Picea abies*) Spruce, white (*Picea glauca*)	Strawberry tree (*Arbutus unedo*) Sumac, African (*Rhus lancea*) Sumac, standard (*Rhus lancea*) Sweetgum (*Liquidambar stryaciflua*) Sycamore (*Platanus occidentalis*) Teatree, Australian (*Leptospermum laevigatum*) Tipu tree (*Tipuana tipu*) Walnut, black (*Juglans nigra*)	Weeping fig, exotica (*Ficus benjamina*) Willow (*Salix matsudana tortuosa*) Willow, Australian (*Geijera parviflora*) Willow, desert (*Pittosporum phillyreoides*) Willow, peppermint (*Agonis flexuosa*) Yate, bushy (*Eucalyptus lehmannii*) Yew, English (*Taxus baccata*)

TOLERANT PLANTS

Shrubs - Common Name (Scientific Name)

Abelia, glossy (*Abelia grandiflora*)
Acacia, Bailey (*Acacia baileyana*)
Acacia, knife leaf (*Acacia cultriformis*)
Acacia, prostrate (*Acacia redolens*)
Acacia, Sydney golden wattle (*Acacia longifolia*)
Andromeda (*Pieris japonica*)
Arborvitae, Oriental (*Platycladus orientalis*)
Arrowwood, Southern (*Viburnum dentatum*)
Azalea, mollis hybrid (*R. x kosterianum*)
Azalea, Northern lights hybrid (*R. x kosterianum x R. prinophyllum*)
Bamboo, heavenly (*Nandina domestica*)
Barberry, Japanese (*Berberis thunbergii*)
Barberry, Korean (*Berberis koreana*)
Barberry, redleaf (*Berberis virginiana*)
Bird of paradise bush (*Caesalpinia gilliesii*)
Bluebeard (*Caryopteris clandonensis*)
Boxwood, African (*Myrsine africana*)
Boxwood, common (*Buxus sempervirens*)
Boxwood, Japanese (*var. Japonica) (Buxus microphylla*)
Buckthorn, alder (*Rhamnus frangula*)
Buckthorn, glossy (*Rhamnus frangula*)
Camellia (*Camellia japonica*) (*Camellia sasanqua*)
Cedar (*Juniperus virginiana*)
Cedar, Eastern red (*var. Pyramidiformus, caneartl*)
Cherry, brush (*Eugenia myrtifolia*)
Cherry, Manchu (*Prunus tomentosa*)
Cherry, Nanking (*Prunus tomentosa*)
Chokecherry sp. (*Aronia melolata*)
Copper plant, Caribbean (*Euphorbia cotinifolia*)
Cotoneaster, bearberry (*Cotoneaster dammerii*)
Cotoneaster, cranberry (*Cotoneaster apiculata*)
Cotoneaster, 'lowfast' Peking (*Cotoneaster acutifolius*)
Coyote bush (*Baccharis pilularis*)
Cranberry bush, American (*Viburnum trilobum*)
Cranberry bush, golden (*Viburnum opulus aureum*)
Crape myrtle (*Lagestromia indica*)

TOLERANT PLANTS		
Shrubs - Common Name (Scientific Name) ***continued***		
Currant, alpine (*Ribes alpinum*) Dogwood, red osier (*Cornus stolonifera*) Elaeagnus (*Elaeagnus umbellata*) Escallonia (*Escallonia fradesii*) (*Escallonia rubia*) Euonymus (*Euonymus japonica)* Euonymus, evergreen (var. Golden, Silver king) Euonymus, winged (*Euonymus alata*) Fig, creeping (*Ficus repens*) Firethorn (*Pyracantha graberi*) Forsythia, greenstem (*Forsythia viridissima bronxensis*) Flax, New Zealand (*Phormium tenax*) Fuchsia, Australian (*Correa pulchella*)	Gardenia (*var. Mystery, Radicans*) (*Gardenia augusta*) (*Gardenia jasminoides*) Gardenia, dwarf (var. Veitchii) (*Gardenia jasminoides*) Gold vine, Guinea (*Hibbertia scandens*) Hakea (*Hakea proteacea*) Hawthorn, Indian (*Raphiolepis indica*) Hibiscus, blue (*Alyogyne huegelli*) Hibiscus, Chinese (*Hibiscus rosa-sinensis*) Holly, dwarf Burford (var. Burfordii Nana) (*Ilex cornuta*) Honeysuckle, bush (*Diervilla lonicera*) Honeysuckle, cape (*Tecomaria capensis*) Hydrangea (*Hydrangea macrophylla*)	Jasmine, Asiatic (*Trachelopsermum asiaticum*) Jasmine, orange (*Murraya paniculata*) Jasmine, star (*Trachelospermum jasminoides*) Jasmine, winter (*Jasminum nudiflorum*) Jessamine, Carolina (*Gelsemium sempervirens*) Jojoba (*Simmondsia chinensis*) Juniper, Chinese (var. Maneyi, Old gold, Pfitzeriana, Sea green, Hekii, Nana, Torulosa, Pfitzeriana Aurea, Pfitzer, Golden Pfitzer) (*Juniperus chinensis*)

TOLERANT PLANTS		
Shrubs - Common Name (Scientific Name) ***continued***		
Juniper, creeping (var. Bluechip, Hughes, Plumosa, Prince of Wales, Webberi, Wiltonii, Bar Harbor, Andorra, Variegata, Youngstown blue rug) (*Juniperus horizontalis*)	Juniper, tam (var. Tamariscifolia) (*Juniperus sabina*)	Myrtle, dwarf (*Myrtus communis compacta*)
Juniper, Ozark (*Juniperus sp.*)	Lantana, purple trailing (*Lantana montevidensis*)	Nandina, heavenly bamboo (*Nandina domestica*)
Juniper, Rocky Mountain (var. Blue heaven, Welchii, Wichita blue, Medova, Moffet, Pyramidal green, Springtime, Admiral) (*Juniperus scopulorum*)	Laurustinus (*Viburnum tinus*)	Nannyberry (*Viburnum lantago*)
	Lemonade sumac (*Rhus integrifolia*)	Ninebark (*Physocarpus opulifolius*) (var. Aureus) (*Physocarpus opulifolius var. opulifolius*)
	Lilac, common purple (*Syringa vulgaris purpura*)	Oleander (*Nerium oleander*)
Juniper, savin (var. Skandia, Arcadia, Broadmoor, Buffalo, Pepin) (*Juniperus sabina*)	Liriope, green (*Liriope muscari*)	Orchid, rockrose (*Cistus purpureus*)
Juniper, shore (var. Compacta) (*Juniperus conferta*)	Liriope, variegated (*Liriope muscari*)	Oregon grape (*Mahonia aquifolium*)
	Mickey Mouse bush (*Ochna serrulata*)	Osmanthus, holly-leaf (*Osmanthus heterophyllus*)
	Mirror plant, creeping (*Coprosma repens*)	Osmanthus, sweet olive (*Osmanthus fragrans*)
	Mock orange (*Pittosporum tobira*)	Palm, natal (var. Green carpet tuttle) (*Carissa grandiflora*)
	Mountain lilac, Carmel creeper (*Ceanothus griseus*)	

TOLERANT PLANTS		
Shrubs - Common Name (Scientific Name) ***continued***		
Pampas grass (*Cortederia selloana*) Photinia (*Photinia sp.*) Photinia, Fraser (*Photinia fraser*) Pinklady (*Rhaphiolepis indica*) Pink powder puff (*Calliandra haematocephala*) Pittosporum, variegated Japanese (*Pittosporum tobira variegata*) Plumbago, cape (*Plumbago capensis*) Podocarpus, yew (*Podocarpus macrophyllus*) Princess flower (*Tibouchina urvilleana*) Privet (*Ligustrum indica*) Privet, glossy (var. Lake Tresca) (*Ligustrum lucidum*) Privet, Japanese (*Ligustrum japonicum*) Privet, Texas (*Ligustrum texanum*)	Privet, waxleaf (*Ligustrum japonicum*) Purple hop bush (*Dodonaea viscosa*) Pyracantha (*Pyracantha graberi*) Rhododendron sp. (*Rhododendron - Azalea*) (var. Hinocrimson, Hershey red, Coral blue, Hinodigiri, Christmas cheer, Pink ruffle, Formosa flame, Delaware Valley white, New white) Sandcherry, purpleleaf (*Prunus cistena*) Serviceberry, Allegheny (*Amelanchier laevis*) Serviceberry, Saskatoon (var. Regent) (*Amelanchier alnifolia*) Silver king (*Euonymus japonica*)	Sky flower, Brazilian (*Duranta stenostachya*) Snowball bush (*Viburnum opulus sterilis*) Spindle tree (*Euonymus kiautschovica*) Spiraea (*Spiraea vanhouteii*) (var. Anthony Waterer, Froebellii, Goldflame) (*Spiraea bumalda*) (var. Fairy Queen) (*Spiraea trilobataiovica*) (var. Snowbound) (*Spiraea nipponicaiovica*) Star plant, lavender (*Grewia occidentalis*) Teatree, Australian (*Leptospermum laevigatum*) Teatree, New Zealand (var. Red glow) (*Leptospermum scoparium*)

TOLERANT PLANTS		
Shrubs - Common Name (Scientific Name) ***continued***		
Texas ranger (*Leucophyllum frutescens*) Toyon, California holly (*Heteromeles arbutifolia*) Trumpet vine, pink (*Pandorea rosea*) Veronica (*Hebe 'Coed'*)	Viburnum, Japanese (*Viburnum japonicum*) Viburnum, Sandankwa (*Viburnum suspensum*) Wayfaring tree (*Viburnum lantanoides*) Weeping fig, exotica (*Ficus benjamina*)	Wheelers dwarf, Variegated (var. Wheeler) (*Pittosporum tobira*) Yellow bells (*Tecoma stans*) Yesterday-today-and-tomorrow (*Brunfelsia calycina*) Yew (*Taxus cuspitata vigatum*)

TOLERANT PLANTS		
Ornamentals & Bedding Plants Common Name (Scientific Name)		
Alyssum (*Alyssum sp.*) Asparagus, Myers (var. Meyeri) (*Asparagus densiflorus*) Asparagus, Sprenger's (var. Sprengeri) (*Asparagus densiflorus*) Aster, New York (*Aster novi-belgii*) Aster, Stokes (var. Blue, White) (*Stokesia cyanae*) Baby's breath (var. Bristo fairy) (*Gypsophila paniculata*) Begonia (*Begonia semperflorens*) Bellflower, Tussock (var. Canterbury bells) (*Campanula carpatica*) Bittersweet, American (*Celastrus scandens*)	Black-eyed Susan (var. Goldilocks) (*Rudbeckia hirta*) Bleeding heart (*Dicentra spectabilis*) Butterfly weed (*Asclepias tuberosa*) Bower vine (*Pandorea jasminoides*) Cactus, barrel (*Echinocactus sp.*) Candytuft (*Iberis sempervirens*) (*Iberis amara*) Canna (*Canna sp.*) Cassia, feathery (*Cassia artemisioides*) Chrysanthemum, Marguerite (*Chrysanthemum frutescens*) (*Chrysanthemum indicum*) Cockscomb (*Celosia argentea*) (*Canna*)	Coleus (*Coleus blumei*) Coneflower, purple (var. Gloriosa Dairy) (*Echinacea purpurea*) Coralbells (*Heuchera sanguinea*) Coreopsis (var. Sunray) (*Coreopsis lanceolata*) Cup of gold vine (*Solandra maxima*) Daffodil (*Narcissus spp.*) Dahlia (*Dahlia pinnata*) Daisy bush (*Euryops pectinatus*) Daisy bush, blue (*Felicia amelloides*) Daisy, Shasta (var. Alaska) (*Chrysanthemum maximum*) Daylily (*Hemerocallis hybrids*)

TOLERANT PLANTS *(continued)*

Ornamentals & Bedding Plants

Common Name (Scientific Name) ***continued***

Dianthus (*Dianthus deltoides*)
Dragonhead, false (*Physostegia virginiana*)
Dusty Miller (*Centaurea cineraria*)
Fern, Sprenger's asparagus (*Asparagus densiflorus sprengeri*)
Fescue, blue (*Festuca ovina*)
Flowering tobacco (*Nicotiana sp.*)
Fountaingrass, red (*Pennisetum setaceum*)
Gazania (*Gazania ringens leucolaena*) (*Gazania sp.*)
Geranium (*Geranium sp.*)
Geranium, Martha Washington (*Pelargonium domesticum*)
Gerbera daisy (*Gerbera jamesonii*)
Geum (var. Lady Strathedon, Mrs. Bradshaw, Mrs. Bradshaw Improved) (*Geum quellyon*)
Gladiolus (*Gladiolus sp.*)
Heather, false (*Cuphea hyssopifolia*)
Honeysuckle, Amar (*Lonicera maackii*)
Honeysuckle, fly (var. Emerald Mound, Clavey's Dwarf) (*Lonicera xylosteum*)
Honeysuckle, Japanese (*Lonicera japonica*)
Honeysuckle, morrow (*Lonicera morrowii*)
Honeysuckle, tatarian (var. Zabeli) (*Lonicera tatarica*)
Hopseed bush, purple (var. Purpurea) (*Dodonaea viscosa*)
Impatiens (*Impatiens sp.*)
Iris (*Iris sp.*)
Iris, African (*Dietes bicolor*)
Ivy, grape (var. Ellen Danica) (*Cissus rhombifolia*)
Jack-in-the-pulpit (*Arisaema pusillum*) (Mrs. Bradshaw Improved)
Jade plant (*Crassula argentea*)
Jasmine, Madagascar (*Stephanotis floribunda*)
Lamb's ear (*Stachys lanata*)

TOLERANT PLANTS *(continued)*

Ornamentals & Bedding Plants

Common Name (Scientific Name) ***continued***

Lavender, English (*Lavandula vera*)
Lavender, French (*Lavandula dentata*)
Lavender, cotton (*Santolina chamaecyparissus*)
Lilac, Chinese (*Syringa chinensis*)
Lilac, common purple (var. Charles Joly, Ludwig Spaeth, Jay tree) (*Syringa vulgaris purpurea*)
Lilac, Meyer (var. Palibin) (*Syringa sp.*)
Lilac, Korean (var. Miss Kim) (*Syringa patula*)
Lilac, mountain (*Ceanothus griseus*)
Lily-of-the-Nile, Peter Pan (*Agapanthus africanus*)
Lily-of-the-valley (*Convallaria majalis*)
Lobelia (*Lobelia erinus*)
Marigold (*Tagetes sp.*)
Mirror plant (*Coprosma baureri*)
Mirror plant, variegated (*Coprosma repens*)
Moneywort, creeping Jenny (*Lysimachia nummularia*)
Moss, rose (*Portulaca grandiflora*)
Moss, sandwort (*Arenaria verna*)
Pansy, Johnny-jump-up (*Viola tricolor*)
Pepper, ornamental (*Capsicum sp.*)
Periwinkle, Madagascar (*Catharanthus roseus*) (*Vinca minor*)
Petunia (*Petunia sp.*)
Phlox, perennial (*Phlox paniculata*)
Plantain lily (*Hosta sp.*)
Purple loosestrife (var. Morden's Gleam) (*Lythrum virgatum*)
Raspberry ice (*Bougainvillea sp.*)
Sage (*Salvia greggii*)
Sea pinks, thrift (*Armeria maritima*)
Sedum, stonecrop (*Sedum x rubrotinctum*) (*Lavender cotton*)
Shrimpplant (*Justicia brandegeeana*)
Sky flower, Brazilian (*Duranta stenostachya*)
Snail vine (*Vigna caracalla*)
Snapdragon (*Antirrhinum majus*)

TOLERANT PLANTS *(continued)*		
Ornamentals & Bedding Plants		
Common Name (Scientific Name) ***continued***		
Speedwell, spike (*Veronica spicata*) Statice, perennial (*Limonium perezii*) Stock (*Matthiola incana*) Sweetgrass (*Acorus gramineus*) Sweet William (*Dianthus barbatus*) Transvaal daisy (*Gerbera jamesonii*)	Trumpet vine, blood red (*Distictis buccinatoria*) Trumpet vine, lavender (*Clytostoma callistegoides*) Trumpet vine, pink (*Pandorea rosea*) Tulip (*Tulipa spp.*) Verbena (*Verbena sp.*)	Wandering Jew (*Tradescantia sp.*) Wisteria (*Wisteria sinensis*) Yarrow (var. Cerise Queen) (*Achillea millefolium*) Yarrow, debutante (*Achillea taygetea v.*) Yellow trumpet (*Macfadyena unguis-cati*) Zinnia (*Zinnia elegans*)

TOLERANT PLANTS *(continued)*

Ground Covers - Common Name (Scientific Name)

Aaron's beard (*Hypericum calycinum*)
Aptenia (var. Red apple) (*Aptenia cordifolia*)
Bergenia, winter-blooming (*Bergenia crassofolia*)
Bugleweed (*Ajuga reptans*)
Capeweed (*Arctotheca calendula*)
Carpathian, harebell (*Campanula carpatica*)
Cinquefoil, spring (*Potentilla tabernaemontani*)
Coyotebrush (var. Twin Peaks) (*Baccharis pilularis*)
Crownvetch (*Coronilla varia*)
Cushion bush (*Calocephalus brownii*)
Daisy, Freeway (*Osteospermum*)
Daisy, trailing African (*Osteospermum*)
Daisy, white African (*Osteospermum fruticosum alba*)
Gazania, trailing (*Gazania regens leucolaena*)
Green carpet (*Herniaria glabra*)
Ivy, Algerian (*Hedera canariensis*)
Ivy, Boston (*Parthenocissus tricuspidata*)
Ivy, English (*Hedera helix*) (var. California)
Ivy, grape (var. Ellen Danica) (*Cissus rhombifolia*)
Ivy, Hahn's (var. Hahnii) (*Hedera helix*)
Lantana, lavender (*Lantana montevidensis*)
Lilyturf, big blue (*Liriope muscari*)
Lippia (*Phyla nodiflora*)
Mondo grass (*Ophiopogon japonicus*)
Myoporum (var. Prostratum) (*Myoporum parvifolium*)
Pachysandra (*Pachysandra terminalis*)
Periwinkle (*Vinca major*)
Plumbago, dwarf (*Ceratostigma plumbaginoides*)
Pork and beans (*Sedum rubrotinctum*)
Rosea ice plant (*Drosanthemum floribundum*)
Rosemary, dwarf (var. Prostratus) (*Rosmarinus officinalis*)
Rupture wort (*Herniaria glabra*)
St. Johnswort, creeping (*Hypericum calycinum*)
Stonecrop, sedum (*Sedum rubrotinctum*)
Verbena (*Verbena officinalis*)
Verbena, blue (*Verbena peruviana*)

CONDITIONS OF SALE AND WARRANTY

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result, because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of Voluntary Purchasing Groups, Inc. (VPG) or the seller. To the extent consistent with applicable law, all such risks shall be assumed by the buyer.

VPG warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above. **TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, VPG MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND VPG'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, VPG AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.** VPG and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of VPG.

NVA 2019-04-025-0076

Page left blank intentionally.