


**Postemergence
Grass Herbicide**



Grass Getter[®]

**Systematic Selective
Herbicide Kills Weedy
Grasses without Injuring
Desirable Plants**



Active Ingredient:
Sethoxydim: 2-[1-(ethoxyimino)
butyl]-5-[2-(ethylthio)propyl]-3-
hydroxy-2-cyclohexen-1-one** 18.0%
Other Ingredients..... 82.0%
Total..... 100.0%
**Equivalent to 0.19 pounds sethoxydim per pint.
Contains petroleum distillate.
EPA Reg. No. 7969-58-54705
EPA Est. No. 48498-CA-01

KEEP OUT OF REACH OF CHILDREN
WARNING/AVISO See Attached Booklet for Precautionary
Statements and Directions for Use

NET CONTENTS: 8 FL OZ/236.6 mL 0397/0419(05)

Grass Getter[®]

Postemergence Grass Herbicide

- Intended for residential use on and around Flowers, Evergreens, Ornamental Groundcovers, Bedding Plants, Shrubs, Trees, Fruits*, Vegetables* (*See Table 2. Fruits and Vegetables for specific crops).
- Systematic selective herbicide kills weedy grasses without injuring desirable plants.
- Controls: Bermudagrass, crabgrass, foxtail, quackgrass and many other weedy grasses.

Manufactured For:

LAWN AND GARDEN PRODUCTS, INC.

P.O. Box 35000 • Fresno, CA 93745

(559) 499-2100 • info@montereylawnngarden.com

NVA 2017-04-025-0053 0397/0419(05)



NET CONTENTS: 8 FL OZ/ 236.6 mL

**KEEP OUT OF REACH OF
CHILDREN
WARNING/AVISO**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

FIRST AID

**If In
Eyes:**

- Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes.
- Remove contact lenses, if present, after the first 5 minutes; then continue rinsing eyes.
- Call a poison control center or doctor for treatment advice.

(cont. on next page)

FIRST AID *(continued)*

If On Skin Or Clothing:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15 to 20 minutes.• Call a poison control center or doctor for treatment advice.
If Swallowed:	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• DO NOT give any liquid to the person.• DO NOT induce vomiting unless told to do so by a poison control center or doctor.• DO NOT give anything by mouth to an unconscious person.

(cont. on next page)

FIRST AID *(continued)*

**If
Inhaled:**

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance; then give artificial respiration, preferably by mouth to mouth, if possible.
- Call a poison control center or doctor for further treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment information.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

Warning: Causes substantial but temporary eye injury. Causes skin irritation. Harmful if absorbed through skin or swallowed. **DO NOT** get in eyes, on skin, or on clothing. Wear long-sleeved shirt, long pants, chemical-resistant gloves made of any waterproof material, protective eyewear, shoes, and socks. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

Re-entry Statement: **DO NOT** allow people or pets to come into contact with treated areas until spray has dried.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms. To protect the environment, **DO NOT** allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface

waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

ENDANGERED SPECIES CONCERNS

The use of any pesticide in a manner that may kill or otherwise harm an endangered or threatened species or adversely modify their habitat is a violation of Federal law.

PHYSICAL AND CHEMICAL HAZARDS

COMBUSTIBLE. DO NOT use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with this labeling.

READ ENTIRE LABEL BEFORE USING THIS PRODUCT.

GRASS GETTER is a selective systemic grass killer to eliminate existing weedy grasses growing in and around plant beds, landscapes, and individual shrubs and trees (See **Tolerant Plants**). GRASS GETTER can be used through a hose-end sprayer according to the directions of the sprayers used or through a tank-type sprayer.

GRASS GETTER can also be used around listed fruit and vegetable areas (see **Table 2**) wherever listed weedy grasses occur. Use only tank type sprayers.

WEEDY GRASSES CONTROLLED: GRASS GETTER kills most annual and hard-to-kill perennial grasses up to 1-foot high, including the following examples, in one or two applications. Younger, actively growing seedling weeds are more easily killed than older, mature, well-established grassy weeds that may require a repeat application for control. Adding oil concentrate may help control grassy weeds.

Barnyardgrass
Bermudagrass
Broadleaf Signalgrass
Crabgrass, (Large, Smooth)
Fall Panicum
Foxtails (Giant, Green, Yellow)
Goosegrass
Johnsongrass (Seedling, Rhizome)
Junglerice
Lovegrass
Orchardgrass, Seedling
Quackgrass
Shattercane/Wildcane
Tall Fescue, Seedling
Texas Panicum
Wild Proso Millet
Wirestem Muhly
Witchgrass
Woolly cupgrass

Note: This product does not control sedge (including nutsedge or nutgrass), annual bluegrass, or broadleaf weeds. Red

fescue, chewings fescue, hard fescue, and dichondra turfs are also tolerant to GRASS GETTER.

APPLICATION TIMING: Apply when grassy weeds are actively growing, not exceeding the minimum of days from application to harvest when used on vegetables and fruits. Warm sunny weather will accelerate systemic movement from leaves and stems down to the roots to give complete kill. **DO NOT** mow or cut off tops of weeds before spraying. **DO NOT** apply if rainfall is expected within one hour following application. Growth of treated grass stops soon after application. Grass turns yellow and dies within one to three weeks depending on the grass species, stage of growth and weather conditions. Cool weather, drought and heat stress slow activity.

**TABLE 1. GRASS GETTER (CONCENTRATE) AND OIL
CONCENTRATE DILUTION**

Water (gals)	Grass Getter®		Oil Concentrate*		Coverage (sq ft)
	(fl oz)	or (tbsps.)	(fl oz)	or (tbsps.)	
1	1	2	1	2	1,800
3	3	6	3	6	5,400
5	5	10	5	10	9,000
8	8	16	8	16	14,400

One gallon of spray will treat 1,800 square feet.

*To prevent leaf burn of desirable plants, **DO NOT** use oil concentrate when comfort index (temperature °F + humidity) exceeds 150.

HOSE-END SPRAYER APPLICATION

Water Dilution/Premixing Not Needed

Determine the area to treat in square feet. Pour 1 fluid ounce GRASS GETTER and 1 fluid ounce oil concentrate in the hose-end sprayer bottle for each 1800 square feet treated. Apply 1 fluid ounce per gallon. After application, wash the sprayer with a dilute soap solution and rinse according to the sprayer instructions.

Water Dilution/Premixing Needed

Some hose-end applicators recommend premixing liquid products with water before pouring into the sprayer bottle. Read the hose-end sprayer instructions for treatments at 1 fluid ounce per 1800 square feet. Clean the sprayer after use according to the sprayer instructions.

TANK SPRAYER APPLICATION

Mix 1 fluid ounce GRASS GETTER plus 1 fluid ounce oil concentrate per 1 gallon

water; spray to just wet the unwanted weedy grasses. One gallon of spray will treat 1800 square feet. Wash sprayer by flushing soapy water through the sprayer; then flushing clean water through the sprayer.

IMPORTANT: For spot treating grassy weeds near lawns and around sensitive plants, a tank-type sprayer is recommended. Spray carefully to avoid spray or drift contact with desirable plants. If drift occurs, wash foliage immediately with water.

FLOWERS, BEDDING PLANTS, EVERGREENS, SHRUBS, TREES AND ORNAMENTAL GROUNDCOVERS: GRASS GETTER may be applied over the top of desirable plants infested by weedy grasses, or as a directed spray to weedy grasses at labeled rates. **DO NOT** exceed dosage rate per gallon of spray. Most ornamental species tested have been found tolerant

to GRASS GETTER (see **Tolerant Plants** list). However, use with caution around the following plants as they may be damaged if spray contacts foliage: Azaleas (var. snow), Japanese Privet, Potentilla, Snow in Summer, Red Oak, White Oak, and ornamental grass.

GRASS GETTER may also be used on the following non-bearing food plants. **DO NOT** apply within 1 year of harvest.

Avocados

Plums

Dates

Pomegranates

Figs

Prunes

Olives

FRUITS AND VEGETABLES (Use Only with Tank Type Sprayers):

Use GRASS GETTER on the fruits and vegetables listed in **Table 2. Fruits and Vegetables**. **DO NOT** apply on or around any fruits and vegetables not listed on this label, especially sweet corn. Apply on

and around tolerant fruits and vegetables with a tank-type sprayer only. A second application may be made to all listed fruits and vegetables except peanut, root vegetables, and strawberry.

The quantities presented in **Table 1. GRASS GETTER (CONCENTRATE) AND OIL CONCENTRATE DILUTION** do not exceed the registered rates for the fruits and vegetables listed. **DO NOT** exceed the quantities presented.

Table 2. FRUITS AND VEGETABLES

CROP	Minimum time from last application to harvest (days)
Apple.....	14
Apricot.....	25
Artichoke (California Only).....	7
Asparagus	1
Beans, dry	30
Beans, green	15

(cont. on next page)

Table 2. FRUITS AND VEGETABLES

(continued)

CROP **Minimum time from
last application to harvest**
(days)

Beet (garden).....	60
Blackberry	45
Blueberry ¹	30
Broccoli	30
Cabbage	30
Cantaloupe	14
Carrots	30
Cauliflower	30
Celery	30
Cherries (sweet and sour).....	25
Citrus.....	15
Crabapple	14
Cranberries ¹	60
Cucumber	14
Dill ¹	14
Eggplant	20
Endive (Florida only)	15

15 *(cont. on next page)*

Table 2. FRUITS AND VEGETABLES

(continued)

CROP	Minimum time from last application to harvest (days)
Grape	50
Horseradish	60
Lentils ¹	50
Lettuce, head.....	30
Lettuce, leaf	15
Loganberry	45
Mint.....	20
Muskmelon.....	14
Nectarine.....	25
Okra ¹	14
Onion, garlic.....	30
Peach	25
Peanut ²	40
Pear.....	14
Peas, dry	30
Peas, green	15

(cont. on next page)

Table 2. FRUITS AND VEGETABLES

(continued)

CROP **Minimum time from
last application to harvest**
(days)

Pepper 20

Potato 30

Pumpkin 14

Quince 14

Raspberry 45

Root Vegetables ^{1,2}
(except Sugar Beet) 14

Black Salsify

Celeriac

Chervil, turnip-rooted

Chicory

Edible Burdock

Ginseng

Oriental Radish

Parsley, turnip-rooted

Parsnip

Radish

17 *(cont. on next page)*

Table 2. FRUITS AND VEGETABLES

(continued)

CROP	Minimum time from last application to harvest (days)
-------------	---

Root Vegetables ^{1,2} (continued)	
(except Sugar Beet)	14
Rutabaga	
Salsify	
Skirret	
Spanish Salsify	
Turnip	
Spinach	15
Squash (all)	14
Strawberry ²	7
Tomato	20
Tree Nuts.....	15
Watermelon	14

¹Not for use in California

²Use no more than one application per season. Up to 2 applications per season may be made on all other plants.

TOLERANT PLANTS

Common Name **(Scientific Name)**

Trees

Acacia, Knife Leaf

(Acacia cultriformis)

Arborvitae, Eastern (var. Teehny)

(Thuja occidentalis)

Arborvitae, Berkman's, Oriental

(Thuja orientalis)

(Platycladus orientalis)

Ash, Green

(Fraxinus pennsylvanicum)

Ash, Mountain

(Sorbus aucuparia)

Ash, Mountain

(Sorbus Americana decora)

Ash, White

(Fraxinus Americana)

Basswood, American

(Tilia Americana)

(cont. on next page)

Trees (continued)

Berkmans, Oriental

(*Thuja orientalis*)

Birch

(*Betula* sp.)

Birch, Asian White

(var. *Japonica*) (*Betula platyphylla*)

Birch, European White

(*Betula pendula*)

Birch, paper

(*Betula papyrifera*)

Birch, River, Black or Red

(*Betula nigra*)

Black Locust

(*Robinia pseudoacacia*)

Bottle-brush

(*Callistemon lanceolatus*)

(*Callistemon citrinus*)

Bottle Tree

(*Brachychiton populneus*)

Brisbane Box Tree

(*Tristania conferta*)

(cont. on next page)

Trees (continued)

Cajeput Tree

(Melaleuca quinquenervia)

Carob Tree

(Ceratonia siliqua)

Carrot Wood

(Cupaniopsis anacardioides)

Catalpa, Southern

(Catalpa bignonioides)

Cherry, Black

(Prunus serotina)

Cherry, Carolina

(Prunus caroliniana 'compacta')

Crabapple, Flowering (var. Dalgo,
Radiant, Red Splendor, Royalty,
Vanguard, Sylvestris, Domestic)

(Malus sp.)

Cypress, False

(Chamaecyparis pisifera)

Cypress, Italian

(Cupressus sempervirens)

(cont. on next page)

Trees (continued)

Cypress, Leyland

(Cupressocyparis leylandii)

Dogwood, Flowering

(Cornus florida)

Dogwood, Pagoda

(Cornus alternifolia)

Dogwood, Silky

(Cornus amomum)

Elm, Chinese Evergreen

(Ulmus parvifolia)

Eucalyptus

*(Eucalyptus robusta, E. lehmannii,
E. nicholii, E. grandis)*

Fir

(Abies sp.)

Fir, Douglas

(Pseudotsuga menziesii)

Fir, Frasier

(Abies fraseri)

Fir, White

(Abies concolor)

(cont. on next page)

Trees (continued)

Goldenrain Tree

(Koelreuteria paniculata)

Guava

(Psidium littorale)

Guava, Pineapple

(Feijoa sellowiana)

Gum, Blue

(Eucalyptus globulus)

Gum, Lemon-scented

(Corymbia citriodora)

(Eucalyptus citriodora)

Gum, Red Box

(Eucalyptus polyanthemos)

Hackberry, Common

(Celtis occidentalis)

Hemlock, Canadian

(Tsuga Canadensis)

Holly, Chinese

(var. *Bufordii*, *Rotunda*)

(Ilex cornuta)

(cont. on next page)

Trees (continued)

Holly, Hybrid

(var: Nellie Stevens)

(*Ilex spares*)

Holly, Japanese (var. *Convexa*,

Compacta, *Helleri*, *Hoogendorn*)

(*Ilex crenata*)

Holly, Yaupon

(*Ilex vomitoria*)

Ironbark, Red

(*Eucalyptus sideroxylon*)

Jacaranda

(*Jacaranda mimosifolia*)

Kentucky Coffee Tree

(*Gymnocladus dioicus*)

Larch, European

(*Larix Europa*)

Laurel, Indian

(*Ficus microcarpa nitida*)

Linden

(*Tilia Americana*)

(cont. on next page)

Trees (continued)

Linden, Littleleaf

(Tilia cordata)

Locust, Honey

(Gleditsia triacanthos inermis)

Loquat

(Eriobotrya japonica)

Magnolia, Southern

(Magnolia grandiflora)

Maple, Japanese

(Acer palmatum)

Maple, Red

(Acer rubrum)

Maple, Silver

(Acer saccharinum)

Mimosa Tree (silktree)

(Albizia julibrissin)

Myoporum

(Myoporum laetum)

New Zealand Christmas tree

(Metrosideros excelsus)

(cont. on next page)

Trees (continued)

Oak

(*Quercus* sp.)

Oak, Water

(*Quercus nigra*)

Oak, Willow

(*Quercus phellos*)

Olive Tree

(*Olea europaea*)

Olive, Russian

(*Elaeagnus angustifolia*)

Orchid tree, Purple

(*Bauhinia variegata*)

Osage Orange

(*Maclura pomifera*)

Palm, Mediterranean Fan

(*Chamaerops humilis*)

Palm, Pygmy Date

(*Phoenix roebelenii*)

Palm, Queen

(*Arecastrum romanzoffianum*)

(cont. on next page)

Trees (continued)

Palm, Sago

(Cycas revoluta)

Palm, Windmill

(Tracheocarpus fortunei)

Palo Verde, Green

(Parkinsonia aculeata)

Paulownia Royal

(Paulownia tomentosa)

Pear, Common

(Pyrus communis)

Pear, Evergreen

(Pyrus kawakamii)

Pear, Ussurian

(Pyrus ussuriensis)

Pepper, Brazilian

(Schinus terebinthifolius)

Pine, Aleppo

(Pinus halepensis)

Pine, Austrian

(Pinus nigra)

(cont. on next page)

Trees (continued)

- Pine, Canary Island
(*Pinus canariensis*)
- Pine, Caribbean Slash
(*Pinus caribaea*)
- Pine, Italian Stone
(*Pinus pinea*)
- Pine, Jack
(*Pinus banksiana*)
- Pine, Japanese
(*Pinus parviflora*)
- Pine, Japanese Black
(*Pinus thunbergii*)
- Pine, Loblolly
(*Pinus taeda*)
- Pine, Mugo
(*Pinus mugo*)
- Pine, Ponderosa
(*Pinus ponderosa*)
- Pine, Red
(*Pinus resinosa*)

(cont. on next page)

Trees (continued)

Pine, Scotch

(Pinus sylvestris)

Pine, shore

(Pinus contra)

Pine, Slash

(Pinus elliottii)

Pine, Southern

(Pinus palustris)

Pine, Virginia

(Pinus virginiana)

Pine, Western yellow

(Pinus ponderosa)

Pine, White

(Pinus parviflora)

Pine, White

(Pinus strobus)

Pine, Yew

(Podocarpus macrophyllus)

Plum, Wild

(Prunus Americana)

(cont. on next page)

Trees (continued)

Poplar, Hybrid

(Populus alba)

Popular, Tuliptree

(Liriodendron tulipifera)

Popular, Yellow

(Liriodendron tulipifera)

Purpleleaf, Bailey Acacia

(Acacia baileyana)

Redwood, Coast

(Sequoia sempervirens)

Sandcherry, Western

(Prunus besseyi)

Sensitive Plant

(Mimosa pudica)

Silktree

(Albizia julibrissin)

Spruce, Black Hills

(var. *Densata*) *(Picea glauca)*

Spruce, Colorado blue

(Picea pungens)

(cont. on next page)

Trees (continued)

Spruce, Norway

(Picea abies)

Spruce, White

(Picea glauca)

Strawberry Tree

(Arbutus unedo)

Sumac, African

(Rhus lancea)

Sumac, Standard

(Rhus lancea)

Sweetgum

(Liquidambar stryaciflua)

Sycamore

(Platanus occidentalis)

Teatree, Australian

(Leptospermum laevigatum)

Tipu Tree

(Tipuana tipu)

Walnut Black

(Juglans nigra)

(cont. on next page)

Trees (continued)

Weeping Fig, Exotica
(*Ficus benjamina*)

Willow
(*Salix matsudana tortuosa*)

Willow, Australian
(*Geijera parviflora*)

Willow, Desert
(*Pittosporum phillyreoides*)

Willow, Peppermint
(*Agonis flexuosa*)

Yate, Bushy
(*Eucalyptus lehmannii*)

Yew, English
(*Taxus baccata*)

Common Name (Scientific Name)

Shrubs

Abelia, Glossy
(*Abelia grandiflora*)

Acacia, Bailey
(*Acacia baileyana*)

Shrubs (continued)

Acacia, Knife Leaf

(Acacia cultriformis)

Acacia, Prostrate

(Acacia redolens)

Acacia, Sydney Golden Wattle

(Acacia longifolia)

Andromeda

(Pieris japonica)

Arborvitae, Oriental

(Platycladus orientalis)

Arrowwood, Southern

(Viburnum dentatum)

Azalea, Mollis Hybrid

(R. x kosterianum)

Azalea, Northern Lights Hybrid

(R. x kosterianum x R. prinophyllum)

Bamboo, Heavenly

(Nandina domestica)

Barberry, Japanese

(Berberis thunbergii)

(cont. on next page)

Shrubs (continued)

Barberry, Korean

(Berberis koreana)

Barberry, Redleaf

(Berberis virginiana)

Bird of Paradise Bush

(Caesalpinia gilliesii)

Bluebeard

(Caryopteris clandonensis)

Boxwood, African

(Myrsine africana)

Boxwood, Common

(Buxus sempervirens)

Boxwood, Japanese

(var. *Japonica*) *(Buxus microphylla)*

Buckthorn, Alder

(Rhamnus frangula)

Buckthorn, Glossy

(Rhamnus frangula)

Camellia

(Camellia japonica) *(Camellia sasanqua)*

(cont. on next page)

Shrubs (continued)

Cedar

(*Juniperus virginiana*)

Cedar, Eastern red

(var. *Pyramidiformis*, *canertii*)

Cherry, Brush

(*Eugenia myrtifolia*)

Cherry, Manchu

(*Prunus tomentosa*)

Cherry, Nanking

(*Prunus tomentosa*)

Chokecherry sp.

(*Aronia meloelata*)

Copper Plant, Caribbean

(*Euphorbia cotinifolia*)

Cotoneaster, Bearberry

(*Cotoneaster dammerii*)

Cotoneaster, Cranberry

(*Cotoneaster apiculata*)

Cotoneaster, 'lowfast' Peking

(*Cotoneaster acutifolius*)

(cont. on next page)

Shrubs (continued)

Coyote Bush

(Baccharis pilularis)

Cranberry Bush, American

(Viburnum trilobum)

Cranberry Bush, Golden

(Viburnum opulus aureum)

Crape Myrtle

(Lagerstromia indica)

Currant, alpine

(Ribes alpinum)

Dogwood, Red Osier

(Cornus stolonifera)

Elaeagnus

(Elaeagnus umbellata)

Escallonia

(Escallonia fradesii) (Escallonia rubia)

Euonymus

(Euonymus japonica)

Euonymus, Evergreen

(var. *Golden, Silver king*)

(cont. on next page)

Shrubs (continued)

Euonymus, Winged

(*Euonymus alata*)

Fig, Creeping

(*Ficus repens*)

Firethorn

(*Pyracantha graberi*)

Forsythia, Greenstem

(*Forsythia viridissima bronxensis*)

Flax, New Zealand

(*Phormium tenax*)

Fuchsia, Australian

(*Correa pulchella*)

Gardenia

(var. Mystery, Radicans) (*Gardenia augusta*) (*Gardenia jasminoides*)

Gardenia, Dwarf

(var. *Veitchii*) (*Gardenia jasminoides*)

Gold Vine, Guinea

(*Hibbertia scandens*)

Hakea

(*Hakea proteacea*)

(cont. on next page)

Shrubs (continued)

Hawthorn, Indian

(Raphiolepis indica)

Hibiscus, Blue

(Alyogyne huegelli)

Hibiscus, Chinese

(Hibiscus rosa-sinensis)

Holly, Dwarf Burford

(var. *Burfordii Nana*) (*Ilex cornuta*)

Honeysuckle, Bush

(Diervilla lonicera)

Honeysuckle, Cape

(Tecomaria capensis)

Hydrangea

(Hydrangea macrophylla)

Jasmine, Asiatic

(Trachelospermum asiaticum)

Jasmine, Orange

(Murraya paniculata)

Jasmine, Star

(Trachelospermum jasminoides)

(cont. on next page)

Shrubs (continued)

Jasmine, Winter

(*Jasminum nudiflorum*)

Jessamine, Carolina

(*Gelsemium sempervirens*)

Jobba

(*Simmondsia chinensis*)

Juniper, Chinese

(var. Maneyi, Old gold, Pfitzeriana, Sea green, Hekii, Nana, Torulosa, Pfitzeriana Aurea, Pfitzer, Golden Pfitzer) (*Juniperus chinensis*)

Juniper, Creeping

(var. Bluechip, Hughes, Plumosa, Prince of Wales, Webberi, Wiltonii, Bar Harbor, Andorra, Variegata, Youngstown blue rug) (*Juniperus horizontalis*)

Juniper, Ozark

(*Juniperus* sp.)

Juniper, Rocky Mountain

(var. Blue heaven, Welchii, Wichita Blue, Medova, Moffet, Pyramidal green, Springtime, Admiral)

(*Juniperus scopulorum*)

39 (cont. on next page)

Shrubs (continued)

Juniper, Savin

(var. Skandia, Arcadia, Broadmoor, Buffalo, Pepin) (*Juniperus sabina*)

Juniper, Shore

(var. *Compacta*) (*Juniperus conferta*)

Juniper, Tam

(var. *Tamariscifolia*) (*Juniperus sabina*)

Lantana, Purple Trailing

(*Lantana montevidensis*)

Laurustinus

(*Viburnum tinus*)

Lemonade Sumac

(*Rhus integrifolia*)

Lilac, common purple

(*Syringa vulgaris purpura*)

Liriope, Green

(*Liriope muscari*)

Liriope, Variegated

(*Liriope muscari*)

Mickey Mouse Bush

(*Ochna serrulata*)

(cont. on next page)

Shrubs (continued)

Mirror plant, Creeping
(*Coprosma repens*)

Mock Orange
(*Pittosporum tobira*)

Mountain Lilac, Carmel Creeper
(*Ceanothus griseus*)

Myrtle, Dwarf
(*Myrtus communis compacta*)

Nandina, Heavenly Bamboo
(*Nandina domestica*)

Nannyberry
(*Viburnum lantago*)

Ninebark
(*Physocarpus opulifolius*) (var. *Aureus*)
(*Physocarpus opulifolius* var. *opulifolius*)

Oleander
(*Nerium oleander*)

Orchid, Rockrose
(*Cistus purpureus*)

Oregon Grape
(*Mahonia aquifolium*)

(cont. on next page)

Shrubs (continued)

Osmanthus, Holly-leaf

(*Osmanthus heterophyllus*)

Osmanthus, Sweet Olive

(*Osmanthus fragrans*)

Palm, Natal

(var. Green carpet tuttle) (*Carissa grandiflora*)

Pampas Grass

(*Cortaderia selloana*)

Photinia

(*Photinia* sp.)

Photinia, Fraser

(*Photinia fraser*)

Pinklady

(*Rhaphiolepis indica*)

Pink Powder Puff

(*Calliandra haematocephala*)

Pittosporum, Variegated Japanese

(*Pittosporum tobira variegata*)

Plumbago, Cape

(*Plumbago capensis*)

(cont. on next page)

Shrubs (continued)

Podocarpus, Yew

(*Podocarpus macrophyllus*)

Princess Flower

(*Tibouchina urvilleana*)

Privet

(*Ligustrum indica*)

Privet, Glossy

(var. Lake Tresca) (*Ligustrum lucidum*)

Privet, Japanese

(*Ligustrum japonicum*)

Privet, Texas

(*Ligustrum texanum*)

Privet, Waxleaf

(*Ligustrum japonicum*)

Purple Hop Bush

(*Dodonaea viscosa*)

Pyracantha

(*Pyracantha graberi*)

(cont. on next page)

Shrubs (continued)

Rhododendron sp.

(Rhododendron – Azalea)

(var. Hinocrimson, Hershey red, Coral blue, Hinodigiri, Christmas cheer, Pink ruffle, Formosa flame, Delaware Valley white, New white)

Sandcherry, Purpleleaf

(*Prunus cistena*)

Serviceberry, Allegheny

(*Amelanchier laevis*)

Serviceberry, Saskatoon

(var. Regent) (*Amelanchier alnifolia*)

Silver King

(*Euonymus japonica*)

Sky Flower, Brazilian

(*Duranta stenostachya*)

Snowball Bush

(*Viburnum opulus sterilis*)

Spindle Tree

(*Euonymus kiautschovica*)

(cont. on next page)

Shrubs (continued)

Spiraea

(*Spiraea vanhouteii*) (var. Anthony Waterer, Froebellii, Goldflame) (*Spiraea bumalda*) (var. Fairy Queen) (*Spiraea trilobataiovica*) (var. Snowbound) (*Spiraea nipponicaiovica*)

Star plant, Lavender

(*Grewia occidentalis*)

Teatree, Australian

(*Leptospermum laevigatum*)

Teatree, New Zealand

(var. Red Glow) (*Leptospermum scoparium*)

Texas Ranger

(*Leucophyllum frutescens*)

Toyon, California Holly

(*Heteromeles arbutifolia*)

Trumpet Vine, Pink

(*Pandorea rosea*)

Veronica

(*Hebe 'Coed'*)

(cont. on next page)

Shrubs (continued)

Viburnum, Japanese

(Viburnum japonicum)

Viburnum, Sandankwa

(Viburnum suspensum)

Wayfaring Tree

(Viburnum lantanoides)

Weeping Fig, Exotica

(Ficus benjamina)

Wheeler Dwarf, Variegated

(var. Wheeler) *(Pittosporum tobira)*

Yellow Bells

(Tecoma stans)

Yesterday-today-and-tomorrow

(Brunfelsia calycina)

Yew

(Taxus cuspidata vigatum)

Common Name
(Scientific Name)

Ornamentals and Bedding Plants

Alyssum

(*Alyssum* sp.)

Asparagus, Myers

(var. Meyeri) (*Asparagus densiflorus*)

Asparagus, Sprenger's

(var. Sprengeri) (*Asparagus densiflorus*)

Aster, New York

(*Aster novi-belgii*)

Aster, Stokes (var. Blue, White)

(*Stokesia cyanaea*)

Baby's Breath (var. Bristo Fairy)

(*Gypsophila paniculata*)

Begonia

(*Begonia semperflorens*)

Bellflower, Tussock

(var. Canterbury Bells)

(*Campanula Carpatica*)

Bittersweet, American

(*Celastrus scandens*)

(cont. on next page)

Ornamentals and Bedding Plants **(continued)**

Black-eyed Susan (var. Goldilocks)

(Rudbeckia hirta)

Bleeding Heart

(Dicentra spectabilis)

Bower Vine

(Pandorea jasminoides)

Butterfly Weed

(Asclepias tuberosa)

Cactus, Barrel

(Echinocactus sp.)

Candytuft

(Iberis sempervirens) *(Iberis amara)*

Canna

(Canna sp.)

Cassia, Feathery

(Cassia artemisioides)

Chrysanthemum, Marguerite

(Chrysanthemum frutescens)

(Chrysanthemum indicum)

(cont. on next page)

Ornamentals and Bedding Plants

(continued)

Cockscomb

(*Celosia argentea*) (Canna)

Coleus

(*Coleus blumei*)

Coneflower, Purple

(var. Gloriosa Dairy) (*Echinacea purpurea*)

Coral Bells

(*Heuchera sanguinea*)

Coreopsis

(var. Sunray) (*Coreopsis lanceolata*)

Cup of Gold Vine

(*Solandra maxima*)

Daffodil

(*Narcissus* spp.)

Dahlia

(*Dahlia pinnata*)

Daisy Bush

(*Euryops pectinatus*)

Daisy Bush, Blue

(*Felicia amellioides*)

(cont. on next page)

Ornamentals and Bedding Plants

(continued)

Daisy, Shasta

(var. Alaska) (*Chrysanthemum maximum*)

Daylily

(*Hemerocallis* hybrids)

Dianthus

(*Dianthus deltoides*)

Dragonhead, False

(*Physostegia virginiana*)

Dusty Miller

(*Centaurea cineraria*)

Fern, Sprenger's Asparagus

(*Asparagus densiflorus sprengeri*)

Fescue, Blue

(*Festuca ovina*)

Flowering tobacco

(*Nicotiana* sp.)

Fountaingrass, Red

(*Pennisetum setaceum*)

Gazania

(*Gazania ringens leucolaena*) (*Gazania* sp.)

(cont. on next page)

Ornamentals and Bedding Plants **(continued)**

Geranium

(*Geranium* sp.)

Geranium, Martha Washington

(*Pelargonium domesticum*)

Gerbera Daisy

(*Gerbera jamesonii*)

Geum (var. Lady Strathedon, Mrs. Bradshaw,
Mrs. Bradshaw Improved)

(*Geum quellyon*)

Gladiolus

(*Gladiolus* sp.)

Heather, False

(*Cuphea hyssopifolia*)

Honeysuckle, Amar

(*Lonicera maackii*)

Honeysuckle, Fly (var. Emerald Mound,
Clavey's Dwarf) (*Lonicera xylosteum*)

Honeysuckle, Japanese

(*Lonicera japonica*)

(cont. on next page)

Ornamentals and Bedding Plants **(continued)**

Honeysuckle, Morrow

(*Lonicera morrowii*)

Honeysuckle, Tatarian (var. Zabeli)

(*Lonicera tatarica*)

Hopseed Bush, Purple

(var. *Purpurea*) (*Dodonaea viscosa*)

Impatiens

(*Impatiens* sp.)

Iris

(*Iris* sp.)

Iris, African

(*Diets bicolor*)

Ivy, Grape

(var. *Ellen Danica*) (*Cissus rhombifolia*)

Jack-in-the-pulpit

(*Arisaema pusillum*) (Mrs. Bradshaw

Improved)

Jade Plant

(*Crassula argentea*)

(cont. on next page)

Ornamentals and Bedding Plants **(continued)**

Jasmine, Madagascar

(*Stephanotis floribunda*)

Lamb's ear

(*Stachys lanata*)

Lavender, English

(*Lavandula vera*)

Lavender, French

(*Lavandula dentata*)

Lavender, Cotton

(*Santolina chamaecyparissus*)

Lilac, Chinese

(*Syringa chinensis*)

Lilac, Common Purple

(var. Charles Joly, Ludwig Spaeth, Jay tree) (*Syringa vulgaris purpurea*)

Lilac, Meyer

(var. *Palibin*) (*Syringa* sp.)

Lilac, Korean

(var. Miss Kim) (*Syringa patula*)

(cont. on next page)

Ornamentals and Bedding Plants

(continued)

Lilac, Mountain

(Ceanothus griseus)

Lily-of-the-Nile, Peter Pan

(Agapanthus africanus)

Lily-of-the-Valley

(Convallaria majalis)

Lobelia

(Lobelia erinus)

Marigold

(Tagetes sp.)

Mirror Plant

(Coprosma baueri)

Mirror Plant, Variegated

(Coprosma repens)

Moneywort, Creeping Jenny

(Lysimachia nummularia)

Moss, Rose

(Portulaca grandiflora)

Moss, Sandwort

(Arenaria verna)

(cont. on next page)

Ornamentals and Bedding Plants **(continued)**

Pansy, Johnny-jump-up

(Viola tricolor)

Pepper, Ornamental

(Capsicum sp.)

Periwinkle, Madagascar

(Catharanthus roseus) (Vinca minor)

Petunia

(Petunia sp.)

Phlox, Perennial

(Phlox paniculata)

Plantain Lily

(Hosta sp.)

Purple Loosestrife

(var. Morden's Gleam) *(Lythrum virgatum)*

Raspberry Ice

(Bougainvillea sp.)

Sage

(Salvia greggii)

Sea Pinks, Thrift

(Armeria maritima)

(cont. on next page)

Ornamentals and Bedding Plants

(continued)

Sedum, Stonecrop

(Sedum x rubrotinctum) (Lavender cotton)

Shrimpplant

(Justicia brandegeana)

Sky Flower, Brazilian

(Duranta stenostachya)

Snail Vine

(Vigna caracalla)

Snapdragon

(Antirrhinum majus)

Speedwell, Spike

(Veronica spicata)

Statice, Perennial

(Limonium perezii)

Stock

(Matthiola incana)

Sweetgrass

(Acorus gramineus)

Sweet William

(Dianthus barbatus)

(cont. on next page)

Ornamentals and Bedding Plants **(continued)**

Transvaal Daisy

(Gerbera jamesonii)

Trumpet Vine, Blood Red

(Distictis buccinatoria)

Trumpet Vine, Lavender

(Clytostoma callistegoides)

Trumpet Vine, Pink

(Pandorea rosea)

Tulip

(Tulipa spp.)

Verbena

(Verbena sp.)

Wandering Jew

(Tradescantia sp.)

Wisteria

(Wisteria sinensis)

Yarrow

(Var. Cerise Queen) *(Achillea millefolium)*

Yarrow, Debutante

(Achillea taygetea v.)

(cont. on next page)

Ornamentals and Bedding Plants **(continued)**

Yellow Trumpet

(Macfadyena unguis-cati)

Zinnia

(Zinnia elegans)

Common Name **(Scientific Name)**

Ground Covers

Aaron's Beard

(Hypericum calycinum)

Aptenia (var. Red Apple)

(Aptenia cordifolia)

Bergenia, Winter-blooming

(Bergenia crassifolia)

Bugleweed

(Ajuga reptans)

Capeweed

(Arctotheca calendula)

Carpathian, Harebell

(Campanula carpatica)

(cont. on next page)

Ground Covers (continued)

Cinquefoil, Spring

(Potentilla tabernaemontani)

Coyotebrush

(var: Twin Peaks)

(Baccharis pilularis)

Crownvetch

(Coronilla varia)

Cushion Bush

(Calocephalus brownii)

Daisy, Freeway

(Osteospermum)

Daisy, Trailing African

(Osteospermum)

Daisy, White African

(Osteospermum fruticosum alba)

Gazania, Trailing

(Gazania regens leucolaena)

Green Carpet

(Herniaria glabra)

Ivy, Algerian

(Hedera canariensis)

(cont. on next page)

Ground Covers (continued)

Ivy, Boston

(*Parthenocissus tricuspidata*)

Ivy, English

(*Hedera helix*) (var. California)

Ivy, Grape

(var. Ellen Danica) (*Cissus rhombifolia*)

Ivy, Hahn's

(var. Hahnii) (*Hedera helix*)

Lantana, Lavender

(*Lantana montevidensis*)

Lilyturf, Big Blue

(*Liriope muscari*)

Lippla

(*Phyla nodiflora*)

Mondo Grass

(*Ophiopogon japonicus*)

Myoporum

(var. Prostratum) (*Myoporum parvifolium*)

Pachysandra

(*Pachysandra terminalis*)

(cont. on next page)

Ground Covers (continued)

Periwinkle

(*Vinca major*)

Plumbago, Dwarf

(*Ceratostigma plumbaginoides*)

Pork and Beans

(*Sedum rubrotinctum*)

Rosea Ice Plant

(*Drosanthemum floribundum*)

Rosemary, Dwarf

(var: *Prostratus*) (*Rosmarinus officinalis*)

Rupture Wort

(*Herniaria glabra*)

St. Johnswort, Creeping

(*Hypericum calycinum*)

Stonecrop, Sedum

(*Sedum rubrotinctum*)

Verbena

(*Verbena officinalis*)

Verbena, Blue

(*Verbena peruviana*)

STORAGE AND DISPOSAL

PESTICIDE STORAGE: DO NOT allow this product to freeze. **DO NOT** store below 32°F or above 100°F. Store unused product in original container only, out of reach of children and animals. **NEVER TRANSFER THIS PRODUCT TO ANOTHER CONTAINER FOR STORAGE.**

PESTICIDE DISPOSAL: To avoid pesticide waste, use all material in this container by application according to label directions. If pesticide waste cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or by industry).

(cont. on next page)

STORAGE AND DISPOSAL *(cont.)*

CONTAINER HANDLING: Nonrefillable container. DO NOT reuse or refill this container. Triple rinse or pressure rinse container (or equivalent) promptly after emptying; then offer for recycling, if available, or reconditioning, if appropriate, or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures approved by state and local authorities. **Triple rinse containers small enough to shake (capacity \leq 5 gallons) as follows:** Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds.

(cont. on next page)

STORAGE AND DISPOSAL *(cont.)*

Pour rinsate into application equipment or a mix tank, or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

NOTE: Buyer assumes all liability, including personal injury and property damage which may result from the use of this product in a manner inconsistent with labeling directions. If these terms are not acceptable, return at once unopened.

CONDITIONS OF SALE AND WARRANTY

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully.

However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of Lawn and Garden Products, Inc. or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

Lawn and Garden Products, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks referred to above.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, LAWN AND GARDEN PRODUCTS, INC. MAKES NO OTHER

EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND LAWN AND GARDEN PRODUCTS' EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, LAWN AND GARDEN PRODUCTS, INC. AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

Lawn and Garden Products, Inc. and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of Lawn and Garden Products, Inc.

Grass Getter[®]



KEEP OUT OF REACH OF CHILDREN WARNING/AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See booklet for Complete Precautionary Statements, First Aid, Directions for Use and Storage and Disposal.

EPA Reg. No. 7969-58-54705 EPA Est. No. 48498-CA-1

Grass Getter[®] is a registered trademark of Lawn and Garden Products, Inc.

Manufactured For:

LAWN AND GARDEN PRODUCTS, INC.

P.O. Box 35000 • Fresno, CA 93745

(559) 499-2100 • info@montereylawnngarden.com

NVA 2017-04-025-0053 0397/0419(05)

NET CONTENTS: 8 FL OZ/ 236.6 mL

PEEL BACK BOOK HERE AND RESEAL AFTER OPENING ▲