

211 X 713 DS Container LITHO CAN (66 x 218)



PHENOL DISINFECTANT

Desinfectante con Fenol



Virucidal*
Tuberculocidal
Fungicidal
Staphylocidal (ATCC 6538)
Pseudomonacidal (ATCC 15442)

**KILLS THE VIRUS THAT
CAUSES COVID-19***

****Kills *Staphylococcus aureus*, *Salmonella enterica*,
Pseudomonas aeruginosa, *Streptococcus pyogenes*,
Mycobacterium bovis (BCG), *Trichophyton interdigitale*,
Influenza A/(H1N1) ATCC VR-95, *Influenza B/(H2N2)(ARUP)*,
Herpes Simplex 1, *Herpes Simplex 2*,
Vancomycin-resistant Enterococcus faecalis (VRE),
and *Methicillin-resistant Staphylococcus aureus* (MRSA)
on hard, non-porous, inanimate surfaces.**

ACTIVE INGREDIENTS:
O-Phenylphenol 0.1%
Ethanol 63.2%
OTHER INGREDIENTS: 36.7%
Total 100.0%
EPA Reg. No. 498-134 EPA Est. No. 498-IL-1



SCAN FOR
SDS

NET WT/PESO NETO 15.5 oz (439 g)

KEEP OUT OF REACH OF CHILDREN MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS
WARNING ADVERTENCIA
See precautionary statements on back of can.

FORMULATED FOR HOME • HOSPITAL • SCHOOL • HOTEL
• MOTEL • OFFICE • RESTAURANT • LOCKER AND REST ROOM
• FACTORY • INSTITUTION

Tested according to AOAC Germicidal Spray Products test methods for hospital disinfectants.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
KEEP OUT OF REACH OF CHILDREN

WARNING

Causes eye irritation. Do not get in eyes. Avoid contact with skin. Avoid contamination of foodstuff.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lens, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergencies, call the poison control center at 1-800-222-1222. For general information on this product contact National Pesticide Information Center (NPIC) at 1-800-858-7378 Monday-Friday 8 AM-12 PM PST, or at <http://npic.orst.edu>.



ATTENTION: This product can expose you to o-phenylphenol which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

PHYSICAL HAZARDS

EXTREMELY FLAMMABLE. Contents under pressure. Do not use or store near heat or open flame. DO NOT PUNCTURE OR INCINERATE CONTAINER. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

KILLS *HIV-1 (AIDS VIRUS) on pre-cleaned environmental surfaces/objects previously soiled with blood and body fluids in health care settings or other settings in which there is an expected likelihood of soiling of hard, nonporous inanimate surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of HIV.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV OF SURFACES/OBJECTS SOILED WITH BLOOD AND BODY FLUIDS.

PERSONAL PROTECTION: When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks and eye coverings.

CLEANING PROCEDURE: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids must be autoclaved and disposed of according to Federal, state and local regulations for infectious waste disposal.

CONTACT TIME: Treated surfaces must remain visibly wet for 10 minutes.

After surface is cleaned, hold can upright and spray 6 to 8 inches from surface to be treated until surface becomes wet. Treated surfaces must remain visibly wet for 10 minutes. Then allow surface to air dry or wipe with a clean cloth or paper towel.

FOR DISINFECTION OF HARD, NON-POROUS INANIMATE SURFACES: This disinfectant spray is an effective germicidal that ****kills *Staphylococcus aureus*, *Salmonella enterica*, *Pseudomonas aeruginosa*, *Streptococcus pyogenes*, *Mycobacterium bovis* (BCG), *Vancomycin-resistant Enterococcus faecalis* (VRE) and *Methicillin-resistant Staphylococcus aureus* (MRSA).**

*It also kills viruses and fungi on hard, nonporous inanimate surfaces.

Viruses: SARS-CoV-2 Virus (COVID-19 Virus), strain USA-WA 1/2020, (2019-Novel Coronavirus), Human Coronavirus ATCC VR-740 strain 229E, Influenza A/(H1N1) ATCC VR-95, Influenza B/(H2N2)(ARUP), Herpes Simplex type 1 and Herpes Simplex type 2. **Fungi:** *Trichophyton interdigitale* (athlete's foot).

Use to disinfect hard, non-porous, inanimate environmental surfaces like metal or glazed porcelain urinals, plastic or glazed ceramic tile shower stalls, metal or plastic diaper pails, garbage cans, light switches, washbowls and telephones, and non-wood surfaces of toilet seats, empty hampers, athletic equipment and lockers. Use it under sinks, in kitchens, sickrooms, pet areas and other places where odor-causing germs are a problem.

TO CLEAN: Clean object to be sprayed using usual cleaning methods.

DIRECTIONS TO DISINFECT: Hold dispenser upright and spray 6 to 8 inches from pre-cleaned surface until surface is wet. Allow treated surface to remain visibly wet with the product for 10 minutes before wiping off. Repeat application as necessary.

FOR CONTROL OF MOLD & MILDEW: Controls mold and mildew on hard surfaces such as ceramic, metal and glass in basement closets, attic storage areas, summer cottages.

TO CLEAN: Clean object to be sprayed by usual cleaning methods.

DIRECTIONS TO CONTROL MOLD & MILDEW: Hold dispenser upright and spray 6 to 8 inches from surface until surface is visibly wet. Allow disinfectant spray to remain on the surface for 10 minutes before wiping off. Repeat application when new growth appears.

DO NOT USE ON POLISHED WOOD FURNITURE OR RAYON FABRICS.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry area away from heat or open flame. Do not contaminate water, food or feed by the use, storage or disposal of this product.

DISPOSAL: DO NOT PUNCTURE OR INCINERATE! If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions.

KEEP OUT OF REACH OF CHILDREN

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

THE USER OF THIS PRODUCT ASSUMES ALL RISKS OF USE, STORAGE AND HANDLING NOT IN ACCORDANCE WITH ITS DIRECTIONS AND CAUTIONS.

¡AVISO IMPORTANTE! Si usted no sabe como usar este producto, pida ayuda de su supervisor.

MEDICAL EMERGENCY
INFORMATION ONLY/
PARA INFORMACIÓN
MÉDICA DE EMERGENCIA:
ChemTel, Inc. (800) 255-3924



Chase
PRODUCTS CO.

Putting the best at your fingertips®
P.O. Box 70 • Maywood, IL 60153
www.chaseproducts.com



1-9766-5
DSC

