



Roundup
WEED & GRASS KILLER

SUPER CONCENTRATE
MATA MALEZAS Y GRAMAS

- RAINPROOF IN 30 MINUTES!
- BEST ROUNDUP CONCENTRATE VALUE!

KILLS THE ROOTS GUARANTEED*

Keep Out of Reach of Children; CAUTION!
See back panel booklet for additional precautionary statements.

Mantener Fuera del Alcance de los Niños; PRECAUCIÓN!
Vea declaraciones adicionales de precaución en el reverso del panel.

ACTIVE INGREDIENT:
*Glyphosate, isopropylamine salt... 50.2%

OTHER INGREDIENTS 49.8%

*Contains 3.6 pounds glyphosate acid per US gallon.

NET 1 GAL (128 FL OZ)

PPN 21180K11-10
2D Code
LB3525

Monsanto Reference ID 2017-NFY187

Brand: Roundup Super Concentrate
Description: Front Label 1 Gallon
PPN# 21180K11-10 Scotts Part# LB3525
Date: 12/5/2012 Copy Doc: 3.4

RIESGOS AMBIENTALES: Para proteger el ambiente, no permita que el pesticida entre o se escurra en drenajes pluviales, zanjas de drenaje, cunetas o aguas superficiales. Aplicar este producto en clima tranquilo cuando no haya pronóstico de lluvia para las siguientes 24 horas ayudará a asegurarse de que el viento o la lluvia no soplen ni laven el pesticida del área de tratamiento. Lavar el equipo para la aplicación sobre el área tratada ayudará a evitar el escurrimiento a los cuerpos de agua o sistemas de drenaje.

ADVERTENCIA: Hasta donde sea congruente con la ley que aplica, el comprador asume toda la responsabilidad de la seguridad y uso que no sea de acuerdo con las instrucciones.

Satisfacción Garantizada.*

***GARANTÍA PARA EL CONSUMIDOR**

Si por cualquier razón usted no está satisfecho después de usar este producto, simplemente envíenos el comprobante de venta original y le reemplazaremos el producto o reembolsaremos el precio de compra.

Los productos Roundup® para céspedes y jardines tienen las mejores soluciones para sus problemas con las malezas más difíciles.

- Productos Roundup® Control Prolongado Mata las Malezas y Gramas con Prevención de Malezas – eliminan y previenen hasta por 4 meses
- Roundup® Mata las Malezas y Gramas Listo para usar III – sin mezclar ni ensuciar
- Productos Roundup® Mata la Hiedra Venenosa y los Matorrales Resistentes – eliminan los matorrales resistentes y las malezas más difíciles de controlar
- Roundup® Mata las Malezas y Gramas Concentrado Plus – resultados visibles rápidos
- Roundup® Mata las Malezas y Gramas Súper Concentrado – el mejor concentrado de la marca Roundup® en valor
- Productos Roundup® Mata la Zarzamora Silvestre más Enredaderas y Matorrales Resistentes – eliminan los matorrales resistentes
- Espuma Sure Shot de Roundup® para Eliminar Malezas y Gramas – ataca las malezas en áreas difíciles

Roundup® Weed & Grass Killer Super Concentrate

**OPEN
ABRA**

**Did
YOU KNOW?**

This Roundup® formula targets an enzyme in plants, but not in people or pets.



©2014 MONSANTO COMPANY
Produced for
Monsanto Company
Lawn & Garden Products
P.O. Box 416
Marysville, OH 43041
EPA Reg. No. 71995-25
EPA Est. 239-IA-3; 239-MS-001¹⁴
Superscript is first letter of lot number
Made in USA

Guaranteed Satisfaction.
Open booklet for details.*

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PRODUCT FACTS KILLS ALL TYPES OF WEEDS & GRASSES

Makes up to 85 Gallons

Treats up to 25,500 sq ft

HOW IT WORKS: Roundup® Weed & Grass Killer Super Concentrate is absorbed by the weed's leaves. It moves through the weed to the root, stopping the production of an essential enzyme found in plants (but not in humans or animals). Weeds die, roots and all - so they don't grow back. Kills only what you spray. Any product not absorbed by plants breaks down without moving in or on the soil to untreated plants. Weeds usually yellow and wilt within 2 to 4 days with complete kill in 1 to 2 weeks.

WHERE TO USE

- † On patios, walkways, driveways, gravel or mulch beds
- † Around fruits, vegetables, flowers, shrubs or trees
- † Along fences
- † In large areas - For lawn replacement - For garden plot preparation

MIXING INSTRUCTIONS

Tank Sprayer: Use of a Roundup® Brand Sprayer is recommended. A plastic, fiberglass, plastic-lined steel or stainless steel sprayer may also be used.

- † For best results, add 2 ½ fl oz (5 Tbs) to 1 gallon of water.
- † Spot treat or spray evenly over 300 sq ft.

For easy to kill weeds such as seedlings, add 1 ½ fl oz (3 Tbs) to 1 gallon of water.

Hose-End Sprayer: For large areas, consider using the Ortho® Dial 'n Spray®

- † Set dial to 2 ½ oz.
- † To sprayer jar add 2 ½ fl oz (5 Tbs) for each 300 sq ft. **DO NOT** add water.
- † Spray evenly over measured area.
- † After spraying, unused product can be poured back into its original container.
- † Tablespoon (Tbs) = 3 teaspoons (tsp) 1 fl oz = 2 Tbs
- † Do not mix, store or apply with a galvanized or unlined steel (except stainless steel) sprayer, or through any irrigation system.

HOW TO APPLY

- † Spray the weeds or grasses you want to kill until thoroughly wet.
- † When spot treating weeds around desirable plants, shield plants from drift with a sheet of cardboard or plastic. If desirable plants are accidentally sprayed, rinse off immediately with water.

IMPORTANT: Do not spray plants or grasses you like – they will die. Not recommended for spot weed control in lawns since glyphosate kills lawn grasses.

WHEN TO APPLY

- † Apply when weeds are actively growing.
- † For best results, apply during warm, sunny weather above 60° F to accelerate systemic movement from foliage to roots.
- † Apply when air is calm to prevent drift to desirable plants.

2

- † **RAINPROOF Protection:** Rain or watering 30 minutes after application will NOT wash away effectiveness.
- † If used to control weeds around fruit or nut trees, caneberries, or grapevines, allow 17 days before harvesting.

WHEN TO REPLANT

- † All ornamental flowers, trees and shrubs may be planted **1 day after** application.
- † Lawn grasses, herbs, vegetables (all), and fruits may be planted **3 days after** application.

HOW TO CLEAN SPRAYER

To clean sprayer after use, rinse sprayer and all sprayer parts with water 3 times. Spray rinse water on bare soil or gravel. After cleaning, sprayer may be used for other products.

ADDITIONAL TIPS

To Kill Vines

- † If vines are growing up poles, fences, or tree trunks with mature bark, cut vines to a height of 3 to 4 feet and spray vines thoroughly.
- † If vines are climbing shrubs or tree trunks with green bark, cut vines at base and treat as directed for stumps or spray regrowth. If spraying regrowth, shield shrubs and tree trunks from spray drift with a sheet of cardboard or plastic.

To Kill Bamboo

- † Cut canes close to the ground.
- † Make cut just below a stem joint to create a hollow stem reservoir.
- † Pour 1 Tbs of undiluted product into the hollow stem reservoir.
- † Browning of the canes will occur in 7-14 days.
- † Spray foliage if regrowth occurs.

To Kill Stumps

- † Cut living stump close to ground.
- † Drive 4 to 5 holes into freshly cut stump.
- † Immediately pour undiluted product into holes.

IMPORTANT: Some trees may share the same root system. Adjacent trees having a similar age, height and spacing may signal a shared roots system. Injury may occur to non-treated trees when one or more trees sharing common roots are treated.

For Lawn Replacement: Use Roundup® Weed & Grass Killer Super Concentrate to kill a lawn and weeds before planting a new lawn.

- † Skip one mowing before spraying.
- † Use 2 ½ fl oz (5 Tbs) per gallon of water for each 300 sq ft.
- † If soil is dry, water before application and 2 to 3 days after application.
- † If green patches remain after 7 days, reapply.
- † Wait at least 3 days after last application to rake, till or replant with seed or sod.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store product in original container in a safe place away from direct sunlight.

PESTICIDE DISPOSAL: Nonrefillable container. Do not reuse or refill this container. **If Empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If Partly Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

3

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

Keep Out of Reach of Children



CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

People and pets may enter treated areas after spray has dried.

FIRST AID

IF IN EYES	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eyes. Call a poison control center, 1-800-246-7219, or doctor for treatment advice.
-------------------	---

EMERGENCY MEDICAL INFORMATION

- Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
- You may contact 1-800-246-7219 for emergency medical treatment information.
- This product is identified as **Roundup® Weed & Grass Killer Super Concentrate, EPA Reg. No. 71995-25.**

ENVIRONMENTAL HAZARDS: To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid runoff to water bodies or drainage systems.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

Guaranteed Satisfaction.*

***CONSUMER GUARANTEE**

If for any reason you are not satisfied after using this product, simply send us original proof of purchase and we will replace the product or refund the purchase price.

Roundup® Lawn & Garden products have the best solutions to your toughest weed problems.

- Roundup® Extended Control Weed & Grass Killer Plus Weed Preventer products – kill & prevent for up to 4 months
- Roundup® Ready-To-Use Weed & Grass Killer III – no mixing, no mess
- Roundup® Poison Ivy Plus Tough Brush Killer products – kill tough, brushy, hard-to-control weeds
- Roundup® Weed & Grass Killer Concentrate Plus – fast visible results
- Roundup® Weed & Grass Killer Super Concentrate – best Roundup® brand concentrate value
- Roundup® Wild Blackberry Plus Vine & Tough Brush Killer products – kills tough brush
- Roundup® Weed & Grass Killer Sure Shot Foam – targets weeds in tight places



Roundup® Mata Malezas y Gramas Súper Concentrado

Español

¿SABIA USTED?

Esta fórmula de Roundup® ataca una enzima que se encuentra en las plantas pero no en las personas ni las mascotas.

INSTRUCCIONES

Es una violación a la ley federal usar este producto de forma inconsistente con su etiqueta.

DATOS DEL PRODUCTO ELIMINA TODO TIPO DE MALEZAS Y GRAMAS

Produce hasta 85 galones Sirve para tratar hasta 25,500 pies cuadrados

CÓMO FUNCIONA: Roundup® Mata Malezas y Gramas Súper Concentrado se absorbe a través de las hojas de las malezas. Se mueve por la maleza en dirección a la raíz deteniendo la producción de una enzima esencial que se encuentra en las plantas (pero no en los humanos ni en los animales). Las malezas se mueren, con todo y raíces, así que no vuelven a crecer. Elimina solo lo que usted rocía. Cualquier producto que la planta no absorba se descompone sin alterar la tierra para las plantas sin tratar. Las malezas usualmente se ponen amarillentas y se marchitan en 2 a 4 días, y se produce una eliminación completa en 1 a 2 semanas.

¿DÓNDE USAR

- En patios, pasos peatonales, caminos de acceso, grava o lechos con cubresuelos
- Alrededor de frutas, vegetales, flores, arbustos o árboles
- A lo largo de cercas
- En áreas grandes - Para reemplazar el césped - Para preparar el terreno para jardín

INSTRUCCIONES PARA LA MEZCLA

Tanque rociador: Se recomienda el uso de un tanque rociador Roundup®. También se puede usar un rociador de plástico, fibra de vidrio, acero o revestido con plástico o acero inoxidable.

- Para obtener los mejores resultados, agregue 2 ½ onzas líquidas (5 Cda) para 1 galón de agua.
- Realice el tratamiento localizado o rocíe uniformemente sobre 300 pies cuadrados.

Para las malezas fáciles de eliminar tales como las plántulas, agregue 1 ½ onzas líquidas (3 Cda) para 1 galón de agua.

Rociador de manguera: Para las áreas grandes, considere usar el rociador Ortho® Dial'n Spray®

- Coloque el disco selector en 2 ½ onzas.
- Agregue 2 ½ onzas líquidas (5 Cda) al tanque del rociador por cada 300 pies cuadrados. **NO** agregue agua.
- Rocíe uniformemente en el área medida.
- Después de rociar, el producto sin usar se puede echar nuevamente en su envase original.

1 cucharada (Cda) = 3 cucharaditas (cdta) 1 onza líquida = 2 cucharadas (Cda)

No mezcle, guarde ni aplique el producto con un rociador de acero galvanizado o sin revestimiento (excepto acero inoxidable) o a través de un sistema de riego.

CÓMO APLICAR

- Rocíe las malezas o gramas que desee eliminar hasta mojarlas completamente.
- Cuando trate malezas específicas alrededor de plantas que desee conservar, proteja dichas plantas de la diseminación con una lámina de cartón o plástico. Si rocía accidentalmente las plantas deseables, enjuáguelas inmediatamente con agua.

IMPORTANTE: No rocíe plantas o gramas que desee conservar, pues morirán. No se recomienda para el control localizado de malezas en céspedes ya que el glifosato elimina el césped.

CUÁNDO APLICAR

- Aplíquelo cuando las malezas están creciendo activamente.
- Para obtener los mejores resultados, aplíquelo durante el clima cálido y soleado arriba de 60° F para acelerar el movimiento sistémico desde el follaje hacia las raíces.
- Aplíquelo cuando el aire esté tranquilo para evitar la diseminación a plantas que se desee conservar.
- Protección A PRUEBA DE LLUVIA: La lluvia o regar 30 minutos después de la aplicación NO eliminará su efectividad.
- Si se usa para controlar las malezas alrededor de árboles frutales o de nueces, zarzamoras o parras, deje transcurrir 17 días antes de cosechar.

CUÁNDO REPLANTAR

- Todas las flores ornamentales, árboles y arbustos se pueden plantar **1 día después** de la aplicación.
- Se puede plantar césped, hierbas, vegetales (de todo tipo) y plantas frutales **3 días después** de la aplicación.

CÓMO LIMPIAR EL ROCIADOR: Para limpiar el rociador después de usarlo, lave con agua el rociador y todas sus piezas unas 3 veces. Rocíe el agua del enjuague en la tierra sin siembras o en grava. Después de limpiarlo, el rociador se puede utilizar para otros productos.

CONSEJOS ADICIONALES

Para eliminar enredaderas

- Si crecen enredaderas en postes, cercas o troncos de árboles con corteza madura, corte las enredaderas a una altura de 3 a 4 pies y rocíelas completamente.
- Si las enredaderas trepan arbustos o troncos de árboles con corteza verde, corte las enredaderas en su base y trátelas como se indica para los tocones o rocíe el rebrote. Cuando rocíe los rebrotes, proteja los arbustos y los troncos de árboles de la diseminación con una lámina de cartón o plástico.

Para eliminar el bambú

- Corte las cañas cerca del suelo.
- Corte justo por debajo de una ramificación del tallo para crear una cavidad para depósito en el tallo.
- Vierta 1 cucharada del producto no diluido en la cavidad para depósito en el tallo.
- Las cañas se pondrán de color pardo en 7 a 14 días.
- Rocíe el follaje si hay un rebrote.

Para eliminar los tocones

- Corte el tocón vivo cerca del suelo.
- Haga 4 a 5 agujeros en el tocón recién cortado.
- Inmediatamente vierta el producto sin diluir en los agujeros.

IMPORTANTE: Algunos árboles pueden compartir el mismo sistema de raíces. Los árboles adyacentes que tengan una edad, altura y distancia similares pueden indicar la presencia de sistemas de raíces compartidas. Pueden ocurrir daños en los árboles no tratados cuando se tratan uno o más árboles que comparten raíces comunes.

Para reemplazar el césped: Use Roundup® Mata Malezas y Gramas Súper Concentrado para eliminar el césped y las malezas antes de plantar nuevo césped.

- Deje pasar un corte de grama antes de rociar.
- Use 2 ½ onzas líquidas (5 cucharadas) por galón de agua para cada 300 pies cuadrados.
- Si la tierra está seca, riegue antes de la aplicación y 2 o 3 días después de la aplicación.
- Si todavía hay parches verdes después de 7 días, vuelva a aplicarlo.
- Espere por lo menos 3 días después de la última aplicación para pasar el rastrillo, cultivar o volver a plantar con semillas o tepes.

ALMACENAMIENTO Y ELIMINACIÓN

ALMACENAMIENTO DEL PESTICIDA: Almacene el producto en el envase original en un lugar seguro alejado de la luz solar directa.

ELIMINACIÓN DEL PESTICIDA: Envase que no se puede rellenar. No vuelva a usar ni rellenar este envase. **Si está vacío:** No vuelva a usar este envase. Tirelo a la basura o, si está disponible, ofrézcalo para reciclaje. **Si está parcialmente lleno:** Llame a su agencia local de desechos sólidos para obtener instrucciones de eliminación. Nunca elimine el producto sin usar en ningún drenaje interior o exterior.

AVISOS DE PRECAUCIÓN

RIESGOS PARA HUMANOS Y ANIMALES DOMÉSTICOS

Mantener Fuera del Alcance de los Niños



PRECAUCIÓN: Causa irritación moderada en los ojos. Evite el contacto con los ojos o la ropa. Lávese completamente con jabón y agua después de manipularlo.

Las personas y las mascotas pueden entrar en las áreas tratadas después de que se seque el rocío.

PRIMEROS AUXILIOS

SI ENTRA LOS OJOS	<ul style="list-style-type: none">• Mantenga el ojo abierto y lávelo con agua despacio y con cuidado durante 15 a 20 minutos.• Si tuviera lentes de contacto, quítelos después de lavarse con agua los primeros 5 minutos y después continúe enjuagando los ojos.• Llame a un centro de control de envenenamiento, al 1-800-246-7219, o al médico para obtener más recomendaciones de tratamiento.
------------------------------	--

INFORMACIÓN MÉDICA DE EMERGENCIA

- Tenga a la mano el envase del producto o la etiqueta cuando llame al centro de control de envenenamiento o al médico o al buscar tratamiento.
- Puede llamar al 1-800-246-7219 para obtener información sobre el tratamiento médico de emergencia.
- Este producto se ha identificado como **Roundup® Mata Malezas y Gramas Súper Concentrado, EPA Reg. No. 71995-25.**



Roundup® Weed & Grass Killer Super Concentrate
Roundup® Mata Malezas y Gramas Súper Concentrado

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

Keep Out of Reach of Children



CAUTION:

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

People and pets may enter treated areas after spray has dried.

FIRST AID

IF IN EYES

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after first 5 minutes, then continue rinsing eyes.
- Call a poison control center, 1-800-246-7219, or doctor for treatment advice.

EMERGENCY MEDICAL INFORMATION

- Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
- You may contact 1-800-246-7219 for emergency medical treatment information.
- This product is identified as **Roundup® Weed & Grass Killer Super Concentrate, EPA Reg. No. 71995-25.**

ENVIRONMENTAL HAZARDS: To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store product in original container in a safe place away from direct sunlight. **PESTICIDE DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. **If Empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If Partly Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Questions, Comments or Information Call 1-800-246-7219 www.roundup.com ¿Preguntas, Comentarios o Información?

©2014 MONSANTO COMPANY
 Produced for
 Monsanto Company
 Lawn & Garden Products
 P.O. Box 418
 Marysville, OH 43041
 EPA Reg. No. 71995-25

EPA Est. 239-1A-3, 239-MS-001^M
 Superscript is first letter of lot number
 This is an end-use product. Monsanto does not intend and has not registered it for reformulation or repackaging.
 Roundup and Roundup and Design are registered trademarks of Monsanto Technology LLC.
 Made in USA

Resealable Label for Directions & Precautions / Etiqueta re-cerrable para instrucciones y avisos de precaución.

This bottle contains an anti-theft device, either inside or on the back of the bottle. It does not affect product performance.
 Este envase contiene un dispositivo contra robo, ya sea adentro o en la parte de atrás. Esto no afecta los resultados del producto.

1515

0 7018350042 0

PPN 2118019-11X2

2D code

LB4837

EPA Reg. No: 71995-25		Brand: Roundup Super Concentrate	
Description: Back ECL 1 GAL (Anti-Theft)			
PPN:	Scotts Sku No:	Scotts Part No:	ERA No:
2118019-11X2	500421515	LB4837	2239
Copy Doc: None	Date: 1/13/2014		

Reformatted existing copy (no new copy doc) to new die for anti theft