



Section 24(c) Special Local Need Label

PROMETRYN | GROUP **5** | HERBICIDE

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF OREGON

Caparol® 4L Herbicide
For Control of Weeds in the Following Crops Grown for Seed:
Carrots, Coriander, Dill, and Parsley

EPA Reg. No. 100-620
EPA SLN No. OR-220006

This label for Caparol 4L Herbicide is valid until December 31, 2027 or until otherwise amended, withdrawn, cancelled, or suspended.

Active Ingredient:	
Prometryn: 2,4-bis(isopropylamino)-6-(methylthio)-s-triazine	44.4%
Other Ingredients:	<u>55.6%</u>
Total:	100.0%

Caparol 4L Herbicide contains 4 lb active ingredient per gallon.

KEEP OUT OF REACH OF CHILDREN
CAUTION

SYNGENTA'S SPECIAL CONDITIONS, RISKS OF USE AND DISCLAIMER FOR USE OF CAPAROL 4L HERBICIDE ON CROPS ON THIS 24(c) LABEL

IMPORTANT- READ BEFORE USE
THESE CONDITIONS RISKS OF USE AND DISCLAIMER ARE REQUIRED BY SYNGENTA CROP PROTECTION LLC AND NOT SPECIFIED BY U.S. EPA OR THE OF STATE OF OREGON

USE OF CAPAROL 4L HERBICIDE (THE "PRODUCT") ON CROPS LISTED (THE "CROP") FOR THIS SPECIAL LOCAL NEED MAY RESULT IN CROP INJURY, CROP YIELD REDUCTION AND/OR CROP LOSS AS FURTHER DISCUSSED BELOW. READ AND UNDERSTAND THESE CONDITIONS AND RISKS OF USE FOR SPECIAL LOCAL NEED BEFORE USING THE PRODUCT ON THE CROP. SYNGENTA RECOMMENDS THAT THE USER TEST THIS PRODUCT TO DETERMINE ITS SUITABILITY FOR SUCH INTENDED USE.

Syngenta Crop Protection, LLC makes the Product available for use in the manner

described in this Section 24(c) label on the basis that, in the sole opinion of the user, the benefits and utility derived from the use of the Product on the Crop outweigh the potential risk of Crop injury, Crop yield reduction or Crop loss.

The decision to use this Product in the manner described in this Section 24(c) label must be made by each individual user on the basis of anticipated benefits versus (i) the potential risk of Crop injury, Crop yield reduction and Crop loss, (ii) the severity of the target pest infestation, (iii) the cost and availability of alternative pest controls and (iv) any other relevant factors. Syngenta recommends that the user test this Product to determine its suitability for such intended use.

By purchasing the Product for use, or using the Product in the manner described in this Section 24(c) label, you acknowledge and accept that, to the extent consistent with applicable law:

- 1) you assume all risk of Crop injury, Crop yield reduction and Crop loss;
- 2) Syngenta Crop Protection, LLC do not make, and do not authorize any agent or representative to make, any representations or recommendations regarding the use of this Product on the Crop other than the statements on this Section 24(c) label;
- 3) Syngenta Crop Protection, LLC do not make, and do not authorize any agent or representative to make, any warranties, express or implied, with respect to the use of the Product on the Crop and disclaim all warranties, expressed or implied, including any implied warranty of merchantability;
- 4) Syngenta Crop Protection, LLC disclaim all liability for any damages, losses, expenses, claims or causes of actions arising out of or relating to Crop injury, Crop yield reduction and/or Crop loss;
- 5) these conditions and Risks of Use for Special Local Need supersede any contrary representations or recommendations by Syngenta Crop Protection, LLC or their respective agents or representatives, and any provisions in or on any Product literature or labeling including any provisions on the label affixed to the Product container.

If these Conditions and Risks of Use for Special Local Need are not acceptable, the unopened Product may be returned to the seller for a refund or used for a different labeled use in accordance with the label affixed to the Product container.

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR WEED CONTROL, CROP INJURY, OR ILLEGAL RESIDUES.

Environmental Hazards

Do not apply directly to water, to areas where the surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water or rinsate. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from treated areas.

Non-Target Organism Advisory Statement

This product is toxic to plants and may adversely impact the forage and habitat of nontarget organisms, including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of nontarget organisms by following label directions intended to minimize spray drift,

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This SLN label and main EPA-registered label must be in the possession of the user at the time of pesticide application.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on this SLN label and the main EPA-registered label.

Postemergence Application

Broadcast Application: Apply 2 pints per acre after seed carrots, seed parsley, seed dill, or seed coriander have 3-5 true leaves. Apply before weeds are 2 inches tall. All applications are to be made by ground equipment with sufficient agitation in tank to keep mixture in suspension, using a minimum of 30 gallons per acre spray volume,

Notes: (1) To reduce the chance of injury to rotational crops, the field should be disked as deep as possible and irrigated at least twice soon after harvest, (2) Use of Caparol 4L Herbicide on soils that have excess salts or are highly calcareous may result in crop injury, (3) Good spray coverage is required for adequate weed control, and (4) Temporary stunting has been observed following the application of Caparol 4L Herbicide in combination with other fall-applied herbicides.

Rotational Crops

A green manure or cover crop can be planted following seed carrots, seed coriander, seed dill, and seed parsley treated with Caparol 4L Herbicide, if the crop is plowed down and not used for food or feed.

The following crops may be seeded 5 months after applying no more than 4 pints of Caparol 4L Herbicide per acre on seed carrots, seed coriander, seed dill, and seed parsley: cabbage, celery, corn, peas, and sweet corn. Onions and red beets may not be planted within 8 months of applying Caparol 4L Herbicide.

Other rotational crops may be planted 18 months after application of no more than 4 pints of Caparol 4L Herbicide per acre on seed carrots, seed coriander, seed dill, and seed parsley.

Restrictions/Precautions:

- **DO NOT** apply more than 2 pints of Caparol 4L Herbicide per acre per application.
- **DO NOT** apply more than 4 pints of Caparol 4L Herbicide per acre per year.
- **DO NOT** apply more than 2 applications of Caparol 4L Herbicide per crop per year.
- **DO NOT** apply this product through any type of irrigation system.

SPECIAL CROP USE RESTRICTIONS

The pesticide applicator, the producer of the crop, and the seed conditioner must be aware that use of this product according to this labeling is deemed a nonfeed/non-food use by the Oregon Department of Agriculture, and is regulated by Oregon Administrative Rule (OAR) 603-057-0535, Pesticide Use On Crops Grown For Seed. If the applicator of this pesticide is not the producer, the applicator must provide a copy of this labeling to the producer of the crop. Producers of this crop who use this product, or cause the product to be used on a field they operate, must provide a copy of this pesticide label to the seed conditioner.

This pesticide does not have an established pesticide residue tolerance for this crop. Consequently, no portion of this seed crop may be used or distributed for food or feed for 1 year (365 days) after the last application of this product. This restriction pertains to, but is not limited to: green chop, forage, hay, pellets, meal, whole seed, cracked seed, straw, roots, bulbs, foliage or seed screenings, and to the grazing of the crop field, stubble or regrowth. All seed screenings shall be disposed of in such a manner that the screenings cannot be distributed or used for food or feed purposes, as indicated in OAR 603-057-0535. Additional regulations concerning seed screenings are stated in OAR 603-057-0535.

Any seed from a field treated with this pesticide product shall bear specific and conspicuous container labeling, or if shipped in bulk, on the shipment invoice or bill of lading. The labeling shall contain the following statement:

"This seed was produced using one or more products for which the United States Environmental Protection Agency has not established pesticide residue tolerances. This seed, in whole, as sprouts, or in any form, may not be used for human consumption or animal feed. Failure to comply with this condition may violate requirements of the Federal Food and Drug Administration, the Oregon Department of Agriculture and other regulatory agencies."

©2022 Syngenta

Caparol® and the Syngenta logo are trademarks of a Syngenta Group Company

24(c) Registrant:
Syngenta Crop Protection, LLC
P. O. Box 18300
Greensboro, NC 27419-8300

Label Code: OR0620051FA0622