3.75”

14”

26.25”

BEST® Turf Supreme® 16-6-8 plus Trimec®

BEST®

Turf Supreme®

16-6-8

plus Trimec®

Kills Dandelion, Chickweed, Knotweed, Plantain, Henbit, Spurge and many other broadleaf weeds; including those listed on the back panel.

Contains *TRIMEC® Herbicide to Control the Toughest Weeds

1 Bag Covers 15,000 Sq. Ft.

ACTIVE INGREDIENTS:
2,4-dichlorophenoxyacetic acid 0.55%
(+)-(R)-2-(2 methyl-4-chlorophenoxy) propionic acid 0.12%
Dicamba: 3,6-dichloro-o-anisic acid 0.05%
OTHER INGREDIENTS: 99.28%
TOTAL 100.00%

EPA Reg. No. 2217-643-7001

THIS PRODUCT CONTAINS:
11.0 lbs. 2,4-dichlorophenoxyacetic acid equivalent per ton.
2.4 lbs. (+)-(R)-2-(2 methyl-4-chlorophenoxy) propionc acid equivalent per ton.
1.0 lb. 3,6-dichloro-o-anisic acid equivalent per ton.
Isomer Specific by AOAC Methods.

EPA EST. NO. 69759-OR-004 (Lot begins BAN)

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for complete Precautionary Statements, including First Aid, and Directions for Use, including Storage and Disposal.

***TRIMEC® is a registered trademark of PBI/GORDON CORPORATION.**

Net Weight: 50 LBS. (22.68 Kg)

BEST® Turf Supreme® 16-6-8 plus Trimec®

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if absorbed through skin. Harmful if inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Avoid breathing dust. Wear long-sleeved shirt, long pants, shoes, socks and chemical-resistant gloves made of any waterproof material.

FIRST AID	
If on skin or on clothing:	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If Inhaled:	• Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for treatment advice.
If in eyes:	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If swallowed:	• Call a poison control center or doctor immediately for treatment advice. • Have a person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For additional information in case of emergency, call toll free 1-877-800-5556.	

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

GUARANTEED ANALYSIS

TOTAL NITROGEN (N) 16.0%
16.0% Ammoniacal Nitrogen
AVAILABLE PHOSPHATE (P_2O_5) 6.0%
SOLUBLE POTASH (K_2O) 8.0%
SULFUR (S) 16.0%
16.0% Combined Sulfur (S)
IRON (Fe) 1.5%
MANGANESE (Mn) 0.2%

Derived from Monoammonium Phosphate, Ammonium Sulfate, Muriate of Potash, Iron Oxysulfate and Manganese Oxysulfate.

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.aapfco.org/metals.html

⚠ **NOTICE:** This product can expose you to Cadmium (Ca), which is known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SPREADER SETTINGS

Apply 50 lbs. (for 15,000 sq. ft. coverage per bag) ***SGN 150***

BEST® Pro 4B
Spyker / BEST® Models 34, 44, 64 .... 3.7
Earthway 12
Lesco 13
Scotts R-8A (Cone 8) .... J½
Lely 1250 / Vicon 6

As a guide, set spreader at the setting indicated by the above chart before applying. Remember the settings provided are only a guide and depend on the age, condition and speed of operation of your spreader. Check spreader calibration often and make adjustment as needed. Keep this product off sidewalks, patios, driveways, etc. This fertilizer contains iron which will stain concrete and painted surfaces. If it comes in contact with concrete surface, sweep off immediately before flushing with water. If concrete is wet when contact occurs, staining may be impossible to prevent. Be careful when using rotary spreaders which scatter fertilizer beyond lawn edge and onto concrete

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PRECAUTIONS AND RESTRICTIONS:

• Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until dusts have settled. • Do not apply this product to dichondra or carpetgrass. Do not apply this product to ‘Floratam’ St. Augustinegrass in Florida. • Do not use this product where desirable clovers are present. Do not exceed specified dosages for any area. Apply when the air is calm. Do not apply to newly seeded lawns. During application, close spreader openings when turning to prevent over-application. • Do not use this product on or near desirable plants, and avoid spreading granules onto exposed root systems or adventitious shoots (rhizomes) within the drip line of desirable trees and shrubs, since injury may result. • Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. Apply this product directly to your lawn, and sweep any product landing on the driveway, sidewalk, gutter, or street back onto the treated area. To prevent product run-off, do not over water the treated area(s) to the point of runoff or apply when raining or when rain is expected that day.

INSTRUCTIONS:

Turf Supreme® 16-6-8 Plus Trimec® controls a wide range of lawn weeds including dandelion, chickweed, knotweed, plantain, henbit, spurge and many others commonly found in home lawns as listed. In addition, a 16-6-8 fertilizer provides plant nutrients or a supply of plant food. Possible retreatment may be necessary if (a) lawn is heavily overrun by weeds, or (b) if adverse low moisture conditions prevail and weeds are in a state of poor growth. A second application may be made in 30 days.

The maximum broadcast application rate is 5.0 pounds of product per 1,000 sq. ft. per application. The maximum number of broadcast applications is limited to 2 per year with a minimum of 30 days between applications. The maximum seasonal rate is 10.0 pounds of product per 1,000 sq.ft.

1. Mow lawn to normal height 1 to 2 days before application.
2. Water lawn thoroughly at least 1 day before application to sustain moisture until the next watering (see step 4).
3. Apply when weeds are young and actively growing, preferably in the morning when dew is on the grass. If grass is not moist at time of application, sprinkle lightly with water to allow the granules to adhere and to remain on the leaf surface of the weeds.
4. Do not wash from weed leaves for 1 to 2 days after application. At this time a thorough watering should be made.

Bag Size, Pounds	Calibration Rate, Pounds / Sq. Ft.	Application Rate, Pounds / 1000 Sq. Ft.	Treated Area for this bag size, Sq. Ft.	
			Cool Season Grass	St. Augustinegrass
50	1/300	3.33	15,000	--

WEEDS CONTROLLED

Bindweed, field	Broadleaf plantain	Chicory	Goldenrod	Narrowleaf vetch	Redstem filaree	Spotted spurge
Bird vetch	Buckhorn plantain	Clover, crimson	Ground ivy	Pearlwort	Rough cinquefoil	Tall Nettle
Bitter wintercress	Bulbous buttercup	Clover, white	Henbit	Poison ivy	Rough fleabane	Tumble Pigweed
Bittercress, hairy	Bull thistle	Cocklebur	Hoary cress	Poison oak	Russian pigweed	Venice mallow
Black medic	Burdock	Common mullein	Hoary plantain	Prickly lettuce	Russian thistle	Wavyleaf, thistle
Black mustard	Burning nettle	Creeping buttercup	Kochia	Prostrate pigweed	Scarlet pimpernel	White mustard
Blackseed plantain	Burclover	Curly dock	Knotweed, prostrate	Prostrate knotweed	Scotch thistle	Wild carrot
Blessed thistle	Buttonweed, common	Daisy, English	Lambsquarters	Prostrate spurge	Shephard’s purse	Wolly Plantain
Bloodflower milkweed	Canada thistle	Dandelion, common	Mallow, common	Puncturevine	Smooth dock	Yarrow, common
Bracted plantain	Carpetweed	Dichondra	Morningglory, tall	Purslane, common	Smooth pigweed	
Bristly oxtongue	Chickweed, common	Dollarweed	Mustard, tumble	Red sorrel	Sowthistle, annual	
Broadleaf dock	Chickweed, mouseear	Fiddleneck	Narrowleaf plantain	Redroot pigweed	Speedwell, common	

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals. Do not store near food or feedstuffs.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND DISCLAIMER

FOR USE ONLY AS DIRECTED.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTIAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this LIMITED WARRANTY AND DISCLAIMER cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

Label No· 110602

Distributed By: J.R. SIMPLOT COMPANY, P.O. BOX 198, LATHROP, CA 95330

BEST® Turf Supreme® 16-6-8 plus Trimec®

EB-4070

0 71179 74070 7

Simplot
J.R. SIMPLOT COMPANY
PROFESSIONAL PRODUCTS
P. O. BOX 198 • LATHROP CA 95330
www.bestfertilizer.com

BEST® Turf Supreme® 16-6-8 plus Trimec®