



Millipede Sod Webworm Chinch Bug Spider Scorpion

Flowers and Shrubs (Ornamental Plantings) in Landscape and Foundation Plantings

Pests	Amount of This Product / 1000 sq. ft.	Specific Directions
Ants (except harvester, pharaoh and carpenter ants), Armyworms, Centipedes, Crickets, Cutworms, Earwigs, Firebrats, Silverfish, Spiders	2.25 to 5	Application to wet foliage during periods of high humidity may cause injury to tender foliage.
Bees	7 to 9	Using a spreader, apply granules in a 5-foot band around the home, to shrubs and flowerbeds, foundation, ornamental plantings and lawn or soil areas immediately adjacent to the home. Treated areas must be thoroughly watered after application to remove the chemical from the granules.
Scorpions	5	Repeat as needed up to 3 times per year but do not apply more often than once every 7 days. Do not use on plants above chest height.
Ticks	1.15	

Will kill target pests that are present only at the time of application. Pest must be directly contacted for product to be effective.

Nuisance Pests Around the Outside of Homes, Porches, and Patios

To kill Fleas: Apply granules at the rate of 4-9 lbs. per 1000 sq. ft.
 To kill Ticks: Apply granules at the rate of 1.15 lbs. per 1000 sq. ft.
 To kill Scorpions: Apply granules at the rate of 5 lbs. per 1000 sq. ft.
 To kill Ants (except harvester, pharaoh and carpenter ants), Armyworms, Centipedes, Crickets, Cutworms, Earwigs, Firebrats, Millipedes, Silverfish, Sowbugs, Spiders: Using a spreader, apply granules uniformly in an 8 foot band around the outside perimeter of home. Apply granules at the rate of 2 1/2 lbs. per 1000 sq. ft. to shrub and flower beds, foundations, ornamental plantings and lawn and soil areas immediately adjacent to the home. Treated area must be watered immediately after application to remove the chemical from the granules. Repeat application as necessary up to a total of 4 times per year, but not more often than once every 7 days. Will kill target pests that are present only at the time of application. Pest must be directly contacted for product to be effective.

Nuisance Pests in Listed Garden Vegetables and Strawberries

To kill ants (except harvester, pharaoh and carpenter ants), centipedes, crickets, cutworms, earwigs, grasshoppers, millipedes, sowbugs (pillbugs) and springtails apply granules with a spreader at the rate given below. Water lightly after application to release the chemical from the granules. Begin applications when insect or damage is first observed and repeat as directed below. Will kill target pests that are present only at the time of application. Pest must be directly contacted for product to be effective.

Retreatment intervals (days between treatments) and other restrictions are found listed in the table below.

Preharvest Use Limitation: Observe the listed preharvest intervals (number of days between the last application and harvest) for application during the growing season.

Crop	Application Rate (lbs./1000 sq.ft.)	Maximum Yearly Application Rate (lbs./1000 sq.ft.)	Retreatment Interval (Days)	PHI (Days)	Comments
Asparagus (asparagus)	2.3	6.9	7	1	Total maximum seasonal application rate is 11.3 lbs. per 1000 sq. ft. per crop. The total number of applications is 3 prior to harvest with 2 additional applications only in tents. *after harvest of asparagus
Asparagus (tents*)	2.3	4.6	7	1	
Eatable-podded legume vegetables including: Snap bean, wax bean, yardlong bean, jack bean, edible-pod pea, shishito, sugar snap peas, Great northern beans and peas including field bean, kidney bean, lima bean (butter), navy bean, pinto bean, adzuki bean, black-eyed pea, cowpea, mung bean, southern pea, lentil (butter)	1.7	6.9	7	3(7) 2(10)	EP = edible-podded; D = dried. Total number of applications per crop can be 4. Use an equivalent peas or beans is prohibited.
Green peas (frozen), Carrots, Honeysuckle, Radishes, Parsnips, Rutabaga, Salsify, Turnips (boiled)	1.2-2.3	6.9	7	7	Total number of applications per crop can be 6 (none of which must be lower than the maximum single application rate)
Brassica sprouts, Broccoli, Cabbage, Cauliflower, Chinese Cabbage, Collards, Kale, Kohlrabi, Mesclai greens	1.7-2.3	6.9	7	3(7) 1(6)	All Brussels sprouts, Broccoli, Cabbage, Cauliflower and Cauliflower 3; Chinese Cabbage, Kale, Collards, Mesclai greens. Total number of applications per crop can be 4 (none of which must be lower than the maximum single application rate). Application is only permitted within 30 days of crop emergence on the date of transplanting.
Cucumber, melon, Squash	1.2	6.9	7	3	Total number of applications per crop can be 6
Garden Beans (snap), Turnips (fresh)	2.3	6.9	7	14	Total number of applications per crop can be 3
Peas (snap)	2.3	6.9	7	7	Total number of applications per crop can be 3
Strawberry	2.3	11.5	7	7	Total number of applications per crop can be 5
Tomato, Pepper, Eggplant	2.3	9.2	7	3	Total number of applications per crop can be 4

Sevin Lawn Insect Granules are applied using a ground spreader. Spreader and settings are found in the table below. Do not repeat applications more often than indicated above.

Spreader	Type	Rate (lbs./1000 sq. ft.)	Setting
Scotts Precision Green P-4	Drop	2.25	8
		4.6	11
		6.9	14
		9.2	16.5
Cyclone Rotary	Rotary	2.25	5
		4.6	6
		6.9	8
		9.2	NA
Earthway Rotary	Rotary	2.25	14
		4.6	18
		6.9	27
		9.2	NA
Earthways Ev-H-Spread	Rotary	2.25	14
		4.6	18
		6.9	27
		9.2	NA
Repetec EZ	Drop	2.25	9
		4.6	12
		6.9	13
		9.2	15
Scotts Speedygreen 3000	Rotary	2.25	8
		4.6	NA
		6.9	NA
		9.2	NA
Grassmat Rotary (6185)	Rotary	2.25	5
		4.6	10
		6.9	15
		9.2	NA
Precision EZ Spread SB550	Rotary	2.25	7
		4.6	9
		6.9	NA
		9.2	NA
Purcell's Star-Green SB4500	Drop	2.25	3
		2.33	3.2
		4.6	4
		6.9	NA
Agri-Fab 5360 Spreader Model # 4503123062	Rotary	2.25	6
		4.6	7
		6.9	8
		9.2	10
Craftman Model #486-19760	Drop	2.25	6
		2.33	5.25
		4.6	7
		4.6	7
Scott Accugreen Model AG-3	Drop	2.25	8
		2.33	9
		4.6	12
		4.6	12
Scott Speedygreen Model 1000	Rotary	2.25	3.75
		2.33	4
		4.6	7
		4.6	7

NA: Not applicable, no setting for this rate.

NOTICE: Research and testing have determined that the "Directions for Use" are appropriate for the proper use of this product under expected conditions. To the extent consistent with applicable law, the Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

98221AAAA

(23.00")
584.2mm

DIGITAL
MICRO DOT

SEVIN
GARDEN TEST
Lawn Insect Granules
Easy to Use Granules



ACTIVE INGREDIENT:
Carbaryl
OTHER INGREDIENTS
TOTAL
CAS Number: 69-25-2

For Use
On Vegetables