

TREATS AND FEEDS 5,000 SQUARE FEET

100%
12-digit UPC (non-suppressed)
0 32247 56005 4
PROOF OF PURCHASE
125040826
SCOTT



Insect Control
Plus Lawn Fertilizer



56005
1

Lawn Pro®

"Available only at authorized Scotts® Lawn Pro® retailers."



Lawn Moth

Sod Webworm

Controls many lawn insect problems

For best results, apply a Scotts Annual Program (see back for details)



TREATS AND FEEDS 5,000 SQUARE FEET

Insect Control Plus Lawn Fertilizer

Thicker, greener turf
— satisfaction guaranteed

KEEP OUT OF REACH OF CHILDREN
CAUTION

See back for precautionary statements.

ACTIVE INGREDIENT: Bifenthrin † 0.086%
OTHER INGREDIENTS 99.914%
Total 100.000%

†CAS #82657-04-3
*CIS isomers 97% minimum, trans isomers 3% maximum
EPA Reg. No. 279-3203-538
EPA Est. No. 85784N-1K EPA Est. No. 538-OH-15
Superscript used is first letter of run code on end of container.

NET WEIGHT 13.35 lb (6.05 kg) **26-0-3**

Insect Control Plus Lawn Fertilizer

56005
1

TREATS AND FEEDS 5,000 SQUARE FEET

100%
12-digit UPC (non-suppressed)
0 32247 56005 4



Insect Control
Plus Lawn Fertilizer



56005
1

CUT HERE TO OPEN

FEET



Value-Priced Annual Program*

To improve your lawn, apply the Scott's Lawn Pro® Value-Priced Annual Program. Start anytime, just check the month and apply products at two month intervals.

* For an even better lawn... consider Scott's Best Annual Program, which provides more feeding and weed control. Your Lawn Pro retailer can help you with this selection.



Early Spring
February - April
Prevent crabgrass and other weeds while feeding your lawn. In the Pacific Northwest, substitute Turf Builder® With Moss Control for the Super Greens. Substitute Super Green® 5 For annual broadleaves, substitute Halo® Crabgrass Preventer 1.

Late Spring
April - June
Kill dandelions and other broadleaf weeds while feeding your lawn. For St Augustinegrass, substitute Super Turf Builder®.

Summer
June - August
Kill lawn damaging insects, like sod webworms, while feeding your lawn. For grub control, apply Scott's GrubEx®. Season-Long Grub Control can be used from April to mid-September.

Early Fall
August - November
The best time to feed for a thicker, greener lawn.

Late Fall
September - November
Feed twice the daily 1/2 lawn fertilizer feeding. Apply as last feeding in fall to help protect your lawn for winter.

How and when to apply Directions for Use

It is violation of Federal law to use this product in a manner inconsistent with its labeling.

- Apply product to grass lawn when insect activity or damage is first observed.
- Spread uniformly over your lawn using the suggested spreader settings. For best results, use a Scott's spreader.
- Apply product to a dry lawn.
- Water-in product after application.
- Do not use any other weed, disease, or insect control products for at least one week after application.
- For best results, apply a Scott's® Annual Lawn Care Program™ and allow two months between applications.
- For grub control, apply Scott's® GrubEx® Season-Long Grub Control between late April and mid-August.
- In New York State, this product may NOT be applied to any grass or turf area (lawns) within 100 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch).
- Do make a single repeat application of this product if there are signs of renewed insect activity, but not sooner than two weeks after the first application.

What to Expect

Scott's® Insect Control Plus Lawn Fertilizer kills these lawn pests:

- | | | |
|---|--------------|--|
| Ants (Argentine, Carpenter, Odorous, Pharaoh, Sugar), | Crickets | Mole Crickets |
| Armyworms | Cutworms | Sod Webworms (lawn moth) |
| Billbugs | Earwigs | Spiders |
| Chiggers | Flies | Ticks (including ticks that may transmit Lyme's Disease) |
| Chinch Bugs | Grasshoppers | Weevils |
| | Mealybugs | |

First Aid and Environmental Information

KEEP OUT OF REACH OF CHILDREN

CAUTION:
PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes and clothing. Wash thoroughly with soap and water after handling.

Storage and Disposal

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal.
STORAGE: Keep out of reach of children and animals. Store in original container only. Store in a cool, dry, well-ventilated place and avoid excess heat. For bags after partial use, reseal opened bag by folding top down and securing.
DISPOSAL: If Empty: Do not reuse this container. Place in trash or offer for recycling if available.
If Partly Filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

FIRST AID:

If swallowed: Call a poison control center immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **If on skin:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling poison control center or doctor, or going for treatment.
Note to Physician: This product is a pyrethroid. If large amounts have been ingested, milk, cream, or other digestible fats and oils may increase absorption and so should be avoided.

Environmental Hazards

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

Your Do-It-Yourself Lawn Care Headquarters

Scott's® Lawn Pro® retailers can provide you with the do-it-yourself expertise and products to have a beautiful Scott's lawn simply and easily... for less money than hiring a lawn service. That's why we call them a Lawn Pro® retailer!

Spreading tips


Apply header strips. Then apply product in longest direction of lawn. For best results, use a Scott's spreader.

Spreader Settings	Directions
Scott's AccuGreen® Drop Spreaders	6¾ Mow lawn first; apply 2 header strips; apply longest direction of lawn, overlapping wheel marks.
Scott's PrecisionGreen® Drop Spreader	6¾ Mow lawn first; apply 2 header strips; apply longest direction of lawn, overlapping wheel marks.
Scott's SpeedyGreen® & EdgeGuard® Rotary Spreaders	4½ Make each pass about 5 feet from previous pass to overlap spread width.

Additional Spreader Settings:

EZ Drop, Republic (#530)	6
EZ Broadcast, Republic (#540)	4
Scott's Broadcast Tractor Spreader	4

(Non-Scott's spreader settings are approximate. You may need to adjust for proper coverage.)



Insect Control Plus Lawn Fertilizer	26-0-3	F 643
Guaranteed Analysis		
Total nitrogen (N)	26%	
0.6% ammoniacal nitrogen		
25.4% urea nitrogen*		
Soluble potash (K ₂ O)	3%	
Sulfur (S) (total)	4.7%	
2.4% combined sulfur (S)		
2.3% free sulfur (S)		

Derived from: polymer-coated sulfur-coated urea, urea, polymer coated sulfur-coated potassium sulfate.

*A portion of the urea has been coated to provide 6.0% coated slow release nitrogen.

U.S. Pat. Nos. 5,219,465; 5,300,135; 5,405,426; 5,466,274
Product of U.S.A.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-sc.com>

For Additional Questions, Comments and Information, contact the Scott's Lawn Pro retailer where you bought this Product or you can...

Call Scott's toll-free
Customer Helpline:
1-800-543-TURF

"Lawn Success Made Easy"
Visit Scott's website at
www.scotts.com


Scott's No-Quibble Guarantee®

If for any reason you, the consumer, are not satisfied after using this product, you are entitled to get your money back. Simply send us evidence of purchase, and we will mail you a refund check promptly.

Dedicated To A Beautiful World®

Treated by generations of homeowners, Scott's is dedicated to helping you enhance and protect the natural beauty of your home environment.

—Scott's—



©2004, Licensed by The Scott's Company.
World rights reserved.
Made in U.S.A.

Distributed By:
The Scott's Company
14111 Scottslawn Rd.
Marysville, OH 43041

TREATS AND FEEDS 5,000 SQUARE FEET

26.5" Finished Web

TREATS AND FEEDS 5,000 SQUARE FEET

Lawn Pro
Available only at authorized
Scotts Lawn Pro Retailers

Scott's

Insect Control Plus Lawn Fertilizer



Controls many lawn insect problems

For best results, apply a
Scotts Annual Program

Insect Control Plus Lawn Fertilizer

NET WEIGHT 13.35 lb (6.05 kg) **26-0-3**

Scott's

Value-Priced Annual Program*

To improve your lawn, apply the Scotts Lawn Pro® Value-Priced Annual Program. Start application just check the insects and apply products as you receive inserts.

How and when to apply

Directions for Use

Spreading tips

What to Expect

First Aid and Environmental Information

Your Do-It-Yourself Lawn Care Headquarters

TREATS AND FEEDS 5,000 SQUARE FEET

NET WEIGHT 13.35 lb (6.05 kg)

56005-1

BAG LENGTH 19.625" ID

BAG LENGTH 20.000" OD



Exopack

TOMAH, WI
LAMINATED LAYD OWN
SIDE GUSSET SEAM AT SIDE

Product Name: Lawn Pro Fertilizer + Insect Control
Stock No: 56005-1

GC

Item	Quantity	Unit Price	Total Price	Notes
56005-1	1	13.35	13.35	NET WEIGHT 13.35 lb (6.05 kg)
Total				
13.35				