



Plan your feeding schedule. Choose the right product for your lawn. Now it's Easy for You to Have a Better Lawn.



You can begin the Annual fertilizer Program anytime of the year, Just check the month and select the appropriate STEP® product listed. We recommend you apply the remaining products at two-month intervals. If weeds are not a problem, substitute STEP® 4.

Simple and easy

No more guesswork. You simply apply the right product - one at a time.

Guaranteed results

Each STEP* product is designed to the specific season to help give you a greener lawn.

SPREADING TIPS Covers 5,000 sq. ft.

Apply header strips. Then apply product in longest direction of lawn. For best results, use a Scotts® spreader Shut off spreader or stop each time you reach a header strip. This package applies 4.4 lbs of product per 1,000 sq ft.

Scotts Broadcast / Rotary Spreaders

Settings

Scotts Drop Spreaders

Setting

Scotts Basic*, Standard*, Deluxe* EdgeGuard®, Lawn Pro® or

Each pass should be within 5 feet of each other to ensure an overlap.

Scotts AccuGreen® Make sure spreader wheel completely overlaps previous wheel marks.

6



Scotts EasyGreen*
Make each pass about 30 inches from previous pass to overlap spread width.

261/2

For additional spreader settings, please call 1-800-543-TURF (8873)

GET EXPERT ADVICE FOR YOUR LAWN NOW!

Want information on what to use and when? Sign up today to get FREE expert advice specifically for your lawn.

Consumer Helpline:

1-800-543-TURF

Visit our website: www.scotts.com

DIRECTIONS FOR USE It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DO NOT use on lawns of bentgrass, bermudagrass, zoysiagrass, centipedegrass, St. Augustinegrass, bahiagrass, or on dichondra and similar groundcovers.

DO NOT rake or aerify after application so as not to disturb the chemical barrier in the

DO NOT use this product to control weeds that are already growing or to prevent or control non-grassy weeds like dandelions.

DO NOT apply this product in a way that will contact any person, or pet either directly or through drift. Keep people and pets out of the area during application. DO NOT enter or allow people or pets to enter the treated areas (except those involved in the watering) until the watering-in is complete and the surface is dry.

Spring Seeding
Apply this product after seeding and water with a gentle spray. When seeding into an existing thin lawn, the best time to apply this product is between the first and fourth

when establishing a new lawn in summer months apply this product after seeding to protects against invasions of crabgrass, barnyardgrass and foxtail. Water with a gentle spray after application. Successful summer seeding depends on keeping the soil moist until the lawn becomes established.

Avoid application to adjacent flower beds when using a rotary spreader.

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUTIONARY STATEMENTS

Hezards to Humans and Domestic Animals: Caution: Causes moderate eye irritation. Do not get in eyes, on skin, o on clothing. Harmfull if wallowed. Avoid inhalation. Do not contaminate feed or foodstuffs or water used for irrigational or domestic purposes.

I In year Hole are open and tinse (lock) and gently value water for 15-29 minutes. Remore contact lenses, if present, after first a moutes, their continue trend give.

If in which in distinuity fair of items are downing. Rives the immediately with planty of water for 15-20 minutes.

If welloweds, Cell a pistor for the center or extern ment and yies treatment socker. Howe person on or clear of water, as deline wellows. Descriptions are mining unless of the ford of the proposition of the center of the proposition of the format of the center of the format of the center of

Call a pation control on the or decise for treatment abuse. Here the product container or land with you when calling coison control danter as eachs, so going for treatment.

in control enter a special program to treatered.

The momental Hazard is the action for the first Demonstraphy all one modified being a possible. Do not contaminate systems or across legisly this product only as partial of on the light. The product the momenta for not all the other treatments of the product in color to the contamination and man about the product in color to the contamination of the product in color to the product in the product in color to the product in the product in color to the product in the product in the product in color to the product in the pro

STORAGE AND DISPOSAL
PESTICUBE STORAGE: Storage as one or place. Recent council stagling ladden and deviction and securing
PESTICUBE CONTAINER DISPOSAL Storage Lade containers. To not make a receil this containing if Emptys Place in terms.

If Partly Filled: Call your local indidingstellager wife in spood instructions. Never affaire process addect down any indice.

NOTICE: To the ortent consistent with applicable law, buyer assumes all risks of use, sterage or handling of this product not in accordance with directions.

EPA Reg. No. 838-60 EPA Est. No. 838-0H-1 +CAS# 1982-40-6

STEP® 1 for Seeding Starter Brand 18-23-4 F643 Fertilizer with Crabgrass Preventer **Guaranteed Analysis**

| Guaranteed Analysis | Total Intropen (N). | 18°0 | 4.2°a. mmoniacal nitrogen | 7.6% outer a nitrogen | 5.6% other water soluble nitrogen | 5.6% other water soluble nitrogen | 23% | 50luble potash (K20) | 4° | 50luble potash (K20) | 4° | 50luble potash (K20) | 1.4% | 1.4% combined sulfur (S) | 1.4% | 1.4% comb

Derived from: methyleneurea, urea, potassium sulfate, and monoainmonium phosphate. 'Contains 4.15) slowly available methylenediurea and dimethylenetrurea nitrogen.

Information regarding the contents and levels of inetals in this product is a label on the internet at http://www.regulatory-info-sc.com

Questions / Information

SMG The Scotts Company Listel 14111 Scottslawn Ro Marysville, Ohio 43041

Consumer Helpline 1-800-543-7085 (\$973)

Scotts No-Quibble Guarantee® If for any reason you, the consumer, are not satisfied after using this product, you are entitled to get your money back. Simply sone us evidence of purchase and we will mail you a refund check.

Dedicated To A Beautiful World*

Trested by generations of homeowners, Scotts is dedicated to helping you enhance and protect the beauty of your home


STEP® I FOR SEEDING 5M 36947-11

120% SIZE 12-digit UPC-A (non-suppressed) For Position Only

0 32247 36947 PROOF OF PURCHASE VID-BB P36947-11

U.S. Patent No. 5, 102, 240 2019 Dictined by The Scatts Company, LLC. World rights reserved, Made in U.S.A.

EPA Reg No. 538-60 (5M) Step 1 for Seeding



Plan your feeding schedule. Choose the right product for your lawn. Now it's Easy for You to Have a Better Lawn.



Start anytime

You can begin the Annual fertilizer Program anytime of the year. Just check the month and select the appropriate STEP® product listed. We recommend you apply the remaining products at two-month intervals. If weeds are not a problem, substitute STEP® 4.

Simple and easy

No more guesswork. You simply apply the right product - one at a time.

Guaranteed results

Each STEP® product is designed to the specific season to help give you a greener lawn.

SPREADING TIPS Covers 5,000 sq. ft.

Apply header strips. Then apply product in longest direction of lawn. For best results, use a Scotts® spreader. Shut off spreader or stop each time you reach a header strip. This package applies 4.4 lbs of product per 1,000 sq ft.

Scotts Broadcast / Rotary Spreaders

Scotts Drop Spreaders

Settings

Scotts Basic™, Standard™, Deluxe™ EdgeGuard®, Lawn Pro® or

SpeedyGreen Each pass should be within 5 feet of each other to ensure an overlap.



Scotts AccuGreen®

Make sure spreader wheel completely overlaps previous



Scotts EasyGreen® Make each pass about 30 inches from previous pass to overlap

spread width.

261/2

For additional spreader settings, please call 1-800-543-TURF (8873)

GET EXPERT ADVICE FOR YOUR LAWN NOW!

Want information on what to use and when? Sign up today to get FREE expert advice specifically for your lawn.

Consumer Helpline:

1-800-543-TURF



Visit our website:

www.scotts.com

DIRECTIONS FOR USE It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Make only one application per year

DO NOT use on lawns of bentgrass, bermudagrass, zoysiagrass, centipedegrass, St. Augustinegrass, bahiagrass, or on dichondra and similar groundcovers.

DO NOT rake or aerify after application so as not to disturb the chemical barrier in the soil surface.

DO NOT use this product to control weeds that are already growing or to prevent or control non-grassy weeds like dandelions,

DO NOT apply this product in a way that will contact any person, or pet either directly or through drift. Keep people and pets out of the area during application.

DO NOT enter or allow people or pets to enter the treated areas (except those involved in the watering) until the watering-in is complete and the surface is dry. Spring Seeding

Apply this product after seeding and water with a gentle spray. When seeding into an existing thin lawn, the best time to apply this product is between the first and fourth

Summer Seeding

When establishing a new lawn in summer months apply this product after seeding to protects against invasions of crabgrass, barnyardgrass and foxtail. Water with a gentle spray after application. Successful summer seeding depends on keeping the soil moist until the lawn becomes established.

Avoid application to adjacent flower beds when using a rotary spreader.

9/8/10 SSL

Page 3 of 4

EPA Reg No. 538-60 (5M)

Step 1 for Seeding

KEEP OUT OF REACH OF CHILDREN CAUTION PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: Caution: Causes moderate eye irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid inhalation. Do not contaminate feed or foodstuffs or water used for irrigational or domestic purposes.

FIRST AID

If in eyes: Hold eye open and mose stocky and gently with water for 15-20 minutes. Remove contact lenses, if present, ofter first 5 minutes, then continue mining eye.

If on skin or clothing: Take off contaminated clothing. Plates skip homeiliately with plenty of water for 15-20 minutes.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sin a glass of water if able to swallow. Do not induce vorniting unless told to do so by a posson control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fried air. If person is not bresthing, call 911 or an amutiance, then give arthreal respiration, procreadly by mouth-the-mouth, it possible.

Call a pridon control content or disturb for trainment allories. Have the product container or label with you when calling paison control cortent or adopting for treatment.

position committee or a deciding organized reasonative. The formation of the library of the properties of the library organized by the product of the library of the library or portion. Analytic his product only as specified on the label. To protect the environment, do not allow, preclicific to other or or not firm atom atoms, damped charge dictages quitters or sustance waters, buyling this product in calm vending white rain is not predicted for the new 24 hours will help to ensure that which or rain does not blow or wasting predicted for the testance large. Severaling any product that hands on a topologic of the testance large. Severaling any product that hands on a topologic of the testance large. Severaling any product that hands on a topologic of the large visit of the testance large.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in a cool, try place. Reseal opened bag by falling rop down and securing. PESTICIDE CONTAINER DISPOSAL: Nonrelillable container. De not reuse or refill this container. If Empty: Place in trash

If Partly Filled: Call your local solin waste agency for disposal instructions. Never place unused product drivin any inden-

NOTICE: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this module again accordance with directions

EPA Reg. No. 538-60 EPA Est. No. 538-0H-1 1CAS= 1982-49-6

9/8/10 SSL Page 4 of 4

STEP* 1 for Seeding Starter Brand 18-23-4 F643 Fertilizer with Crabgrass Preventer

Guaranteed Analysis

Total nitrogen (N) 4-21 g ammoniacal nitrogen 0.6% water insoluble nitrogen Available phosphate (P2OS) Soluble potash (K20) 4% Sulfur (S) 1.4% Sulfur (S) 1.4% combined sulfur (S)

and monoammonium phosphate.

 $^{\bullet}\text{Contains}(4.1\%)$ slowly available methylenediurea and dimethylenetriurea hitrogen.

Information regarding the contents and levels of metals in this product is available on the internet at http://www.regulatory-mio-sc.com

Questions / Information

SMG The Scotts Company 14111 Scottslawn Rd. Marysville, Ohio 43041

U.S. Patent No. 5,102,440 2009 Licensea by The Scotts Company, LLC-World rights reserved. Made in U.S.A.

Scotts No-Quibble Guarantee

not satisfied after using this product, you we will mail you a refund check.

Dedicated To A Beautiful World®

Trusted by generations of homeowners, Scotts is dedicated to helping you enhance



EPA Reg No. 538-60 (5M) Step 1 for Seeding