
71995-29_Roundup Weed & Grass Killer Concentrate Plus_20221114_8_71995_.pdf




11

DID YOU KNOW?

- Spray the leaves to kill the root.
- Glyphosate works by targeting an enzyme that is essential for plant growth.

OPEN ABRA



[1]See booklet for details

©2022 Monsanto Company
Produced for Monsanto Company
Lawn & Garden Products
P.O. Box 418 Marysville, OH 43041
www.roundup.com
EPA Reg. No. 71995-29
EPA Est. 239-IA-3
Assembled in USA

***Consumer Guarantee:** If for any reason you are not satisfied after using this product, simply send us the original proof of purchase and we will refund the purchase price.

This bottle may contain an anti-theft device, either inside or on the back.It does not affect product performance.

PRODUCT FACTS

KILLS **ALL TYPES** OF WEEDS & GRASSES

Makes between 6-12 gallons of spray solution (see mixing instructions below). Covers 1,800 - 3,600 sq ft. Spot spray or spray evenly each gallon of spray solution over 300 sq ft. Coverage may vary based on the number, type or size of weeds treated in a given area. For outdoor residential use.

HOW IT WORKS

Roundup® Weed & Grass Killer Concentrate Plus is absorbed by the weed's leaves or freshly cut woody stumps. It moves through the weed to the root. Glyphosate works by targeting an enzyme that is essential for plant growth. Kills only what you spray. Any product not absorbed by the plant breaks down without moving in or on the soil to untreated plants. Weeds begin to yellow and wilt as fast as 9 hours, with complete kill in 1 to 2 weeks for most weeds. Some established hard-to-kill weeds may take 4 or more weeks for complete kill. Weeds die, roots and all – so they don't grow back.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Always read and follow label directions.

WHERE TO USE

- On patios, walkways, driveways, gravel areas or mulch beds
- Around flowers, shrubs or trees
- Along fences
- Edging around foundations and retaining walls
- In large areas: For lawn replacement & garden plot preparation†
- Freshly cut woody stumps
- Plus other areas where weeds are invading your yard

†**IMPORTANT:** While this product may be used to prepare vegetable garden for planting, DO NOT USE for spot weed treatment after planting any fruits or vegetables.

MIXING INSTRUCTIONS

1 Tablespoon (Tbs) = 3 teaspoons (tsp) 1 fl oz = 2 Tbs 3 fl oz = 6 Tbs 6 fl oz = 12 Tbs

Use the following table to determine the amount of product you need. To measure the right amount of product, use the convenient easy-measure cap with volume markings inside.

APPLICATOR	Tank Sprayer	Hose-End Sprayer
MIXING INSTRUCTIONS General Weed Control Annuals**	Use 3 fl oz (6 Tbs) in 1 gallon of water.	Pour concentrate into sprayer jar. DO NOT ADD WATER. Set dial to 3 fl oz and spray.
MIXING INSTRUCTIONS Tough Weed Control for Perennials, Brush, Vines or Lawn Renovation	Use 6 fl oz (12 Tbs) in 1 gallon of water.	Pour concentrate into sprayer jar. DO NOT ADD WATER. Set dial to 6 fl oz and spray.
AREA TO TREAT	300 sq ft per gallon (30 ft x 10 ft)	300 sq ft per gallon (30 ft x 10 ft)

***Some established hard-to-kill annual weeds may require the 6 fl oz use rate, such as Crabgrass, Goosegrass, Common Purslane and Chickweed.*

TANK SPRAYER: Use of a Roundup® Brand tank sprayer is recommended. A plastic, fiberglass, plastic-lined steel or stainless steel sprayer may also be used. **Do not mix, store or apply using a galvanized or unlined steel (except stainless steel) sprayer.**

- For best results, add 6 fl oz (12 Tbs) per gallon of water using the measuring cap provided. For easy to kill weeds such as small newly emerged annual weeds (less than 3 inches), add 3 fl oz (6 Tbs) per gallon of water. Close cap tightly after use.
- Spot treat or spray evenly each gallon of spray solution over 300 sq ft.

HOSE-END SPRAYER: For large areas consider using a hose-end sprayer.

- For best results, set dial to 6 oz. For easy to kill weeds such as small newly emerged annual weeds (less than 3 inches), set dial to 3 oz.
- Pour concentrate into sprayer jar. DO NOT add water.
- Connect garden hose to the sprayer and turn on water. Spray evenly over treatment area. Start by spraying treatment area farthest from the faucet working backwards.
- After spraying, unused product can be poured back into the original container. Close cap tightly after use.

Refer to the sprayer label for additional information and cleaning instructions.

HOW TO APPLY

- Adjust nozzle to the desired spray setting.
- Spray the weeds or grasses you want to kill until **thoroughly wet.**
- Spot treat or spray evenly each gallon of spray solution over 300 sq ft. When spot treating weeds around desirable plants, shield plants from drift with a sheet of cardboard or plastic. If desirable plants are accidently sprayed, rinse off immediately with water.

IMPORTANT: Do not spray plants or grasses you like – they will die. Not recommended for spot weed control in lawns since this product kills lawn grasses. Do not allow treated weeds to come in contact with desirable plants until spray has dried.

To Kill Vines: If vines are growing up poles, fences, or tree trunks with mature bark, cut vines to a height of 3 to 4 feet and spray vines thoroughly with spray solution of 6 fl oz (12 Tbs) per gallon of water. If vines are climbing shrubs or immature tree trunks with green bark, cut vines at base and treat as directed for stumps or spray regrowth. If spraying regrowth, shield shrubs and immature tree trunks from spray drift with a sheet of cardboard or plastic.

To Kill Stumps: This treatment will control or suppress many types of woody brush and trees, such as alder, bluegum eucalyptus, madrone, oak, giant reed, saltcedar, sweetgum, and tan oak.
Cut living stump close to ground. Drill 4 to 5 holes into freshly cut stump and immediately pour undiluted product into holes. For smaller stumps, apply undiluted product with a paintbrush immediately to the entire freshly cut stump, including the cut surface, remaining trunk & exposed roots. Do not reuse paintbrush. Wrap the paintbrush in newspaper and put in trash.

IMPORTANT: Some trees may share the same root system. Adjacent trees having a similar age, height and spacing may signal a shared root system. Injury may occur to non-treated trees when one or more trees sharing common roots are treated.

For Lawn Replacement: Use this product to kill an existing lawn and weeds before planting a new lawn or prior to laying a patio, sidewalk or driveway. Skip one mowing before spraying. If soil is dry, water the day before application and 2 to 3 days after application. Use 6 fl oz (12 Tbs) per gallon of water for each 300 sq ft. Apply evenly over treatment area. If green patches remain after 7 days, reapply. Wait at least 3 days after last application to prepare the soil by raking or rototilling the lawn. Rake up and remove loosened thatch or debris. Apply seed according to directions on seed package or install sod. Grass seed must have a good contact with soil to germinate and grow. Keep area moist for 2 weeks to establish new lawn, then water as needed.

For Flowerbed and Garden Preparation: Use this product to kill weeds and grasses before planting flowers, fruits, vegetables, trees or shrubs. If soil is dry, water the day before application and 2 to 3 days after application. Use 6 fl oz (12 Tbs) per gallon of water for each 300 sq ft. Apply evenly over treatment area. Wait 1 to 3 days after last application before planting garden. See **When To Replant** section for details.

WHEN TO APPLY

- Apply when weeds, grasses or brush are actively growing.
- For best results, apply using the 6 fl oz rate during warm, sunny weather above 60°F. Development of visible results could be delayed in cool or cloudy conditions or when using the 3 fl oz rate.
- Spray when air is calm to prevent drift to desirable plants.
- RAINPROOF: Rain or watering in 30 minutes after application will NOT wash away effectiveness.
- Some established hard to kill weeds may require a repeat application.
- Brush sprayed in the fall may not be controlled until the following season. In the spring, spray regrowth if it occurs.

APPLICATION RESTRICTIONS: Do not apply this product in a way that will contact any person or pet, either directly or through drift. Only the person applying this product may be in the area during application. Do not apply this product via backpack sprayer.

User Safety Recommendations:

- Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Users should remove clothing immediately if product gets inside; then wash thoroughly and put on clean clothing.
- Clothing and protective equipment exposed to this product should be washed in detergent and hot water. Such items should be kept and washed separate from other laundry.

Entry Restrictions: People and pets must not touch treated plants or enter treated areas until after spray has dried.

WHEN TO REPLANT

- All ornamental flowers, trees and shrubs may be planted **1 day after** application.
- Lawn grasses, herbs, fruit and vegetable gardens may be planted **3 days after** application.

HOW TO CLEAN SPRAYER

- To clean sprayer after use, rinse sprayer and sprayer parts with water 3 times. Spray rinse water on bare soil or gravel. After cleaning, sprayer may be used for other products.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store product in original container in a safe place away from direct sunlight. Keep from freezing. If frozen, allow to thaw and shake well before using.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If Empty:** Place in trash or offer for recycling, if available. **If Partly Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

Keep Out of Reach of Children



CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Protective eyewear is strongly recommended when mixing and applying this product. Wash thoroughly with soap and water after handling.

People and pets must not touch treated plants or enter treated areas until after spray has dried.

FIRST AID	
IF IN EYES	• IMMEDIATELY hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eyes. • Call a poison control center or doctor for treatment advice.

EMERGENCY MEDICAL INFORMATION: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may contact 1-800-246-7219 for emergency medical treatment information.

Note to Physician: If in eyes, treat symptomatically. Symptoms may develop gradually. Severe damage may be caused by apparently trivial contact and healing may be delayed. Medical supervision should be continued until healing is complete.

ENVIRONMENTAL HAZARDS: To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems. Diquat is toxic to aquatic invertebrates. Do not apply directly to water.

PHYSICAL OR CHEMICAL HAZARDS: Spray solutions of this product may be mixed, stored and applied using stainless steel, fiberglass, plastic or plastic-lined steel containers. DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

*CONSUMER GUARANTEE

If for any reason you are not satisfied after using this product, simply send us original proof of purchase and we will refund the purchase price.

Roundup® Lawn & Garden products have solutions to your toughest weed problems. Visit the Roundup® website, www.roundup.com, to learn more about the Roundup® brand family of products. For weeds in your lawn, try Roundup® for Lawns products.

Roundup® Mata Malezas y Gramas Concentrado Plus

DATOS DEL PRODUCTO

ELIMINA TODO TIPO DE MALEZAS Y GRAMAS

El envase rinde entre 6 - 12 galones de solución para rociar (ver las instrucciones para mezclar a continuación). Cubre alrededor de 1,800 - 3,600 pies cuadrados. Trate de forma focalizada o rocíe uniformemente cada galón de solución de rociado en un área de 300 pies cuadrados. La cobertura puede variar según el número, tipo o tamaño de las malezas tratadas en un área determinada. Para uso en exteriores de áreas residenciales.

CÓMO FUNCIONA

Roundup® Mata Malezas y Gramas Concentrado Plus se absorbe a través de las hojas de las malezas o tocones recién cortados. Se mueve por la maleza en dirección a la raíz. El glifosato actúa atacando una enzima que es esencial para el crecimiento de la planta. Elimina solo lo que usted rocía. Cualquier producto que la planta no absorba se descompone sin alterar la tierra para las plantas sin tratar. Las malezas comienzan a ponerse amarillentas y se marchitan tan rápido como en 9 horas, y se produce la eliminación completa en 1 a 2 semanas para la mayoría de las malezas. Algunas malezas establecidas y difíciles de eliminar pueden tardar 4 o más semanas para la eliminación completa. Las malezas se mueren, con todo y raíces, así que no vuelven a crecer.

INSTRUCCIONES DE USO

Utilizar este producto de modo inconsistente con las declaraciones de su etiqueta constituye una violación de las leyes federales. Siempre lea y siga las indicaciones de la etiqueta.

DÓNDE USAR

- En patios, pasarelas, aceras, entradas de vehículos, áreas de grava o lechos de mantillo
- Alrededor de flores, arbustos o árboles
- A lo largo de cercas
- Borde alrededor de cimientos y muros de contención
- En grandes áreas: para reemplazo de césped y preparación de parcelas de jardín†
- En tocones de madera recién cortados
- En áreas donde las malezas estén invadiendo su jardín

†**IMPORTANTE:** Si bien este producto puede usarse para preparar huertos de hortalizas para sembrar o plantar, NO LO USE para el tratamiento focalizado de malezas después de sembrar o plantar cualquier planta frutal u hortaliza.

INSTRUCCIONES PARA LA MEZCLA

1 cucharada (cda.) = 3 cucharaditas (cdtas.)
1 onza líquida = 2 cucharadas (cdas.)
3 onzas líquidas = 6 cucharadas (cdas.)
6 onzas líquidas = 12 cucharadas (cdas.)

Utilice la siguiente tabla para determinar la cantidad de producto que necesita. Para medir la cantidad correcta de producto, use la conveniente tapa de fácil medición con marcas de volumen en el interior.

APLICADOR	Tanque rociador	Rociador de manguera
INSTRUCCIONES PARA LA MEZCLA Control general de malezas anuales**	Use 3 onzas líquidas (6 cdas.) en 1 galón de agua	Vierta el concentrado en el bote del rociador. NO AGREGUE AGUA. Coloque el disco selector en 3 onzas y rocíe
INSTRUCCIONES PARA LA MEZCLA Control de malezas resistente, ya sean perennes, matorrales o enredaderas, en la renovación de césped	Use 6 onzas líquidas (12 cdas.) en 1 galón de agua	Vierta el concentrado en el bote del rociador. NO AGREGUE AGUA. Coloque el disco selector en 6 onzas y rocíe
ÁREA A TRATAR	300 pies cuadrados por galón (30 pies x 10 pies)	300 pies cuadrados por galón (30 pies x 10 pies)

***Algunas malezas anuales establecidas y difíciles de eliminar pueden requerir una tasa de uso de 6 onzas líquidas, como el zacate mano de cangrego, la hierba de ganso, la verdolaga común y la pamplina.*

TANQUE ROCIADOR: Se recomienda utilizar un tanque rociador de la marca Roundup®. También se puede usar un rociador de plástico, de fibra de vidrio, de acero revestido con plástico o de acero inoxidable. **No mezcle, almacene ni aplique este producto con un rociador de acero galvanizado o acero no revestido (excepto acero inoxidable).**

- Para obtener los mejores resultados, añada 6 onzas líquidas (12 cdas.) por cada galón de agua con la tapa de medición provista. Para las malezas fáciles de eliminar, tales como las malezas anuales que acaban de brotar (de menos de 3 pulgadas), agregue 3 onzas líquidas (6 cdas.) por galón de agua. Cierre bien la tapa de la botella después de usarla.
- Trate de forma focalizada o rocíe uniformemente cada galón de solución de rociado en un área de 300 pies cuadrados.

ROCIADOR DE MANGUERA: Para áreas grandes, considere usar un rociador de manguera.

- Para obtener los mejores resultados, coloque el disco selector en 6 onzas. Para las malezas fáciles de eliminar, tales como las malezas anuales que acaban de brotar (de menos de 3 pulgadas), coloque el disco selector en 3 onzas.
- Vierta el concentrado en el bote del rociador. NO agregue agua.
- Conecte la manguera de jardín al rociador y abra la llave del agua. Rocíe uniformemente en el área de tratamiento. Comience rociando el área de tratamiento más alejada de la llave trabajando hacia atrás.
- Después de rociar, el producto sin usar se puede echar nuevamente en su envase original. Cierre bien la tapa de la botella después de usarla.

Consulte la etiqueta del rociador para obtener información adicional e instrucciones de limpieza.

CÓMO APLICAR

- Ajuste la boquilla del rociador a la posición deseada del patrón de rocío.
- Rocíe las malezas o gramas que desee eliminar hasta **mojarlos completamente.**
- Trate de forma focalizada o rocíe uniformemente cada galón de solución de rociado en un área de 300 pies cuadrados. Al aplicar un tratamiento localizado cerca de plantas que no desee eliminar, proteja dichas plantas de la diseminación con una lámina de cartón o de plástico. Si rocía accidentalmente las plantas que desee conservar, lávelas inmediatamente con agua.

IMPORTANTE: No rocíe las plantas o gramas que desee conservar, pues morirán. No se recomienda para el control localizado de malezas en céspedes, ya que este producto elimina la grama del césped. No permita que las malezas tratadas entren en contacto con las plantas que desee conservar hasta que el rocío se haya secado.

Para eliminar enredaderas: Si hay enredaderas creciendo en postes, cercas o tocones con corteza madura, córtelas a una altura de 3 o 4 pies y rocíelas completamente con una solución de rociado usando 6 onzas líquidas (12 cdas.) por galón de agua. Si las enredaderas están trepando por arbustos o troncos de árboles inmaduros con la corteza verde, córtelas desde la base y siga el tratamiento indicado para tocones o rocíe los brotes nuevos. Si está rociando los brotes nuevos, proteja los arbustos y los troncos de árboles inmaduros de la dispersión del rocío con una lámina de cartón o de plástico.

Para eliminar tocones: Este tratamiento controlará o suprimirá muchos tipos de arbustos leñosos y árboles, como el aliso, el eucalipto bluegum, el madrone, el roble, la caña gigante, el árbol saltcedar, el árbol de sweetgum y el roble marrón. Corte el tocón vivo cerca del suelo. Taladre 4 o 5 agujeros en el tocón recién cortado e inmediatamente vierta en los agujeros el producto sin diluir. Para tocones más pequeños, aplique el producto sin diluir con un pincel inmediatamente a todo el tocón recién cortado, incluida la superficie cortada, lo que reste del tronco y las raíces expuestas. No reutilice el pincel. Envuelva el pincel en un periódico y póngalo en la basura.

IMPORTANTE: Algunos árboles pueden compartir el mismo sistema de raíces. Los árboles adyacentes que tengan una edad, altura y distancia similares pueden indicar la presencia de sistemas de raíces compartidas. Pueden ocurrir daños en los árboles no tratados cuando se tratan uno o más árboles que comparten raíces comunes.

Para reemplazar el césped: Utilice este producto para eliminar el césped y las malezas existentes antes de plantar césped nuevo o antes de instalar un nuevo patio, acera o entradas de vehículos. Deje pasar un corte de grama antes de rociar. Si la tierra está seca, riegue el día antes de la aplicación y 2 a 3 días después de la aplicación. Use 6 onzas líquidas (12 cdas.) por galón de agua, por cada 300 pies cuadrados. Aplicar uniformemente sobre el área de tratamiento. Si todavía hay parches verdes después de 7 días, vuelva a aplicarlo. Espere por lo menos 3 días después de la última aplicación a fin de preparar la tierra para plantar, rastrillando o arando el prado con un motocultor. Rastrille el césped y quite la paja suelta o los escombros. Siembre las semillas siguiendo las instrucciones del paquete o instale los tepes de césped. Las semillas de césped deben tener buen contacto con la tierra para que germinen y crezcan. Mantenga el área húmeda durante 2 semanas para establecer un nuevo césped y luego riegue según sea necesario.

Para preparar macizos florales y jardines: Utilice este producto para eliminar malezas y gramas antes de plantar flores, plantas frutales, hortalizas, hierbas, árboles o arbustos. Si la tierra está seca, riegue el día antes de la aplicación y 2 a 3 días después de la aplicación. Use 6 onzas líquidas (12 cdas.) por galón de agua, por cada 300 pies cuadrados. Espere de 1 a 3 días después de la última aplicación antes de plantar el jardín. Consulte la sección **Cuándo replantar** para conocer los detalles.

CUÁNDO APLICAR

- Aplicarlo cuando las malezas, la grama o los matorrales estén creciendo activamente.
- Para obtener los mejores resultados, aplique usando la tasa de uso de 6 onzas líquidas durante clima cálido y soleado arriba de 60°F. El desarrollo de resultados visibles podría retrasarse en condiciones de frío o nubosidad, o cuando se usa la tasa de 3 onzas líquidas.
- Rocíe cuando el aire se encuentre calmo para evitar la diseminación a plantas que desee conservar.
- A PRUEBA DE LLUVIA: La lluvia o el riego 30 minutos después de la aplicación NO eliminarán su eficacia.
- Algunas malezas establecidas y difíciles de eliminar pueden requerir una aplicación repetida.
- Los arbustos rociados en el otoño quizás no se controlen sino hasta la siguiente estación. En la primavera, rocíe los brotes nuevos, de haberlos.

RESTRICCIONES DE APLICACIÓN: No aplique este producto de cualquier forma que entre en contacto con las personas o las mascotas, ya sea directamente o por la deriva. Sólo la persona que aplica el producto puede estar dentro del área durante la aplicación. No aplique este producto con un rociador de mochila.

Recomendaciones de Seguridad Para Los Usuarios:

- Los usuarios deben lavarse las manos antes de comer, beber, masticar chicle, consumir tabaco o usar el inodoro.
- Los usuarios deben quitarse la ropa de inmediato si les cae dentro pesticida, para luego lavarse bien y ponerse ropa limpia.
- La ropa y los equipos de protección expuestos a este producto deben lavarse con detergente y agua caliente. Estos artículos deben guardarse y lavarse separado del resto de la ropa sucia.

Restricciones de acceso: Las personas y las mascotas no deben tocar las plantas tratadas ni ingresar a las áreas de tratamiento hasta después que el rociado se haya secado.

CUÁNDO REPLANTAR

- Todas las flores, árboles y arbustos ornamentales se pueden plantar **1 día después** de la aplicación.
- Se puede plantar césped, hierbas, huertos frutales y de hortalizas **3 días después** de la aplicación.

CÓMO LIMPIAR EL ROCIADOR

Para limpiar el rociador después de usarlo, enjuague con agua el rociador y todas sus piezas 3 veces. Rocíe el agua del enjuagado en la tierra desnuda o sobre grava. Después de limpiarlo, el rociador se puede utilizar para otros productos.

ALMACENAMIENTO Y ELIMINACIÓN

ALMACENAMIENTO DEL PESTICIDA: Guarde el producto en el envase original en un lugar seguro lejos de la luz directa del sol. Proteja del congelamiento. Si se congela, deje que se descongele y agítelo bien antes de usarlo.

ELIMINACIÓN DEL PESTICIDA Y MANEJO DEL ENVASE: Este envase no se puede rellenar. No vuelva a usar ni llenar este envase. **Si está vacío:** Colóquelo en la basura u ofrézcalo para reciclaje, si está disponible. **Si está parcialmente lleno:** Llame a su agencia local de desechos sólidos para obtener instrucciones de eliminación. Nunca elimine el producto sin usar en ningún drenaje interior o exterior.

AVISOS DE PRECAUCIÓN

RIESGOS PARA HUMANOS Y ANIMALES DOMÉSTICOS

Mantener Fuera de Alcance de los Niños

PRECAUCIÓN: Causa irritación moderada en los ojos. Evite el contacto con los ojos o la ropa. Se recomienda encarecidamente usar protección ocular al mezclar y aplicar este producto. Lávese completamente con agua y jabón después de usarlo.



Las personas y las mascotas no deben tocar las plantas tratadas ni entrar a las áreas tratadas hasta después que se haya secado el rocío.

PRIMEROS AUXILIOS	
SI ENTRA EN LOS OJOS	• INMEDIATAMENTE mantenga el ojo abierto y enjuague lenta y suavemente con agua durante 15 – 20 minutos. Si tiene lentes de contacto, quíteselos después de lavarse los primeros 5 minutos y continúe lavando los ojos. • Llame al centro de control de envenenamientos o al médico para obtener más recomendaciones sobre tratamiento.

INFORMACIÓN MÉDICA DE EMERGENCIA: Tenga con usted el envase o etiqueta del producto cuando llame al centro de control de envenenamientos o al médico, o acuda al tratamiento. Puede llamar al 1-800-246-7219 para obtener información sobre tratamiento médico de emergencia.

AVISO PARA EL MÉDICO: Si ha entrado en los ojos, tratar los síntomas. Los síntomas pueden presentarse gradualmente. El contacto aparentemente trivial puede causar daños graves y retrasar la curación. La supervisión médica debe continuar hasta que la curación sea completa.

RIESGOS AMBIENTALES: Para proteger el ambiente, no permita que el pesticida entre o se escurra en drenajes pluviales, zanjas de drenaje, cunetas o aguas superficiales. Aplicar este producto en clima tranquilo cuando no haya pronóstico de lluvia en las siguientes 24 horas ayudará a asegurarse de que el viento o la lluvia no soplen o laven el pesticida fuera del área de tratamiento. Enjuagar el equipo usado para la aplicación sobre el área tratada ayudará a evitar escurrimientos hacia cuerpos de agua o sistemas de drenaje. Dicuat es tóxico para los invertebrados acuáticos. No aplique este producto directamente al agua.

RIESGOS FÍSICOS O QUÍMICOS: Las soluciones para rociado de este producto pueden mezclarse, almacenarse y aplicarse en envases de acero inoxidable, de fibra de vidrio, de plástico, o envases de acero con revestimiento plástico. NO MEZCLE, ALMACENE NI APLIQUE ESTE PRODUCTO O SOLUCIONES PARA ROCIADO DE ESTE PRODUCTO EN ENVASES O TANQUES PARA ROCIADO DE ACERO GALVANIZADO O ACERO NO REVESTIDO (EXCEPTO ACERO INOXIDABLE).

ADVERTENCIA: En la medida contemplada por las leyes aplicables, el comprador asume toda responsabilidad por la seguridad y uso que no sea de acuerdo con las instrucciones.

*GARANTÍA PARA EL CONSUMIDOR

Si por algún motivo usted no queda satisfecho después de usar este producto, simplemente envíenos el comprobante de venta original y reembolsaremos el precio de compra.

Los productos Roundup® para el césped y jardín proveen las soluciones a sus problemas de malezas más difíciles. Visite el sitio web de Roundup®, www.roundup.com, para conocer más sobre la familia de productos de la marca Roundup®. Para las malezas en su césped, pruebe los productos de Roundup® for Lawns.

Book

Roundup® Weed & Grass Killer Concentrate Plus
Roundup® Mata Malezas y Gramas Concentrado Plus

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

Keep Out of Reach of Children

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Protective eyewear is strongly recommended when mixing and applying this product. Wash thoroughly with soap and water after handling.



People and pets must not touch treated plants or enter treated areas until after spray has dried.

FIRST AID	
IF IN EYES	• IMMEDIATELY hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eyes. • Call a poison control center or doctor for treatment advice.

EMERGENCY MEDICAL INFORMATION: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may contact 1-800-246-7219 for emergency medical treatment information.

Note to Physician: If in eyes, treat symptomatically. Symptoms may develop gradually. Severe damage may be caused by apparently trivial contact and healing may be delayed. Medical supervision should be continued until healing is complete.

ENVIRONMENTAL HAZARDS: To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems. Diquat is toxic to aquatic invertebrates. Do not apply directly to water.

PHYSICAL OR CHEMICAL HAZARDS: Spray solutions of this product may be mixed, stored and applied using stainless steel, fiberglass, plastic or plastic-lined steel containers. DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store product in original container in a safe place away from direct sunlight. Keep from freezing. If frozen, allow to thaw and shake well before using.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If Empty:** Place in trash or offer for recycling, if available. **If Partly Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

©2022 Monsanto Company
Produced for Monsanto Company
Lawn & Garden Products
P.O. Box 418
Marysville, OH 43041
EPA Reg. No. 71995-29
EPA Est. 239-IA-3
Assembled in USA



Questions, Comments or Information **1-800-246-7219**
¿Preguntas, Comentarios o Información? **www.roundup.com**

Roundup, Roundup & Design, and FastAct are registered trademarks of Monsanto Technology LLC.

For a list of patents, if any, covering this product or its use, please go to www.monsantotechnology.com/lawnandgarden.

Resealable Label for Directions & Precautions. / Etiqueta resellable de instrucciones y avisos de precaución.

5100061035

0 7018351006 1

21208N7-48X2

220406B

2D code

LB20745


VALUE
SIZE
LB15682_PPN_112156U1-22