

Roundup

WEED & GRASS KILLER

CONCENTRATE PLUS

MATA MALEZAS Y GRAMAS

- **FASTACT** TECHNOLOGY VISIBLE RESULTS IN 12 HOURS
- RAINPROOF IN 30 MINUTES



Keep Out of Reach of Children
CAUTION

See back panel for additional precautionary statements

Mantener Fuera del Alcance de los Niños
PRECAUCIÓN

Vea los avisos adicionales de precaución en el panel posterior.

ACTIVE INGREDIENTS:

Glyphosate, isopropylamine salt ¹	18.00%
Diquat dibromide.....	0.73%
OTHER INGREDIENTS	81.27%
TOTAL.....	100.00%

¹Contains 1.2 lbs. glyphosate acid equivalent per US gallon.

PPN 21208M4-47

2D Code
LB5803

NET 36.8 FL OZ (1QT 4.8 FL OZ/1.08L)

AVISOS DE PRECAUCIÓN

RIESGOS PARA HUMANOS Y ANIMALES DOMÉSTICOS

Mantener Fuera del Alcance de los Niños



PRECAUCIÓN: Causa irritación moderada en los ojos. Evite el contacto con los ojos o la ropa. Lávese completamente con agua y jabón después de manipularlo.

Las personas y las mascotas no deben tocar las plantas tratadas ni entrar a las áreas tratadas hasta después que se haya secado el rocío.

PRIMEROS AUXILIOS

SI ENTRA EN LOS OJOS	<ul style="list-style-type: none"> Mantenga el ojo abierto y enjuague lenta y suavemente con agua durante 15 – 20 minutos. Si tiene lentes de contacto, quítelos después de lavarse los primeros 5 minutos continué lavando los ojos. Llame al centro de control de envenenamientos, al 1-800-246-7219, o al médico para obtener más recomendaciones sobre tratamiento.
-----------------------------	--

INFORMACIÓN MÉDICA DE EMERGENCIA

- Tenga con usted el envase o etiqueta del producto cuando llame al centro de control de envenenamientos o al médico, o acuda al tratamiento.
- Puede llamar al 1-800-246-7219 para obtener información sobre tratamiento médico de emergencia.
- Este producto se ha identificado como **Roundup® Mata las Malezas y Gramas Concentrado Plus**, EPA Reg. No. 71995-29.

RIESGOS AMBIENTALES: Para proteger el ambiente, no permita que el pesticida entre o se escurra en drenajes pluviales, zanjas de drenaje, cunetas o aguas superficiales. Aplicar este producto en clima tranquilo cuando no haya pronóstico de lluvia en las siguientes 24 horas ayudará a asegurarse de que el viento o la lluvia no soplen o laven el pesticida del área de tratamiento. Enjuagar el equipo usado para la aplicación sobre el área tratada ayudará a evitar escurrimientos hacia cuerpos de agua o sistemas de drenaje. Dicutat es tóxico para los invertibrados acuáticos. No aplique este producto directamente al agua. No contamine el agua al limpiar los utensilios ni al deshacerse del agua que use para lavarlos.

RIESGOS FÍSICOS O QUÍMICOS: Las soluciones para rociado de este producto pueden mezclarse, almacenarse y aplicarse en envases de acero inoxidable, fibra de vidrio o plástico, o envases de acero con revestimiento plástico. **NO MEZCLE, ALMACENE NI APLIQUE ESTE PRODUCTO O SOLUCIONES PARA ROCIADO DE ESTE PRODUCTO EN ENVASES O TANQUES PARA ROCIADO DE ACERO GALVANIZADO O ACERO NO REVESTIDO (EXCEPTO ACERO INOXIDABLE).**

ADVERTENCIA: En la medida contemplada por las leyes aplicables, el comprador asume toda responsabilidad de la seguridad y uso que no sea de acuerdo con las instrucciones.

*GARANTÍA PARA EL CONSUMIDOR

Si por algún motivo usted no queda satisfecho después de usar este producto, simplemente envíenos el comprobante de venta original y reemplazaremos el producto o reembolsaremos el precio de compra.

Los productos Roundup® para el césped y jardín proveen las mejores soluciones a sus problemas de malezas más difíciles. Visite el sitio web de Roundup®, www.roundup.com, para conocer más sobre la familia de productos de la marca Roundup®.

DID YOU KNOW?

OPEN
ABRA

- Spray the leaves to kill the root.
- Glyphosate targets an enzyme found in plants, but not in people or pets.

WHERE TO USE

- Around Flower Beds
- Around Trees
- Driveways & Walkways
- Along Fences

WHAT TO KNOW

- Rainproof in 30 Minutes
- Visible Results in 12 Hours
- Plant 1-3 Days After Application (See booklet for details)

HOW TO USE

- Add 6 fl oz per Gallon of Water
- Mix into Tank Sprayer

Roundup

©2015 MONSANTO COMPANY
Produced for Monsanto Company
Lawn & Garden Products
P.O. Box 418 Marysville, OH 43041
www.roundup.com

EPA Reg. No. 71995-29
EPA Est. 239-1A-3; 239-MS-001[®]
Superscript is first letter of lot number
Made in USA

This bottle contains an anti-theft device, either inside or on the back of the bottle. It does not affect product performance.

Este envase contiene un dispositivo contra robos, ya sea adentro o en la parte de atrás. No afecta los resultados del producto.

PRODUCT FACTS

KILLS ALL TYPES OF WEEDS & GRASSES

Makes up to 12 gallons. Covers up to 3,600 sq ft.

HOW IT WORKS

Glyphosate is absorbed by the weed's leaves. It moves through the weed to the root, stopping the production of an essential enzyme found in plants, but not in humans or animals. Weeds die, roots and fall – so they don't grow back. Kills only what you spray. Any product not absorbed by the plant breaks down without moving in or on the soil to untreated plants. Both glyphosate and diquat cause weeds to begin to yellow and wilt within 12 hours, with complete kill in 1 to 2 weeks.

WHERE TO USE

- Around flowers, shrubs or trees
- On patios, walkways, driveways, gravel areas or mulch beds
- Along fences
- Edging around foundations and retaining walls
- In large areas: for lawn replacement & for garden plot preparation¹

IMPORTANT: While this product may be used to prepare vegetable gardens for planting, DO NOT USE for spot weed treatment after planting any fruits or vegetables.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Always read and follow label directions.

USER SAFETY RECOMMENDATIONS:

- Clothing and protective equipment exposed to this product should be washed in detergent and hot water. Such items should be kept and washed separate from other laundry.
- Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Users should remove clothing immediately if product gets inside; then wash thoroughly and put on clean clothing.

Entry Restrictions: People and pets must not touch treated plants or enter treated areas until after spray has dried.

MIXING INSTRUCTIONS

1 Tablespoon (Tbs) = 3 teaspoons (tsp) 1 fl oz = 2 Tablespoons (Tbs)

TANK SPRAYER: Use of a Roundup® Brand tank sprayer is recommended. A plastic, fiberglass, plastic-lined steel or stainless steel sprayer may also be used. **Do not mix, store or apply using a galvanized or unlined steel (except stainless steel) sprayer.**

- For best results, add 6 fl oz (12 Tbs) per gallon of water.
- Each gallon covers 300 sq ft.

HOSE-END SPRAYER: For large areas consider using the Ortho® Dial N Spray®.

- Set dial to 6 oz.
- Pour concentrate into sprayer jar. DO NOT add water.
- Connect garden hose to the sprayer and turn on water.
- After spraying, unused product can be poured back into its original container.
- Refer to the Ortho® Dial N Spray® label and booklet for additional information and cleaning instructions.

For easy to kill weeds such as seedlings, use 3 fl oz (6 Tbs) per gallon of water.

HOW TO APPLY

- Spray the weeds or grasses you want to kill until **thoroughly wet**.
- When spot treating weeds around desirable plants, shield plants from drift with a sheet of cardboard or plastic. If desirable plants are accidentally sprayed, rinse off immediately with water.

IMPORTANT: Do not spray plants or grasses you like – they will die. Not recommended for spot weed control in lawns since this product kills lawn grasses.

WHEN TO APPLY

- Apply when weeds are actively growing.
- For best results, apply during warm, sunny weather above 60°F.
- Spray when air is calm to prevent drift to desirable plants.
- RAINPROOF: Rain or watering 30 minutes after application will NOT wash away effectiveness.

APPLICATION RESTRICTIONS: Do not apply this product in a way that will contact any person or pet, either directly or through drift. Only the person applying this product may be in the area during application.

WHEN TO REPLANT

- All ornamental flowers, trees and shrubs may be planted **1 day after** application.
- Lawn grasses, herbs, vegetables and fruits may be planted **3 days after** application.

HOW TO CLEAN SPRAYER

- To clean sprayer after use, rinse sprayer and sprayer parts with water 3 times. Spray rinse water on treated area. After cleaning, sprayer may be used for other products.

ADDITIONAL TIPS

TO KILL VINES

- If vines are growing up poles, fences, or tree trunks with mature bark, cut vines to a height of 3 to 4 feet and spray vines thoroughly.
- If vines are climbing shrubs or tree trunks with green bark, cut vines at base and treat as directed for stumps or spray regrowth. If spraying regrowth, shield shrubs and tree trunks from spray drift with a sheet of cardboard or plastic.

TO KILL STUMPS

- Cut living stump close to ground.
- Drill 4 to 5 holes into freshly cut stump.
- Immediately pour undiluted product into holes.

IMPORTANT: Some trees may share the same root system. Adjacent trees having a similar age, height and spacing may signal a shared root system. Injury may occur to non-treated trees when one or more trees sharing common roots are treated.

FOR LAWN REPLACEMENT

- Use this product to kill an existing lawn and weeds before planting a new lawn or prior to laying a patio, sidewalk or driveway.
- Skip one mowing before spraying.
 - Use 6 fl oz (12 Tbs) per gallon of water for each 300 sq ft. Apply evenly over treatment area.
 - If soil is dry, water before application and 2 to 3 days after application.
 - If green patches remain after 7 days, reapply.
 - Wait at least 3 days for weeds and lawn to die. Repeat if necessary. Rake or till to prepare area for planting seed or sod.

FOR FLOWERBED AND GARDEN PREPARATION

- Use this product to kill weeds and grasses before planting flowers, fruits, vegetables, trees or shrubs.
- If soil is dry, water before application and 2 to 3 days after application.
 - Use 6 fl oz (12 Tbs) per gallon of water for each 300 sq ft. Apply evenly over treatment area.
 - Wait 1 to 3 days after last application before planting garden. See **When To Replant** section for details. 2

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store product in original container in a safe place away from direct sunlight. Keep from freezing. If frozen, allow to thaw and shake well before using.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If Empty:** Place in trash or offer for recycling, if available. **If Partially Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

Keep Out of Reach of Children



CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

People and pets must not touch treated plants or enter treated areas until after spray has dried.

FIRST AID

IF IN EYES

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after first 5 minutes, then continue rinsing eyes.
- Call a poison control center 1-800-246-7219 or doctor for treatment advice.

EMERGENCY MEDICAL INFORMATION

- Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
- You may contact 1-800-246-7219 for emergency medical treatment information.
- This product is identified as **Roundup® Weed & Grass Killer Concentrate Plus, EPA Reg. No. 71995-29.**

ENVIRONMENTAL HAZARDS: To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems. Diquat is toxic to aquatic invertebrates. Do not apply directly to water. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS: Spray solutions of this product may be mixed, stored and applied using stainless steel, fiberglass, plastic or plastic-lined steel containers. **DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS.**

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

*CONSUMER GUARANTEE

If for any reason you are not satisfied after using this product, simply send us original proof of purchase and we will replace the product or refund the purchase price.

Roundup® Lawn & Garden products have the best solutions to your toughest weed problems. Visit the Roundup® website, www.roundup.com, to learn more about the Roundup® brand family of products.



Roundup® Mata Malezas y Gramas Concentrado Plus

DATOS DEL PRODUCTO

ELIMINA TODO TIPO DE MALEZAS Y GRAMAS

Produce hasta 12 galones. Cubre hasta 3,600 pies².

CÓMO FUNCIONA:

El glifosato se absorbe a través de las hojas de las malezas. Se mueve por la maleza en dirección a la raíz deteniendo la función de una enzima esencial que se encuentra en las plantas, pero no en humanos o animales. Las malezas se mueren, con todo y raíces, así que no vuelven a crecer. Elimina sólo lo que usted rocía. El producto no absorbido por las plantas se descompone sin alterar la tierra de las plantas sin tratar. Por acción del glifosato y el dicuat las malezas comienzan a ponerse amarillentas y se marchitan en 12 horas, y se produce la eliminación completa en 1 a 2 semanas.

DÓNDE USAR

- Alrededor de flores, arbustos o árboles
- En patios, pasos peatonales y caminos de acceso, áreas de gravilla o arriates con cubresuelos orgánico
- A lo largo de cercas
- En bordes alrededor de los cimientos y muros de contención
- En áreas grandes: para reemplazar el césped y para preparar el terreno para jardín¹

¡IMPORTANTE: Si bien este producto puede utilizarse para preparar jardines vegetales para cultivar, **NO LO UTILICE** para realizar tratamientos localizados después de plantar ninguna fruta o vegetal.

INSTRUCCIONES DE USO

Utilizar este producto de modo inconsistente con las declaraciones de su etiqueta constituye una violación de las leyes federales. Siempre lea y siga las indicaciones de la etiqueta.

RECOMENDACIONES DE SEGURIDAD PARA LOS USUARIOS:

- La ropa y los equipos de protección expuestos a este producto deben lavarse con detergente y agua caliente. Estos artículos deben guardarse y lavarse separado del resto de la ropa sucia.
- Los usuarios deben lavarse las manos antes de comer, beber, masticar chicle, consumir tabaco o usar el inodoro.
- Los usuarios deben quitarse la ropa de inmediato si les cae dentro pesticida, para luego lavarse bien y ponerse ropa limpia.

Restricciones de acceso: Las personas y las mascotas no deben tocar las plantas tratadas ni ingresar a las áreas de tratamiento hasta después que el rociado se haya secado.

INSTRUCCIONES PARA LA MEZCLA

1 Cucharada (Cda.) = 3 cucharaditas (cdta.) 1 onza líquida = 2 Cucharadas (Cdas.)

TANQUE ROCIADOR: Se recomienda utilizar un tanque rociador de la marca Roundup®. También se puede usar un rociador de plástico, fibra de vidrio, acero revestido con plástico o acero inoxidable. **No mezcle, almacene ni aplique este producto con un rociador de acero galvanizado o acero no revestido (excepto acero inoxidable).**

- Para obtener los mejores resultados, añada 6 onzas líquidas (12 cucharadas) por cada galón de agua.
- Cada galón cubre 300 pies².

ROCIADOR DE MANGUERA: Para áreas grandes, considere usar el Dial N Spray® de Ortho®.

- Coloque el disco selector en 6 onzas.
- Vierta el concentrado en el bote del rociador. NO agregue agua.
- Conecte la manguera de jardín al rociador y abra la llave del agua.
- Después de rociar, el producto sin usar se puede echar nuevamente en su envase original.
- Consulte la etiqueta y el folleto del Dial N Spray® de Ortho® para obtener información adicional y consultar las instrucciones de limpieza.

Para las malezas fáciles de eliminar tales como las plántulas, utilice 3 onzas líquidas (6 Cdas.) por cada galón de agua.

CÓMO APLICAR

- Rocíe las malezas o gramas que desee eliminar hasta **mojarlas completamente**.
- Al aplicar un tratamiento localizado cerca de plantas que no desee eliminar, proteja dichas plantas de la diseminación con una lámina de cartón o de plástico. Si rocía accidentalmente las plantas que desee conservar, lávelas inmediatamente con agua.

IMPORTANTE: No rocíe las plantas o gramas que desee conservar, pues morirán. No se recomienda para el control localizado de malezas en céspedes ya que este producto elimina la grama del césped.

CUÁNDO APLICAR

- Aplicarlo cuando las malezas estén creciendo activamente.
- Para obtener los mejores resultados, aplique durante clima cálido y soleado arriba de 60°F.
- Rocíe cuando el aire se encuentre calmo para evitar la diseminación a plantas que desee conservar.
- A PRUEBA DE LLUVIA: La lluvia o el riego 30 minutos después de la aplicación NO disminuirá su eficacia.

RESTRICCIONES DE APLICACIÓN: No aplique este producto de cualquier forma que entre en contacto con las personas o las mascotas, ya sea directamente o por la deriva. Sólo la persona que aplica el producto puede estar dentro del área durante la aplicación.

CUÁNDO REPLANTAR

- Todas las flores ornamentales, árboles y arbustos pueden plantarse **1 día después** de la aplicación.
- Se puede plantar césped, hierbas, vegetales y plantas frutales **3 días después** de la aplicación.

CÓMO LIMPIAR EL ROCIADOR

- Para limpiar el rociador después de usarlo, enjuague con agua el rociador y todas sus piezas 3 veces. Rocíe el agua del enjuagado sobre el área tratada. Después de limpiarlo, el rociador se puede utilizar para otros productos.

CONSEJOS ADICIONALES

PARA ELIMINAR ENREDADERAS

- Si crecen enredaderas en postes, cercas o troncos de árboles con corteza madura, corte las enredaderas a una altura de 3 a 4 pies y rocíelas completamente.
- Si las enredaderas trepan en arbustos o troncos de árboles con corteza verde, corte las enredaderas en su base y trátelas como se indica para los tocones o rocíe el rebrote. Cuando rocíe los rebrotes, proteja los arbustos y los troncos de árboles de la diseminación con una lámina de cartón o plástico.

PARA ELIMINAR TOCONES

- Corte el tocón vivo cerca del suelo.
- Taladre 4 o 5 agujeros en el tocón recién cortado.
- Inmediatamente, vierta el producto sin diluir en los agujeros.

IMPORTANTE: Algunos árboles pueden compartir el mismo sistema de raíces. Los árboles adyacentes que tengan una edad, altura y distancia similares pueden indicar la presencia de sistemas de raíces compartidas. Pueden ocurrir daños en los árboles no tratados cuando se tratan uno o más árboles que comparten raíces comunes.

PARA SUSTITUIR EL CÉSPED

- Utilice este producto para eliminar el césped y las malezas existentes antes de plantar césped nuevo o antes de instalar un nuevo patio, acera o camino de acceso.
- Omita cortar el césped en el período cercano a la aplicación.
- Utilice 6 onzas líquidas (12 cucharadas) por galón de agua, por cada 300 pies². Aplique el producto uniformemente sobre el área a tratar.
- Si la tierra está seca, riegue antes de la aplicación y 2 o 3 días después de la aplicación.
- Si todavía hay parches verdes después de 7 días, vuelva a aplicarlo.
- Espere al menos 3 días para dar tiempo a que las malezas y el césped mueran. Repita, de ser necesario. Rastrille o are para preparar el área para plantar semillas o césped.

PARA PREPARAR MACIZOS FLORALES Y JARDINES

- Utilice este producto para eliminar malezas y gramas antes de plantar flores, frutales, vegetales, árboles o arbustos.
- Si la tierra está seca, riegue antes de la aplicación y 2 o 3 días después de la aplicación.
- Utilice 6 onzas líquidas (12 cucharadas) por galón de agua, por cada 300 pies². Aplique el producto uniformemente sobre el área a tratar.
- Espere de 1 a 3 días después de la última aplicación antes de plantar el jardín. Consulte la sección **Cuándo replantar** para conocer más detalles.

ALMACENAMIENTO Y ELIMINACIÓN

ALMACENAMIENTO DEL PESTICIDA: Guarde el producto en el envase original en un lugar seguro lejos de la luz directa del sol. Proteja del congelamiento. Si se congela, deje que se descongele y agítelo bien antes de usarlo.

ELIMINACIÓN DEL PESTICIDA Y MANEJO DEL ENVASE: Este envase no se puede rellenar. No vuelva a usar ni llenar este envase. **Si está vacío:** Colóquelo en la basura u ofrézcalo para reciclaje, si está disponible. **Si está parcialmente lleno:** Llame a su agencia local de desechos sólidos para obtener instrucciones de eliminación. Nunca elimine el producto sin usar en ningún drenaje interior o exterior.



Roundup® Weed & Grass Killer Concentrate Plus
Roundup® Mata Malezas y Gramas Concentrado Plus

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

Keep Out of Reach of Children.



CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.
 People and pets must not touch treated plants or enter treated areas until after spray has dried.

FIRST AID

- IF IN EYES**
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
 - Remove contact lenses, if present, after first 5 minutes, then continue rinsing eyes.
 - Call a poison control center 1-800-246-7219 or doctor for treatment advice.

EMERGENCY MEDICAL INFORMATION

- Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
- You may contact 1-800-246-7219 for emergency medical treatment information.
- This product is identified as **Roundup® Weed & Grass Killer Concentrate Plus, EPA Reg. No. 71995-29.**

ENVIRONMENTAL HAZARDS: To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems. Diquat is toxic to aquatic invertebrates. Do not apply directly to water. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store product in original container in a safe place away from direct sunlight. Keep from freezing. If frozen, allow to thaw and shake well before using.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If Empty:** Place in trash or offer for recycling, if available. **If Partly Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.



Questions, Comments or Information
Preguntas, Comentarios o Información

Call 1-800-246-7219
www.roundup.com

©2015 MONSANTO COMPANY
 Produced for Monsanto Company
 Lawn & Garden Products
 P. O. Box 418
 Marysville, OH 43041
 EPA Reg. No. 71995-29
 EPA Est. 239-1A-3; 239-MS-001*
 Superscript is first letter of lot number
 Made in USA

Roundup, Roundup and Design, and FastAct are registered trademarks of Monsanto Technology LLC. Protected by U.S. Patents 7,008,904 and 7,989,392. No license granted under any non-U.S. patent(s). This is an end-use product. Monsanto Company does not intend and has not registered it for reformulation or repackaging.

Resealable Label for Directions & Precautions / Etiqueta resealable de instrucciones y avisos de precaución.

PPN 21208N7-48X2

0 7018351006 1

2D code

LB7738

1030

VALUE SIZE

LB1043Z PPN 21208B1-100