

**FIFRA Section 24(c) Special Local Need Label**  
**FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF OREGON**

**SULPHUR W.G.**

EPA Reg. No. 62562-4  
EPA SLN No. OR-190005

**For Control of Bud Mite in Hazelnuts/Filberts**

This label is valid until December 31, 2025 or until otherwise amended, withdrawn, canceled, or suspended.

**Active Ingredient:**

<b>Sulfur*</b> .....	<b>80.0%</b>
<b>Other Ingredients:</b> .....	<b><u>20.0%</u></b>
<b>Total</b> .....	<b>100.0%</b>

\*CAS No. 7704-34-9

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish and aquatic organisms. DO NOT apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high-water mark. DO NOT contaminate water when disposing of rinsate or equipment washwaters.

## **DIRECTIONS FOR USE**

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This Special Local Need (SLN) label and the federal label for this product must be in the possession of the user at the time of pesticide application.
- Follow all applicable directions, restrictions, Worker protection Standard requirements, and precautions on the Sulphur W.G. package label, EPA Reg. No. 62562-4, and this SLN label.
- **DO NOT** apply this product in a way that will contact workers or other persons, either directly or through drift.
- Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

### **Spray Coverage**

Foliage must be thoroughly covered with spray. Dense leaf canopies can prevent adequate spray coverage. Due to the need for thorough spray coverage and sufficient spray volume required for control of bud mites, applications should be made by ground equipment.

**Hazelnuts/Filberts:** for control of bud mites, apply 5-25 pounds Sulphur W.G. per acre in 50-400 gals of spray volume. Begin application at bud swell and repeat as necessary through shoot elongation stage. Repeat applications on 10 - 14 day intervals.

### **Restrictions and Precautions:**

- Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.
- Do not apply if temperatures during or within 3 days after application are expected to exceed 90°F in the area to be treated.
- Do not apply more than 200 pounds of Sulfur W.G. per acre per season or make more than 8 applications per season.
- For use under this SLN, do not apply this product through any type of irrigation system.

Section 24(c) Registrant:  
QUIMETAL INDUSTRIAL S.A.  
Los Yacimientos 1301  
Maipu Santiago Chile  
(56-2) 381 7000