

U.S.A. MANUFACTURED
GORDON'S
SINCE 1924

Trimec **READY SPRAY**

LAWN WEED KILLER

▶ **JUST CONNECT TO GARDEN HOSE & SPRAY!**



Covers up to 5,000 sq. ft.*

***Northern Grasses (8,000 sq. ft. of Southern Grasses)**

ACTIVE INGREDIENTS:

| | |
|--------------------------------|-------|
| 2,4-D, dimethylamine salt | 5.56% |
| Mecoprop-p, dimethylamine salt | 1.34% |
| Dicamba, dimethylamine salt | 0.62% |

OTHER INGREDIENTS: 92.48%

TOTAL 100.00%

*See back panel for
substatement of ingredient statement.*

*See back panel for complete
Precautionary Statements and Directions
for Use (including First Aid and
Storage and Disposal).*

**KEEP OUT OF
REACH OF CHILDREN
CAUTION**

**NET CONTENTS:
ONE QUART (32 Fl. Oz.)**

827/8-2016



Trimec

READY SPRAY

LAWN WEED KILLER

- Just connect to garden hose and spray!
- Kills Weeds, Not the Lawn!
- Covers up to 5,000 sq. ft. of Northern Grasses.



For questions or comments call toll-free 800.884.3179
Mon.-Fri. 8:00 a.m. – 4:30 p.m. CST



or visit: GordonsUSA.com



pbi / Gordon
CORPORATION

Employee-Owned

THIS PRODUCT CONTAINS:

4.62% 2,4-dichlorophenoxyacetic acid equivalent (CAS 2008-39-1)

1.11% (+)-(R)-2-(2-methyl-4-chlorophenoxy)propionic acid equivalent (CAS 66423-09-4)

0.51% 3,6-dichloro-o-anisic acid equivalent (CAS 2300-66-5)

Isomer Specific by AOAC Method.

827/6-2020 AP060716
EPA REG. NO. 2217-540
EPA EST. NO. 2217-KS-2



(ONE QUART)



Trimec[®]

READY SPRAY[®]

LAWN WEED KILLER

ACTIVE INGREDIENTS:

| | |
|--|-------|
| 2,4-D, dimethylamine salt | 5.56% |
| Mecoprop-p, dimethylamine salt | 1.34% |
| Dicamba, dimethylamine salt | 0.62% |

OTHER INGREDIENTS: 92.48%
TOTAL 100.00%

THIS PRODUCT CONTAINS:

4.62% 2,4-dichlorophenoxyacetic acid equivalent (CAS 2008-39-1)
1.11% (+)-(R)-2-(2-methyl-4-chlorophenoxy)propionic acid equivalent (CAS 66423-09-4)
0.51% 3,6-dichloro-o-anisic acid equivalent (CAS 2300-66-5)

Isomer Specific by AOAC Method.

KEEP OUT OF REACH OF CHILDREN CAUTION



**READ THE ENTIRE LABEL FIRST.
OBSERVE ALL PRECAUTIONS AND
FOLLOW DIRECTIONS CAREFULLY.**

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Harmful if absorbed through skin or swallowed. Avoid contact with skin, eyes or clothing. Wear protective eyewear. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

| First Aid | |
|---|---|
| If in eyes: | <ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15 - 20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice. |
| If swallowed: | <ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give anything by mouth to an unconscious person. |
| If on skin or clothing: | <ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15 - 20 minutes.• Call a poison control center or doctor for treatment advice. |
| If inhaled: | <ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.• Call a poison control center or doctor for further treatment advice. |
| Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also call toll-free 1-877-800-5556 for emergency medical treatment information. | |

Environmental Hazards

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PRECAUTIONS AND RESTRICTIONS:

- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.
- Do not allow people or pets to enter the treated area until sprays have dried.

IMPORTANT: Do not exceed specified dosages for any area.

FOR USE ON LAWNS:

This product is designed for use through this sprayer for controlling broadleaf weeds in bahiagrass, bermudagrass, Kentucky bluegrass, fescue, perennial ryegrass, zoysiagrass, centipedegrass, and St. Augustinegrass lawns, vacant lots, playgrounds and other similar areas.

For control of dandelion, chickweed, plantain, clover, and other listed weeds, apply when weeds are actively growing. Spray weeds such as wild garlic and wild onion when they appear in late fall and again in early spring.

Water lawn thoroughly 1 to 2 days before application. Do not water for 24 hours after application. Do not mow for one week before treating.

Spray entire lawn, wetting weeds and lawn grasses, do not saturate. Adjust water pressure at faucet to give coarse spray droplets. Do not apply when temperatures are expected to exceed 85°F within 24 hours following application.

Temporary injury may occur on bentgrass, bermudagrass, and red fescue lawn grasses. Do not apply to carpetgrass, dichondra, Lippia lawns, and lawns where desirable clovers are present.

Do not apply this product to improved varieties of 'Floratam' St. Augustinegrass in Florida.

Newly seeded lawns may be treated after they have been mowed at least three times.

Other Use Precautions:

- Do not apply as a fine mist because of potential for injury to desirable plants.
- Do not use this product on or near desirable plants, including contact of spray on exposed root systems or adventitious shoots within the drip line of desirable trees and shrubs, since injury may result.
- Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. To prevent product run-off, do not over water the treated area(s) to the point of runoff or apply when raining or when rain is expected that day.

HOW TO USE THE TRIMEC[®] READY SPRAY

Make sure water control knob on hose sprayer is in the "OFF" position. Hold by handle and shake vigorously, turning bottle as you shake. Attach hose to spray nozzle. Bend safety tab back and break off.

Turn control to "WATER" position. Slowly turn on water supply to moderate rate of flow. Point nozzle toward spray area, turn control knob to "ON". Product will automatically mix with the water. Slowly sweep the area to be treated.

To stop spraying, turn control valve to the "OFF" position. Turn off water at faucet. To relieve pressure, turn control valve to the "WATER" position pointing sprayer away from self. Remove from hose.

One quart of Trimec[®] Ready Spray Lawn Weed Killer will cover 5,000 square feet of lawn for bahiagrass, Kentucky bluegrass, bermudagrass, fescue, perennial ryegrass, and zoysiagrass.

For centipedegrass and St. Augustinegrass, one quart of Trimec[®] Ready Spray Lawn Weed Killer will treat 8,000 square feet of lawn.

Limitations on broadcast applications to residential turfgrass:

The maximum application rate is 6.4 fl.oz. of product per 1,000 sq.ft. per application. The maximum number of broadcast applications is limited to 2 per year with a minimum of 30 days between applications. The maximum seasonal rate is 12.8 fl.oz. of product per 1,000 sq.ft.

WEEDS CONTROLLED:

This product is effective on hard to control broadleaf weed species such as dandelion, white clover, sheep sorrel and spurge. In addition, Trimec[®] Ready Spray Lawn Weed Killer controls susceptible weeds including chickweed, henbit, and plantain. A list is presented as follows:

| WEEDS | | |
|--------------------------|----------------------------|----------------------------|
| Amaranth, purple | Galinsoga, hairy | Pusley, large flower |
| Amaranth, slender | Galinsoga, smallflower | Ragweed, bur |
| Aster, heath | Goldenrod | Ragweed, common |
| Aster, white heath | Ground ivy | Ragweed, lancleaf |
| Aster, purple | Gumweed | Ragweed, western |
| Aster, white prairie | Hairy fleabane | Redstem filaree |
| Austrian fieldcress | Hawkweed, meadow | Rough cinquefoil |
| Bedstraw, Catchweed | Hawkweed, mouseear | Scarlet pimpernel |
| Bedstraw, smooth | Hawkweed, orange | Shepard's purse |
| Bedstraw, Northern | Hawkweed, yellow | Smooth chaff-flower |
| Bedstraw, pineywoods | Healall | Smoothdock |
| Beggarticks, hairy | Heartleaf drymary | Sorrel, red (sheep) |
| Betony, Florida | Hemp | Sowthistle, annual |
| Bindweed, Field | Henbit | Sowthistle, spiny |
| Bindweed, Hedge | Hoary cress | Spanish needles |
| Bitter Wintercress | Horsenettle | Speedwell, bi-lobed |
| Bittercress, hairy | Jimsonweed | Speedwell, common |
| Bitterweed | Knawel | Speedwell, corn |
| Black-eyed Susan | Knotweed, prostrate | Speedwell, ivyleaf |
| Black Medic | Kochia | Speedwell, Persian |
| Blood flower milkweed | Lambsquarters | Speedwell, purslane |
| Blue lettuce | Lespedeza | Speedwell, slender |
| Brassbuttons | Mallow, alkali | Speedwell, snow |
| Bristly oxtongue | Mallow, bristly | Speedwell, thymeleaf |
| Broomweed | Mallow, common | Spiny amaranth |
| Buckhorn | Mallow, dwarf | Spurge, spotted |
| Bullnettle | Mallow, venice | Spurge, prostrate |
| Burclover | Matchweed | Spurweed |
| Burdock | Mexicanweed | Strawberry, India mock |
| Burweed, lawn | Morningglory, bigroot | Tansy ragwort |
| (spurweed) | Morningglory, ivyleaf | Tanweed |
| Buttercup, bulbous | Morningglory, Mexican | Thistle, blessed |
| Buttercup, creeping | Morningglory, red | Thistle, bull |
| Buttonweed, common | Morningglory, tall | Thistle, Canada |
| (poorjoe) | Morningglory, woolly | Thistle, flodman (prairie) |
| Buttonweed, Virginia | Mugwort | Thistle, musk |
| Carolina geranium (wild) | Mustard, ball | Thistle, platte |
| Carpetweed | Mustard, black | Thistle, plumeless |
| Catnip | Mustard, blue | Thistle, Russian |
| Catsear, spotted (false | Mustard, hedge | Thistle, scotch |
| dandelion) | Mustard, Indian, | Thistle, wavyleaf |
| Chickweed, common | Mustard, tansy | Thistle, yellow (horrible) |
| Chickweed, mouseear | Mustard, tumble | Trailing crownvetch |
| Chickweed, sticky | Mustard, white | Velvetleaf |
| Chicory | Mustard, wormseed | Vervain, blue |
| Cinquefoil | Nettle, stinging (burning) | Vervain, hoary |
| Clover, crimson | Nettle, tall | Vervain, prostrate |
| Clover, alyce | Nettle, wood | Vervain, tall |
| Clover, hop | Parsley-piert | Vetch, bird |
| Clover, rabbit foot | Parsnip | Vetch, hairy |
| Clover, red | Pearlwort | Vetch, milk |
| Clover, strawberry | Pennycress (frenchweed) | Vetch, narrowleaf |
| Clover, yellow sweet | Pepperweed, perennial | Vetch, wild |
| Clover, white sweet | Pepperweed, Virginia | Virginia creeper |
| Clover, white | (Peppergrass) | Western clematis |
| Cockle | Pigweed, prostrate | Western salsify |
| Cocklebur | Pigweed, redroot | Wild aster |
| Cocklebur, oriental | Pigweed, russian | Wild buckwheat |
| Cocklebur, spiny | Pigweed, smooth | Wild carrot |
| Common mullein | Pigweed, tumble | Wild four-o'clock |
| Creeping Jenny | Pineapple weed | Wild garlic |
| (Creeping Charlie) | Plains coreopsis | Wild lettuce |
| Cudweed | (tickseed) | Wild marigold |
| Daisy, English | Plantain, blackseed | Wild mustard (yellow |
| Daisy, oxeye | Plantain, bracted | rocket) |
| Dandelion, common | Plantain, broadleaf | Wild onion |
| Dandelion, false | Plantain, buckhorn | Wild parsnip |
| Deadnettle | Plantain, hoary | Wild radish |
| Dichondra | Plantain, narrowleaf | Wild rape |
| Dock, broadleaf | Plantain, slender | Wild strawberry |
| Dock, curly | Plantain, woolly | Wild sweet potato |
| Dogbane | Poison ivy | Wild violet |
| Dogfennel | Poison oak | Woodsorrel, creeping |
| Dollarweed (Pennywort) | Pokeweed | Woodsorrel, violet |
| Dove weed | Prairie Sunflower | Woodsorrel, yellow |
| Elderberry | Prickly lettuce (compass | (Oxalis) |
| Falseflax | plant) | Woolly croton |
| False sunflower | Prickly sida | Wormseed |
| Fiddleneck | Prostrate knotweed | Yarrow, common |
| Filaree, redstem | Puncturevine | Yarrow, western |
| Filaree, whitestem | Purslane, common | Yarrow, yellow |
| Fleabane, daisy (annual) | Pusley, brazil | |
| Fleabane, rough | Pusley, Florida | |

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container in a locked storage area inaccessible to children or pets. Keep from freezing.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Triple rinse container (or equivalent) promptly after emptying.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

LIMITED WARRANTY AND DISCLAIMER

FOR USE ONLY AS DIRECTED.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this LIMITED WARRANTY AND DISCLAIMER cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

Gordon's® logo and Trimec® are registered trademarks of PBI-Gordon Corporation.

827/6-2020 AP060716
EPA REG. NO. 2217-540
EPA EST. NO. 2217-KS-2

MANUFACTURED BY
PBI/GORDON CORPORATION
P.O. BOX 860350
SHAWNEE, KANSAS 66286
www.GordonsUSA.com

| First Aid | |
|--|--|
| If in eyes: | <ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice. |
| If swallowed: | <ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person. |
| If on skin or clothing: | <ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 - 20 minutes. • Call a poison control center or doctor for treatment advice. |
| If inhaled: | <ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice. |
| <p>Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also call toll-free 1-877-800-5556 for emergency medical treatment information.</p> | |

827/6-2020 AP060716
EPA REG. NO. 2217-540
EPA EST. NO. 2217-KS-2

MANUFACTURED BY
PBI/GORDON CORPORATION
P.O. BOX 860350
SHAWNEE, KANSAS 66286
www.GordonsUSA.com