

TRUSTED SINCE 1926
BONIDE[®]

Chickweed Clover & Oxalis Killer

Ready-to-Use

**KILLS
150+** WEED TYPES,
ROOT AND ALL

KILLS THE WEED NOT THE LAWN*

**when used as directed*

ACTIVE INGREDIENTS:

Dimethylamine Salt of 2-Methyl-4-Chlorophenoxyacetic Acid* 0.740%
Triethylamine Salt of 3,5,6-Trichloro-2-Pyridinyloxyacetic Acid** . . . 0.084%
Dimethylamine Salt of Dicamba (3, 6-Dichloro-o-Anisic Acid)*** 0.072%

OTHER INGREDIENTS:99.104%

TOTAL:100.00%

See back panel for substatement of ingredient statement.

EPA Est. No. 4-NY-1 EPA Reg. No.228-336-4

Keep Out Of Reach Of Children

CAUTION

(See back panel for first aid and additional precautionary statements.)

Net Contents 1 Quart (32 fl. oz.) (946 mL) 0612

**STARTS
WORKING ON
CONTACT**



Chickweed Clover & Oxalis Killer Ready to Use

- ✓ Kills 150+ weed types, roots and all
- ✓ Proven Poison ivy, Poison Oak and Brush Killer
- ✓ Begins working overnight, rainproof in hours
- ✓ Kills tough weeds like clover, plantain, ground ivy (creeping Charlie) speedwell, spurge and veronica

By Isomer Specific Method, Equivalent to:

*2-Methyl-4-Chlorophenoxyacetic Acid0.604%, 0.057 lbs./gal.

**3,5,6-Trichloro-2-Pyridinyloxyacetic Acid0.060%, 0.006 lbs./gal.

***3,6-Dichloro-o-Anisic Acid0.060%, 0.006 lbs./gal.

Store and transport in an upright position.

EPA Reg. No. 228-336-4 EPA Est. No. 4-NY-1

Buyers Guarantee limited to label claims.

©Bonide Products, LLC All Rights Reserved

Distributed by: Bonide Products, LLC

6301 Sutliff Road, Oriskany, NY 13424

RV062917

BN

Quart

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

This product is for use on residential ornamental turf lawns only. The maximum number of applications per treatment site is two (2) per year.

Do not apply more than 22 gallons of product (1.5 lbs. ae MCPA)/acre per year or 4 pints of product per 1,000 square feet. Do not apply more than 2 applications per year with a minimum retreatment interval of 21 days.

HOW TO USE

Trigger Spray: Adjust spray nozzle to give coarse spray. Aim at center of weed and spray.

After applying this product, many broadleaf weeds will begin to show visible signs of leaf curl within a few days. One application should be sufficient. Some hard-to-kill broadleaf weeds may require a second treatment in 3 to 4 weeks.

USE PRECAUTIONS

Do not use this product for controlling weeds in flower or vegetable beds or around shrubs or ornamental plantings. Do not spray roots of desirable trees and plants. Maximum kill of weeds will be obtained from spring or early fall applications when weeds are actively growing. Do not use on Carpetgrass, Dichondra, nor on lawns or turf where desirable clovers are present. Avoid application to Centipede or St. Augustine grasses unless turf injury can be tolerated. Do not apply to newly seeded grasses until they have been mowed 3 times. Do not cut grass 1 to 2 days before and after application. Do not reseed for 3 to 4 weeks after use. If lawn needs watering, water thoroughly before application. Do not water for 48 hours after application. Watering will wash off weed killing material. Do not apply if rainfall is expected within 48 hours. Avoid fine mists. Spray when air is calm to avoid spray drift that might injure desirable ornamental plants. Do not apply when temperature exceeds 90°F. Shake well before using.

ENTRY RESTRICTIONS

Do not allow people or pets to enter the treated area until sprays have dried.

APPLICATION RESTRICTIONS

Avoid contact with eyes, skin, or clothing during and after application. Do not apply this product in a way that will contact persons or pets either directly or through drift. Keep people and pets out of the area during application.

WEEDS CONTROLLED

Alder	Chokecherry	Ironweed	Poison ivy	Sweetgum
Alfalfa	Cinquefoil	Jerusalem artichoke	Poison oak	Tansy ragwort
Amaranth	Clover	Jimsonweed	Pokeweed	Teasel
Ash	Cocklebur	Knapweed	Poorjoe	Teaweed
Aster	Coffeeweed	Knapwood	Prickly sida	Texas blueweed
Beadstraw	Cornflower	Knawel	Prickly lettuce	Thimbleberry
Bedstraw	Cornspeedwell	Knotweed	Puncturevine	Thistle
Beech	Croton	Kochia	Purslane	Toadflax
Beggartick	Daisy	Kudzu	Ragweed	Trumpetcreeper
Beggarweed	Dandelion	Ladysthumb	Raspberry	Velvetleaf
Bindweed	Dock	Lambsquarter	Red sorrel	Veronica
Birch	Dog fennel	Lespedeza	Red clover	Vetch
Bitter sneezeweed	Dragonhead mint	Little starwort	Redvine	Vine maple
Blackberry	Evening primrose	Magnolia	Redstem	Virginia creeper
Black medic	Field pennycress	Mallow	Rubberweed	Waterhemlock
Bladder campton	Flabane	Marc's Tail	Salmonberry	Waterhemp
Bracken fern	Florida pusley	Marshelder	Sheep sorrel	Whitebrush
Broomweed	Frenchweed	Matchweed	Shepherdspurse	Wild violet
Buckhorn	Galinsoga	Mayweed	Sicklepod	Wild radish
Buckwheat	Geranium	Milkweed	Smartweed	Wild onion
Buffalobur	Goatsbeard	Morningglory	Snakeweed	Wild aster
Burclover	Goldenrod	Mustard	Sowthistle	Wild carrot
Burcucumber	Goosefoot	Nightflowering-catchfly	Speedwell	Wild lettuce
Burdock	Gromwell	Nightshade	Spiderwort	Wild garlic
Bursage	Ground ivy	Oxalis(Stricta and comiculata)	Spikeweed	Wild geranium
Buttercup	Halfshrub sundrop	Parsley-piert	Spurge	Willow
Canada thistle	Hawkweed	Pennywort	Spurry	Wood sorrel
Carpetweed	Healall	Peppergrass	Spurweed	Wormwood
Catnip	Heartleaf drymary	Pepperweed	Starbur	Yankeeweed
Catsear	Hemp sesbania	Pigweed	Stinging nettle	Yarrow
Chamise	Hempnettle	Plantain	Stitchwort	Yellow starthistle
Chamomile	Henbit	Poison hemlock	Stinkweed	Yellow rocket
Chickweed	Horsenettle		Sumpweed	
Chicory	Horseweed		Sunflower	

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Keep from freezing. To be stored in original container and placed in an area in accessible to children.

PESTICIDE DISPOSAL: If container is damaged or if pesticide has leaked, contain all spillage. Absorb and clean up all spilled material with granules or sand. Place in a closed, labeled container for proper disposal. Improper disposal of excess pesticide, spray mixtures, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to the label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. **Triple rinse as follows:** Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container $\frac{1}{4}$ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

FIRST AID

IF SWALLOWED:

- Call a poison control center or doctor immediately for treatment advice.
- Have affected person sip a glass of water if able to swallow.
- Do not induce vomiting unless told by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-858-7378 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Applicators and other handlers must wear: Long-sleeved shirt and long pants, socks, shoes, and chemical-resistant gloves made of any waterproof material. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users Should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide may be toxic to fish, aquatic invertebrates, and aquatic plants. Do not apply directly to water. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours. Do not contaminate water when disposing of equipment washwaters or rinsate.

Triclopyr has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

WARRANTY

Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

TRUSTED SINCE 1926

BONIDE®

KEEP OUT OF REACH OF CHILDREN CAUTION

See attached booklet for complete
Directions for Use and Precautionary Statements.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Keep from freezing. To be stored in original container and placed in an area in accessible to children.

PESTICIDE DISPOSAL: If container is damaged or if pesticide has leaked, contain all spillage. Absorb and clean up all spilled material with granules or sand. Place in a closed, labeled container for proper disposal. Improper disposal of excess pesticide, spray mixtures, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to the label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Applicators and other handlers must wear: Long-sleeved shirt and long pants, socks, shoes, and chemical-resistant gloves made of any waterproof material. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Bonide Products, LLC.
6301 Sutliff Road Oriskany, NY 13424

©Bonide Products, LLC
All Rights Reserved

Lift & Peel Here