



Pine Scented Disinfectant Cleaner

ACTIVE INGREDIENTS:

Alkyl (50% C14, 40% C12, 10% C16)	
Dimethyl Benzyl Ammonium Chloride	2.200%
Octyl Decyl Dimethyl Ammonium Chloride.....	1.650%
Didecyl Dimethyl Ammonium Chloride	0.825%
Diocetyl Dimethyl Ammonium Chloride	0.825%
OTHER INGREDIENTS:	94.500%
TOTAL:	100.000%

EPA Reg. No. 10324-80-75842

EPA Est. No. 62511-KS-1

Part #: 328984

USN #: 326432495

NET CONTENTS: 1 U.S. GALLON (3.79 LITERS)

KEEP OUT OF REACH OF CHILDREN

DANGER PELIGRO

See back panel for additional precautionary statements.

FIRST AID

In case of emergency, call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.



Pine Scented Disinfectant Cleaner



Online Chat: hdsupplysolutions.com
Email: customercare@hdsupply.com
Call: 1-800-431-3000

Distributed By:
HD Supply
3400 Cumberland Blvd. SE
Atlanta, GA 30339
Made in the USA

© 2023



Part #: 328984

USN #: 326432495

Renown Pine Scented Disinfectant Cleaner

This product is for use on hard, non-porous surfaces in Hospitals, nursing homes, medical and dental offices and clinics, healthcare facilities, schools, colleges, dormitories, classrooms, restaurants, bars, kitchens, taverns, cafeterias, institutional kitchens, businesses, office buildings, workstations, break rooms, public restrooms, athletic facilities, locker rooms, exercise rooms, convenience stores, retail and wholesale establishments, hotels, motels. For use on countertops, stovetops, sinks, tub surfaces, shelves, racks, carts, appliances, refrigerators, microwave ovens, floors, finished floors, walls, ceilings, fixtures, glass surfaces, aluminum, brass, copper, laminated surfaces, metal, plated steel, stainless steel, glazed porcelain, highchairs, baby crib frames, diaper changing stations, shower stalls, shower doors, plastic shower curtains, bathtubs and glazed tiles, tables, upholstered chairs, desks, cabinets, doorknobs, handles, garbage cans/pails, and other hard, non-porous, non-food contact surfaces.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage and skin burns. May be fatal if inhaled. Harmful if swallowed or absorbed through the skin. Do not get in eyes, on skin or on clothing. Wear a minimum of a NIOSH-approved particulate filtering facepiece respirator with any N, R, or P filter, goggles or face shield, chemical-resistant gloves, and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, aquatic invertebrates, oysters, and shrimp.

DISINFECTION PERFORMANCE:

This product kills the following bacteria in 10 minutes at 2 fl. oz. per gal. of 400 ppm hard water (850 ppm active) and 5% soil on hard, non-porous surfaces: *Campylobacter jejuni*, *Corynebacterium ammoniagenes*, *Enterobacter cloacae*, *Enterococcus faecalis*, *Escherichia coli*, *Klebsiella pneumoniae*, *Listeria monocytogenes*, *Pseudomonas aeruginosa*, *Salmonella enterica*, *Salmonella enterica* subspecies *enterica* serovar *Paratyphi B* (schottmuelleri), *Salmonella enterica* subspecies *enterica* serovar *Typhi*, *Shigella dysenteriae*, *Staphylococcus aureus*, *Staphylococcus aureus* CA-MRSA Methicillin Resistant, *Streptococcus salivarius*.

VIRUCIDAL* PERFORMANCE: This product kills the following viruses in 10 minutes at 3 fl. oz. per gal. of 400 ppm hard water (1275 ppm active) and 5% soil on hard, non-porous surfaces: Hepatitis B Virus (HBV), Avian Influenza A (H5N1) Virus, Avian Influenza A (H5N2) Virus (NVSL strain), Hepatitis C Virus (HCV), Herpes Simplex Virus Type 1, Human Coronavirus, HIV-1, Influenza A (H3N2) Virus, Influenza A (H1N1) Virus, SARS-CoV-2† (SARS Coronavirus 2). †Indicates a 2-minute contact time is required for this claim. This product kills the following virus in 10 minutes at 6 fl. oz. per gal. of 400 ppm hard water (2550 ppm active) and 5% soil on hard, non-porous surfaces: Adenovirus Type 2**.

FUNGICIDAL PERFORMANCE: This product kills the following fungi in 10 minutes at 6 fl. oz. per gal. of 400 ppm hard water (2550 ppm active) and 5% soil on hard, non-porous surfaces: *Trichophyton interdigitale* (Athlete's foot fungus) (a cause of Ringworm).

MILDEWSTATIC PERFORMANCE: This product controls the following mold/mildew at 1.25 fl. oz. per gal. of 400 ppm hard water (525 ppm active) and 5% soil on hard, non-porous surfaces for up to 7 days: *Aspergillus niger*.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Allow surfaces to come to room temperature before treatment with this product. Before using this product in federally inspected meat and poultry food processing plants and dairies, food products and packaging materials must be removed from the room or carefully protected. This product is not for use on medical device surfaces.

FOR USE AS A GENERAL, HOSPITAL, MEDICAL DISINFECTANT, VIRUCIDE**, FUNGICIDE, CLEANER:

Prepare a use solution of 6 fl. oz. of this product per gal. of water (or equivalent use dilution) (2550 ppm active). 1. Pre-clean visibly soiled areas. 2. Apply use solution to hard, non-porous, non-food contact surfaces with a sponge, brush, cloth, mop, by immersion, auto scrubber, mechanical spray device, hand pump trigger spray device, coarse trigger spray device. For spray applications, spray 6 - 8 inches from surface. Do not breathe spray. 3. Treated surfaces must remain visibly wet for 2 minutes to kill SARS-CoV-2 and 10 minutes to kill other listed organisms. 4. Allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished. 5. Prepare a fresh solution daily or when visibly dirty. *KILLS HIV, HBV AND HCV ON PRE-CLEANED HARD, NON-POROUS SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of hard, non-porous surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B Virus (HBV) and Hepatitis C Virus (HCV). **SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV AND HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS. PERSONAL PROTECTION:** Wear rubber gloves, gowns, masks, and eye protection. **CLEANING PROCEDURE:** Blood and other body fluids containing HIV-1, HBV and HCV must be thoroughly cleaned from hard, non-porous surfaces and objects before application of this product. **DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state, and local regulations for infectious waste disposal. **CONTACT TIME:** Allow hard, non-porous surface to remain visibly wet for 2 minutes to kill HIV-1 and for 10 minutes to kill all other viruses* and bacteria listed on the label.

TO CONTROL MOLD/MILDEW: Pre-clean visibly soiled hard, non-porous surfaces. Prepare use solution by adding 1.25 fl. oz. of this product per gal. of water (or equivalent use dilution). Apply use solution to hard, non-porous surfaces and allow to air dry, which will effectively inhibit the growth of mold and mildew and their odors. Repeat treatment every 7 days, or more often if new growth appears.

GENERAL DEODORIZATION: To deodorize, apply 1.25-2.5 fl. oz. of this product per gal. of water to hard, non-porous surfaces. Wipe up excess liquid or allow to air dry. Rinse with potable water after use on surfaces that come in contact with food.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal. **STORAGE:** Store only in original container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use. **PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance. **CONTAINER HANDLING:** Non-Refillable Container. Do not reuse or refill this container. Triple rinse container promptly after emptying. Triple rinse as follows: Fill the container 1/4 full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

For chemical or medical emergencies,
call (800)-424-9300.

www.hdsupplysolutions.com