PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND

DOMESTIC ANIMALS CAUTION: May be harmful if swallowed. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash theroughly after use. KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS. This pesticide may be futal to dogs or other pets if eaton. Keep pets out of treated area.

IMPORTANT: Keep away from children, dags and pets. Bait may be attractive to dogs. Confine pets during application to prevent them from believing they are being fed. Use and store under conditions where there will not be a hazard.

FIRST AID

HE SWALLOWED:

- * Call paison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow. Do not induce vamiling unless told to do so by the poison control center or dectar.
- Do not give anything by mouth to an unconscious person.

IF INHALED:

- Move person to fresh air.
- If person is not breathing, call 911 or on ambulance, then give artificial respiration, preferably by mouth to mouth, if possible.
- Call a paison control center or dector for further treatment advice.

IF ON SKIN OR CLOTHING:

- * Take off contaminated dothing
- Rinse skin immediately with plenty of water for 15-20 minutes
- * Call a poison control center or dector for treatment advice.


- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lonses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or dector for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or dector, or going for treatment. For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call 1-800-388-3723.

ENVIRONMENTAL HAZARDS

For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters.



Easy To Use Meal Formula

KEEP OUT OF REACH OF CHILDREN CAUTION: THIS PESTICIDE MAY BE FATAL TO DOGS OUT OF TREATED AREA, SEE SIDE PANEL FOR ADDITIONAL PREGAUTIONARY STATEMENTS AND FIRST AID.

NET WT. 7 LBS (3.17 kg)



- Fast, Effective Control Of Slugs and Snails
- Protects Fruit, Vegetable, Flower And Ornamental Gardens
- Contains Denatonium Benzoate



Provides Up To Two Weeks of Plant Protection.

Slugs and snails are two of our most destructive garden pests. Although their outward appearance is quite different, they are essentially the same creature, except that the slug does not have the external shell of the snail.

Slugs and snails feed almost entirely at night, in the evening or during dark days. They prefer moist, warm conditions and rarely venture from their hiding places during cold weather or during exceedingly dry or hot spells.

Slugs and snails hatch from eggs, laid in clusters, under debris, stones, compost heaps or beneath the surface of the soil. Generally, they will hatch out after 20 to 30 days of favorable weather conditions after which time they will continue to grow slowly, eating our most tender and succulent vegetation.

While these small slugs and snalls are growing and eating they migrate towards better feeding and shellering conditions. It is because of this migrating habit that it is impossible to completely eliminate the slug and snall problem. However, with the use of Corry's Slug & Snell Death (3.25) and a consistent balting program, these pests can be reduced to where they no longor present a major threat to our gardens.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

It is a violation of Federal law to use this product he a manner inconsistent with its labeling.

TO APPLY: (See graphics for suggested application methods). This product is for use in Norme and
Garden areas. Corry's-Slog & Snall Death (3.25) is so easy to use. This product requires no mixing
praying or special applications, but scatter lightly on the soil surrice in Inlested areas as recommended
in the graphics below. Apply header if infestation is servers, if slogs and rails are invading from adjacent
properties, a pecial thin into the service large for the infested area will form a barrier resulting in scattlering
properties, a pecial thin into the service large for the infested area will form a thin in the scattlering
places and kills them. Reapply bail every two weeks—more often during heavy infestations or in areas
leavily waterford. All Rively places should be treated as these posts imigrate. They store damp places
around vegetable plants, flower gardens, rockerine, hedges, compost heaps, cichendra lawns, by
patches and other ground cover where they can orbital sheller by day, For best results, be sure area to
be bailed is damp, in very dry weather, water well before bailing. Use approximately one pound per 2000
square feet.













INCORRECT

Corry's" Slug & Snail Death (3.25) can be used to protect the following fruit and vegetable plants. Apply only to the soil surface, Do not apply to the folloge or edible parts of the plant. Use Corry's" Slug & Snail Death (3.25) to protect apparague, beans, cabblego, carrots, ceigher; occurribers, lettuce, malors, onions, pass, peppers, potatoes, radianos, spinach, aguash, tomatoes, tumips, apples, avocados, blackberrise, charries, oftens, grapes, peaches, plants and stread-berrise.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store In a cool, dry, locked location out of direct sunlight, in original container, and not accessible to children or pets. Avoid contamination of feed and foodstuffs.

PESTICIDE DISPOSAL: II partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.
CONTAINER DISPOSAL: If empty: Nonrefillable container. Do not reuse or refill this
container. Place in trash or offer for recycling if available.

To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

Matson, LLC ©8-1-09 P. O. Box 1820 North Bend, Washington 98045 www.protectyourgarden.com www.metaworkshest.com



EPA Reg. No. 8119-11 EPA Est. No. 8119-WA-1

META® is a registered trademark of Lonza Ltd. and the right to use the MEIA mark has been gran Matson, LLC by Lenza Inc.