

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Causes moderate eye irritation. Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Applicators and other handlers must wear:

- Long-sleeve shirt and long pants,
- Chemical-resistant gloves (such as barrier laminate, nitrile, rubber, neoprene rubber and viton), and
- Shoes plus socks.

USER SAFETY RECOMMENDATIONS	
Users should:	
<ul style="list-style-type: none"> • Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. • Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. • Remove personal protective equipment immediately after handling this product. Wash the outside of gloves before removing. As soon as possible wash thoroughly. 	
Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.	

FIRST AID	
IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Have person sip a glass of water if able to swallow. • Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. Emergency Phone Number: 800-424-9300	
NOTE TO PHYSICIAN:	
Probable mucosal damage may contraindicate the use of gastric lavage.	

POLYPHASE® 678

A Broad Spectrum Fungistat for use in Paints and Stains, Masonry Coatings, Adhesives, Caulks and Sealants, Roof Coatings**, Stucco**, Paper Coatings**, Inks**, Textiles** and Joint Cements**

EPA Reg. No.	5383-110
EPA Establishment Number	5383-NJ-001

ACTIVE INGREDIENT: % Weight

Methylbenzimidazole-2-yl Carbamate**15.0%**

3-Iodo-2-propynyl butyl carbamate**5.0%**

INERT INGREDIENTS**80.0%**

TOTAL**100.0%**



KEEP OUT OF REACH OF CHILDREN

CAUTION

SOLD FOR INDUSTRIAL USE ONLY

See Side Panel for Additional Precautionary Statements

IN CASE OF EMERGENCY: CALL 1-800-424-9300

Net Weight:

Manufactured for:

Troy Chemical Corporation
One Avenue L, Newark, N.J. 07105

TROYSAN® and POLYPHASE® are registered trademarks

ENVIRONMENTAL HAZARDS

This chemical is toxic to terrestrial and aquatic plants, fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional office of the EPA.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons.

The following are suggested use levels for Polyphase® 678. Typical use levels given for the various applications indicate the approximate levels for the particular application. All suggested rates are in percentage by weight and refer to the product Polyphase® 678. In order to determine the most effective use level for Polyphase® 678 in a given use, field trials are suggested.

Interior and Exterior Paints and Stains:	0.5-2.3%
Wood protective stain use:	0.3-1.5%
Adhesives, caulks, grouts and sealants:	0.3-1.5%
Joint cements:	0.5-1.5%
**Size-Press and other filler/sealant solutions for non-food grade products	0.3-1.0%
**Masonry	0.5-0.4%
**Roof coatings	0.7-3.0%
**Stucco and EIFS coatings:	0.5-1.5%
**Inks:	0.3-1.5%
**Textiles:	0.3-2.0%

Polyphase® 678 is not to be used in formulations intended for food contact paper coatings or food contact adhesive uses.

**** Not registered for use in State of California.**

STORAGE AND DISPOSAL	
PESTICIDE STORAGE:	Storage between 32°F (0°C) and 90°F (32°C) is recommended.
PESTICIDE DISPOSAL:	Do not contaminate water, food or feed by storage and disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticides, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label directions, contact your State pesticide or environmental control agency or the hazardous waste representative at the nearest EPA regional office for guidance. Open dumping is prohibited.
CONTAINER DISPOSAL:	Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling or reconditioning if available, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.