

**TurfKing™**

***Slug & Snail  
Control Liquid***

Ideal for vegetable gardens  
Resists Rain



**KEEP OUT OF REACH OF CHILDREN**

**CAUTION:** THIS PESTICIDE MAY BE FATAL TO DOGS OR OTHER PETS  
IF EATEN. KEEP PETS OUT OF TREATED AREA. SEE BACK PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS AND FIRST AID.

Active Ingredient: Metaldehyde (2,4,6,8-  
tetramethyl-1,3,5,7-tetraoxycyclo-octane) . . . . 4%  
Other Ingredients: . . . . . 96%

MA105-01 1/2009

**NET CONTENTS | QT. (32 fl. oz.) (946 ml.)**

# TurfKing Slug & Snail Control Liquid

**Turf King Slug & Snail Control Liquid** is a convenient, ready-to-use liquid bait. It is extremely effective in attracting and killing both large and small slugs and snails. Easy to use, quick, clean and economical. **Turf King Slug & Snail Control Liquid** resists rain and sprinkling and will remain effective in the garden for many days.

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**TO APPLY:** Raise spout and squeeze a solid line of this product on the soil in infested areas. This product is for use in home and garden areas. All likely places should be treated as these pests travel. Slugs and snails favor damp places around vegetables, berries, home ornamental plants, dichondra lawns, rockeries, home greenhouses, compost heaps, ivy patches and other ground covers where they obtain shelter by day. Normally apply bait every two weeks until infestation is under control. Heavy or prolonged rains will usually increase infestation and shorten effective period of bait. Use more frequently under these conditions. Slugs and snails feed almost entirely at night, in the evening, or during dark days. They prefer moist, warm conditions and rarely are active during exceedingly cold, hot or dry weather. Consider above when baiting. Preferred baiting time is in the evening and after warm rains.

**\*SPECIAL SITUATIONS:** If slugs and snails are invading from adjacent properties. Squeeze a solid line of **Turf King Slug & Snail Control Liquid** along the perimeter for excellent control.

**\*Turf King Slug & Snail Control Liquid** can be used to protect the following fruit and vegetable plants. Apply to soil around plants and between rows. Do not apply to foliage or edible parts of plants. Protect asparagus, beans, cabbage, carrots, celery, cucumbers, lettuce, melons, onions, peas, peppers, potatoes, radishes, spinach, squash, tomatoes, turnips, apples, avocados, blackberries, cherries, citrus, grapes, peaches, plums, and strawberries.

**TIPS:** When dispensing bait, occasionally tip bottle upright to be refilled with air. If spout becomes clogged, lift spout and clear with toothpick.

**PESTICIDE STORAGE:** Store in original bottle, in a cool, locked location protected from direct sunlight and freezing temperatures. Avoid contamination of feed and foodstuffs.

**PESTICIDE DISPOSAL:** If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**CONTAINER DISPOSAL:** If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** May be harmful if swallowed. Avoid breathing vapor. Avoid contact with skin, eyes, or clothing. Wash thoroughly after use. Keep out of reach of children and domestic animals. Do not allow children or pets to contact treated areas. This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated area. Do not apply to foliage or other plant parts.

### FIRST AID

**If swallowed:** Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**HOT LINE NUMBER:** Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this pesticide product, (including health concerns, medical emergencies, or pesticide incidents), call 1-800-308-3723.

### ENVIRONMENTAL HAZARDS

For terrestrial uses, do not apply direct to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

### Quality Guaranteed:

If you are not completely satisfied with this product return it for a full refund or replacement.

Comments or questions?

800-697-2448 • [www.interamericanproducts.com](http://www.interamericanproducts.com)

Mfd. for **MATSON, LLC** © 1/2009

P.O. Box 1820, North Bend, Washington 98045

EPA Reg. No. 8119-2 EPA Est. No. 033518-CN-001

MADE IN CANADA PRINTED IN THE U.S.A.

