

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER. Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin, or on clothing. Wear protective eyewear (goggles, face shield or safety glasses), protective clothing and protective (rubber or chemical resistant) gloves. Harmful if swallowed or if absorbed through the skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

FIRST AID
IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor or going for treatment.

ENVIRONMENTAL HAZARDS
Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

This product contains no phosphorus. This product delivers non-acid disinfectant and cleaning performance in an economical concentrate. This product is effective yet economical. This product is a heavy duty disinfectant cleaner that cleans, disinfects and deodorizes in one labor saving step. This product will disinfect, clean and deodorize surfaces in rest rooms and toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause malodors. This product is formulated for use in daily maintenance programs with a balance of detergents, biocides and malodor counteractants that deliver effective cleaning, disinfecting and malodor control. This product will not leave grit or soap scum. This product is a versatile disinfectant and sanitizer for hard, nonporous nonfood contact surfaces in Veterinarian, Animal care applications. Use this product for non-scratch cleaning of showers and tubs, shower doors and curtains, fixtures and toilet bowls. Use this product to clean and sanitize nonporous fire fighting bunker/tumout gear; trousers; overcoats, gloves, boots, hoods, helmets, air masks. Use to clean and disinfect nonporous personal protective safety equipment: protective headgear, hard hats, half-mask respirators, full face breathing apparatus, gas masks, goggles, spectacles, face shields, hearing protectors and ear muffs. Rinse all equipment that comes in prolonged contact with skin before reuse with clean warm water [about 120° F], and allow to air dry. Precaution: Cleaning at 120° F temperature will avoid overheating and distortion of the personal safety equipment which would necessitate replacement. Cross-contamination is of major housekeeping concern. This product has been formulated to aid in the reduction of cross-contamination not only in hospitals, institutions and industry. This product is a sanitizer for hard nonporous non-food contact surfaces at 1:512 dilution [200 ppm active] according to the method for Sanitizers - Non-food Contact surfaces, modified in the presence of 500 ppm hard water plus 5% organic serum in 60 seconds against: *Staphylococcus aureus* *Klebsiella pneumoniae*

Use this product in: Dental offices, Hospitals, Medical Offices, Nursing homes, Convenience stores, Athletic facilities, Business and office buildings, Colleges, Correctional facilities, Dressing rooms, Exercise facilities, Factories, Hotels, Institutional facilities, Locker rooms, Motels, Public facilities, Public rest rooms, Shower and bath areas, Camp grounds, Animal laboratories, Kennels, Pet animal quarters, Pet shops, Zoos, Airplanes, Buses, Emergency vehicles, Taxis, Trains, Transportation terminals.

Use this product on washable hard, nonporous surfaces of: Appliances, exteriors, Bathroom fixtures, Bathtubs, Cabinets, Cages, Chairs, Conductive flooring, Countertops, Desks, Door-knobs, Floors, Garbage cans, Kennel runs, Shower stalls, Sinks, Tables, Telephones, Toilets, Toilet bowls, Tubs, Tiles, glazed, Urinals, Walls. Other hard nonporous surfaces made of: Glazed ceramic, Glazed enameled surfaces, Glazed porcelain, Metal, Plastic [such as polystyrene or polypropylene], Sealed stone, Stainless steel, Upholstery, vinyl and plastic, Woodwork, finished.

continued on right panel



APPROVED
Regulatory Dept. - based on
EPA label dated 6-12-12
By creyesgarc at 3:01 pm, Nov 09, 2012

GETINGE
GETINGE GROUP

TEC-QUAT 128

One-Step Disinfectant

Cleaner - Sanitizer - Fungicide - Mildewstat - Virucide* - Deodorizer

For Hospitals, Institutional and Industrial Use

Effective in hard water up to 200 ppm hardness [calculated as CaCO₃]

in the presence of 5% serum contamination

Formulated for Veterinary Practice / Animal Care / Animal Laboratory Disinfection

Active Ingredients:

Octyl decyl dimethyl ammonium chloride	3.255%
Diocetyl dimethyl ammonium chloride	1.302%
Didecyl dimethyl ammonium chloride	1.953%
Alkyl (C₁₁, 50%; C₁₂, 40%; C₁₃, 10%) dimethyl benzyl ammonium chloride	4.340%
Other Ingredients:	89.150%
Total:	100.000%

KEEP OUT OF REACH OF CHILDREN
DANGER [PELIGRO]

See side panel for Precautionary Statements and First Aid.

EPA Reg. No. 6836-77-10648

EPA Est. No. 48211-MO-01

Catalog No. 61301605064

Distributed by:
Getinge USA, Inc.
1777 East Henrietta Rd.
Rochester, NY 14623-3133

This product is a one-step Hospital use disinfectant, Bactericidal according to the current AOAC Use-Dilution Test Method and Virucidal* according to the virucidal qualification modified in the presence of 200 ppm hard water plus 5% organic serum against: *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Salmonella enterica*, *Acinetobacter baumannii*, *Brevibacterium ammoniagenes*, *Campylobacter jejuni*, *Enterobacter aerogenes*, *Enterococcus faecalis* [Enterococcus], *Enterococcus faecalis* - Vancomycin resistant [VRE], *Escherichia coli*, *ESBL Escherichia coli*, *Klebsiella pneumoniae*, *Legionella pneumophila*, *Pseudomonas cepacia*, *Salmonella schottmuelleri*, *Salmonella typhi*, *Serratia marcescens*, *Shigella dysenteriae*, *Staphylococcus aureus* - Community Associated Methicillin-Resistant [CA-MRSA] [NRS384] [USA300], *Staphylococcus aureus* - Community Associated Methicillin-Resistant [CA-MRSA] [NRS123] [USA400], *Staphylococcus aureus* - Methicillin-Resistant [MRSA], *Staphylococcus aureus* Multi-Drug Resistant, *Staphylococcus aureus* - Vancomycin Intermediate Resistant - [VISA], *Streptococcus pyogenes*, *Vibrio cholerae*, *Adenovirus Type 5 at 1:32 dilution, *Adenovirus Type 7 at 1:32 dilution, *Hepatitis B Virus [HBV], *Hepatitis C Virus [HCV], *Herpes Simplex Virus Type 1, *Herpes Simplex Virus Type 2, *HIV-1 [AIDS Virus], *Human Coronavirus, *Influenza Type A / Brazil, *Norwalk Virus, *Rotavirus, *Respiratory Syncytial Virus [RSV], *SARS Associated Coronavirus, *Vaccinia. This product is effective against the following animal viruses: Avian Infectious Bronchitis Virus, Avian Influenza Virus (H3N2), Avian Influenza Virus (H5N1), Canine Distemper Virus, Feline Calicivirus, Newcastle's Disease Virus, Pseudorabies Virus. Fungi: *Aspergillus niger*, *Trichophyton mentagrophytes* [the Athlete's Foot Fungus] [a cause of Ringworm].

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **Preparation of Disinfectant Use-solution:** Add 1- 4 oz. per gallon of water. For heavy duty use, add 4 oz. per gallon of water [1:32]. Use 4 oz. per gallon of water to kill Adenovirus Type 5 and Type 7.

DISINFECTION/VIRUCIDAL*/FUNGICIDAL/MOLD AND MILDEW CONTROL DIRECTIONS: Apply use-solution to hard, nonporous surfaces, thoroughly wetting surfaces with a cloth, mop, sponge, sprayer or by immersion. Treated surfaces must remain wet for 10 minutes. For Influenza Virus Type A and Human Coronavirus, treated surfaces must remain wet for 1 minute. Wipe dry with a cloth, sponge or mop or allow to air dry. For heavily soiled areas, a preliminary cleaning is required. For sprayer applications, use a coarse spray device. Spray 6 - 8 inches from the surface; rub with a brush, sponge or cloth. Do not breathe spray. Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Do not use on utensils, glassware and dishes. Prepare a fresh solution daily or more often if the solution becomes visibly dirty or diluted. **For fungicidal activity:** This product is an effective fungicide against *Trichophyton mentagrophytes* [the athlete's foot fungus] when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities. This product is a one-step fungicide at 1 oz. per gallon in 200 ppm hard water and 5% serum. **For mold and mildew:** At 1 oz. per gallon, this product will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, nonporous surfaces. Follow disinfection instructions. Repeat treatment every seven days, or more often if new growth appears. **BACTERICIDAL STABILITY OF USE-DILUTION:** Tests confirm that the use solution of this product, when stored in a sealed container such as a spray bottle, remains effective for up to 1 year. If product becomes visibly dirty or contaminated, the use-dilution must be discarded and fresh product prepared. Always use clean, properly labeled containers when diluting this product. Bactericidal stability of the use-dilution does not apply to open containers such as buckets or pails. This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that [1] is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or [2] contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection. ***KILLS HIV AND HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 [HIV-1] [associated with AIDS] or Hepatitis B Virus [HBV] or Hepatitis C Virus [HCV]. **Special Instructions for Cleaning and Decontamination against HIV-1 or HBV or HCV on Surfaces /Objects Soiled With Blood/Body Fluids. Personal Protection:** Clean up must always be done wearing protective gloves, gowns, masks and eye protection. **Cleaning Procedure:** Blood and other body fluids containing HIV-1 or HBV or

NET CONTENTS: 5 GALLONS (18.9 L)

HCV must be thoroughly cleaned from surfaces and objects before application of this product. **Contact Time:** Leave surface wet for 1 minute for HIV-1 and 10 minutes for HBV and HCV with a 1 - 4 oz per gallon use-solution. Use 4 oz. per gallon of water to kill Adenovirus Type 5 and type 7. Use a 10-minute contact time for disinfection against all other viruses, bacteria and fungi claimed. **Disposal of Infectious Material:** Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to local regulations for infectious waste disposal. **NON-ACID TOILET BOWL AND URINAL DISINFECTANT/CLEANER DIRECTIONS:** Remove gross filth prior to disinfection. **From Concentrate:** Add 1- 4 oz. to the bowl. Use 4 oz. to kill Adenovirus Type 5 and type 7. Thoroughly brush or swab over exposed surfaces and under the rim with a cloth, mop or sponge. Allow to stand for 10 minutes and flush. **From Use Solution:** Empty toilet bowl or urinal and apply a 1- 4 oz. per gallon use-solution to exposed surfaces and under the rim with a cloth, mop, sponge or sprayer. Use 4 oz. per gallon of water to kill Adenovirus Type 5 and type 7. Brush or swab thoroughly, allow to stand for 10 minutes and flush. **For Heavy Duty Use:** Empty toilet bowl or urinal and apply a 4 oz. per gallon use-solution to exposed surfaces including under the rim with a cloth, mop, sponge or sprayer. Brush or swab thoroughly, allow to stand for 10 minutes and flush. **FOR USE ON FINISHED FLOORS:** To limit gloss reduction use this product at 1 oz. per gallon. Apply with a damp mop or autoscrubber. Allow surface to remain wet for 10 minutes. Wipe or allow to air dry. Do not use on floor finish at 4 oz. per gallon. **VETERINARY PRACTICE / ANIMAL CARE / ANIMAL LABORATORY / ZOOS / PET SHOPS / KENNELS DISINFECTION / VIRUCIDAL* DIRECTIONS:** For cleaning and disinfecting hard nonporous surfaces: equipment used for feeding or watering animals, utensils, instruments, cages, kennels, stables, catteries, pens, stalls and etc. Remove all animals and feeds from premises, animal transportation vehicles, crates, pens, stalls and etc. Remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or traversed by animals. Empty all feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with a use-solution of 1 - 4 oz. of this product per gallon of water [or equivalent dilution] for a period of 10 minutes. Use 4 oz per gallon of water to kill Adenovirus Type 5 and Type 7. Wipe or allow to air dry. Immerse all animal halters, ropes, and other types of equipment used in handling and restraining animals as well as forks, shovels, and scrapers used for removing litter and manure. Thoroughly scrub all treated surfaces, then rinse all surfaces that come in contact with food, including equipment used for feeding or watering, with potable water before reuse. Ventilate buildings, animal enclosures, vehicles and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried. **TO SANITIZE NON-FOOD CONTACT SURFACES:** Add 1 oz. of this product per 4.25 gallons of water to sanitize hard nonporous surfaces. Treated surfaces must remain wet for 60 seconds. Wipe dry with a sponge, mop or cloth or allow to air dry. Do not use in food preparation, food handling and food storage areas. This product is not to be used on glassware, dishware, cookware or utensils. **TO CLEAN AND DEODORIZE:** Mix 1 oz. this product per gallon of water to clean and deodorize surfaces. Apply using a cloth, mop, sponge or sprayer. Wipe or allow to air dry.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **Pesticide Storage:** Open dumping is prohibited. Store in original container in areas inaccessible to children. **Pesticide Disposal:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **Container Disposal:** Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Fill container ¼ full with water and reclose the container. Agitate vigorously, and dispose of rinsate consistent with pesticide disposal instructions. Repeat two more times. Then offer for recycling if available or puncture and dispose in sanitary landfill or by other procedures approved by state and local authorities. Follow pesticide disposal instructions for rinsate. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state, and federal regulations.

Product Revision # 121107-241F