

WA 406-67-43606  
OCT 27 2008

41047

REV 10-23-08

4

NOTE: LABEL PRINTS ON SILVER DYNAFOIL!!!!

8-C01503316-001  
8/08  
CP-015

**To Disinfect and for Tuberculocidal Activity:** After surface is cleaned, hold can upright 6" to 8" from surface to be treated. Spray 3-4 seconds until surface is wet. Allow to dry without wiping or allow spray to contact treated surface for a minimum of ten minutes prior to wiping. For Herpes Simplex Virus Types 1 and 2 spray 8-10 seconds until the surface is wet. Allow to dry without wiping or allow spray to contact treated surface for a minimum of ten minutes prior to wiping. Tuberculocidal in 10 minutes at 25°C.

**To Control Surface Mildew:** After surface is cleaned, cover surface with mist. Repeat treatment every week for effective control.

**For Skate, Ski & Snowboard Boots.**

**To Deodorize and Control Mildew on Shoes and Boots:** After shoe/boot surface is cleaned, hold can upright with opening pointed away from face and 6" to 8" from shoe/boot surface to be treated. Spray interior and exterior of shoe/boot for 3-5 seconds or until surface is wet. Allow shoe/boot to air dry without wiping.

**Special Instructions for Cleaning and Decontamination Against HIV on Surfaces/Objects Soiled with Blood/Body Fluids** on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids in health care settings (or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of HIV):

**Personal Protection:** When handling items soiled with blood or body fluids, use appropriate barrier protection such as disposable latex gloves, gowns, masks or eye coverings. **Cleaning Procedure:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant. **Contact Time:** Spray surface to be treated 3-4 seconds, from a distance of 6-8 inches, until surface is wet. Allow spray to dry without wiping or allow spray to contact treated surface for a minimum of ten minutes prior to wiping. **Disposal of Infectious Materials:** Blood and other body fluids should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

### Storage and Disposal

**Pesticide Storage:** Store in a cool, dry (preferably locked) storage area away from direct sunlight, windows, flames and other sources of heat or ignition. **Pesticide Disposal:** Wastes resulting from the use of this product may be disposed on site or at an approved waste disposal facility.

**Container Disposal:** Replace cap, wrap container and put in trash. Do not incinerate or puncture.

### PRECAUTIONARY STATEMENTS

#### Hazards to Humans & Domestic Animals

**CAUTION:** Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Note: This product contains a chemical(s) known to the state of California to cause cancer.

#### First Aid

**If on Skin or Clothing** Take off contaminated clothing. Immediately rinse skin with plenty of water for 15-20 minutes. **If in Eyes** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-866-923-4913 for emergency medical treatment information.

#### Physical or Chemical Hazards

Flammable. Contents under pressure. Do not use or store near fire, sparks or heated surfaces. Do not store in direct sunlight. Do not smoke while using this product. Do not puncture or incinerate container. Exposure to temperatures above 120°F may cause bursting.

# DISINFECTANT DEODORIZER

Disinfects  
HIV-1 (AIDS Virus),  
Methicillin Resistant *Staphylococcus aureus* (MRSA), Vancomycin  
Resistant *Enterococcus faecalis* (VRE), Polio Virus Types 1 and 2,  
Influenza A<sub>2</sub>/Hong Kong Virus, *Mycobacterium Tuberculosis* (TB)  
and Herpes Simplex Virus Types 1 and 2  
On Hard, Nonporous, Inanimate Environmental Surfaces

Kills Most Germs • Controls Mold and Mildew • Eliminates Odors  
Bactericidal - Staphylocidal - Tuberculocidal  
Fungicidal - Pseudomonocidal - Virucidal



<b>Active Ingredients:</b>	
Orthophenylphenol (CAS No. 90-43-7) .....	0.176%
Para-tertiary Amylphenol (CAS No. 80-46-6) ..	0.045%
Ethanol (CAS No. 64-17-5) .....	49.950%
+Other Ingredients .....	49.829%
Total .....	100.000%
+Contains Sodium Nitrite.	
EPA Reg. No. 706-69-75686	EPA Est. 706-IL-1

KEEP OUT OF REACH OF CHILDREN

## CAUTION

See back panel for additional  
precautionary statements

NET WT. 15 1/2 OZ. (439 GRAMS)

For Use in Hospitals, Nursing Homes, Businesses, Hotels, Motels, Restaurants, Schools, Institutions and Commercial Establishments

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### General Information

**Kills:** *Aspergillus niger* (ATCC 16404), Human Herpes Simplex Virus Type 1 (ATCC VR-733) and Type 2 (ATCC VR-540), Human Immunodeficiency Virus Type 1 [HIV-1 (AIDS virus)], Influenza A<sub>2</sub>/Hong Kong Virus, Methicillin Resistant *Staphylococcus aureus* (MRSA) (ATCC 33591), *Mycobacterium tuberculosis var bovis* (BCG), Polio Virus Types 1 and 2, *Pseudomonas aeruginosa* (ATCC 15442), *Salmonella choleraesuis* (ATCC 10708), *Staphylococcus aureus* (ATCC 6538), *Trichophyton mentagrophytes* (ATCC 9972) and Vancomycin Resistant *Enterococcus faecalis* (VRE) (ATCC 51299) on hard, nonporous, inanimate environmental surfaces.

**Disinfects:** Disinfects on such bacterial- and viral-carrying surfaces as toilet seats, telephones, garbage and refuse cans, urinals, athletic equipment, light switches, bed pans, empty hampers and other out of the way places. **Disinfects hard, non-porous surface of shoes and slippers.**

**Controls Mold and Mildew** on mattresses, awnings, shower curtains, leather goods. **Controls** mildew and mold growth on painted or finished walls, ceilings and woodwork in closets, basements, attics, storage areas, summer cottages, damp and musty corners.

**Deodorizes:** Reduces annoying odors. Use to control odors in hospitals and nursing homes. In private homes, use in kitchen, bathroom, sick rooms, basements. Effectively suppresses odors caused by mold and mildew.

#### General Precautions and Restrictions

Do not spray on polished wood surfaces, rayon fabrics or on acrylic plastics. Solvents in spray may cause damage to some plastics, coatings and other materials if sprayed until wet.

**This product is not for use on medical devices or medical equipment surfaces.**

#### Application Instructions

Shake well before using and occasionally while spraying. Clean surface thoroughly with an effective cleaning compound prior to treatment. Remove all gross filth or heavy soil from all surfaces to be treated.

**ProPower**

Marketed by / Comercializado por  
Independent Marketing Alliance  
16000 Memorial Drive, STE 200  
Houston, TX 77079

Product of USA / Un producto de USA

5061099 9E 08/241



8 22486 10338 5