BUILT-IN APPLICATOR

Scotts®

LANDSCAPE

WEED PREVENTER

STOPS WEEDS
FROM GROWING



6 MONTH
WEED CONTROL

COVERS
1,000 SQ FT

Keep Out Of Reach Of Children
CAUTION See back panel for additional precautionary statements

Mantener Fuera Del Alcance De Los Niños
PRECAUCIÓN Consulte el panel posterior para conocer los avisos de precaución adicionales

ACTIVE INGREDIENT:
Pendimethalin† 1.71%
OTHER INGREDIENTS..... 98.29%
Total 100.00%
†CAS# 40487-42-1

NET WEIGHT / CONTENIDO NETO:
5.37 LBS (2.44 KG)

Scotts®

LANDSCAPE

WEED PREVENTER

6 MONTH
WEED CONTROL

EPA Reg No No.538-192(5.37lb)
Scotts Landscape Weed Preventer

WHAT IT DOES

- CREATES A WEED BARRIER
- PREVENTS WEEDS UP TO 6 MONTHS
- COVERS 1,000 SQ FT

HOW TO APPLY

- APPLY TO SOIL AROUND PLANTS
- APPLY BEFORE MULCHING
- WASH GRANULES FROM PLANTS AND ACTIVATE BY WATERING IN

WHERE TO USE

- AROUND ANNUALS
- AROUND ESTABLISHED FLOWERS, BULBS
- AROUND TREES & SHRUBS

Scotts®
LANDSCAPE
WEED PREVENTER
STOPS WEEDS FROM GROWING

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Not for use on plants being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks.

APPLICATION

ESTABLISHED TREES, SHRUBS, PERENNIALS, GROUND COVERS, ORNAMENTAL GRASS, BULBS	BEDDING PLANTS*
WHEN TO APPLY • Apply to soil around plants in spring before weeds germinate and before mulching. • Wash granules from plants and activate product by lightly watering-in. • Apply once every 12 months.	**WHEN TO APPLY** • Apply after planting and watering the area to pack soil around roots. • Wash granules from plants and activate product by lightly watering-in. • Apply once every 12 months.

HOW TO APPLY
- Sprinkle around plants at a rate of ¾ oz (2 Tbsp) per 10 sq ft.
- Appearance of application should match Example A.
- Activate product by lightly watering-in. This product may be raked into the top inch of soil before watering-in.

Apply Scotts® Landscape Weed Preventer directly to the soil around ornamental landscape plants to prevent weeds from germinating. Applications where soil is uniformly covered with this product will result in best weed control and ornamental tolerance.
*After planting bedding plants, make sure newly planted area has been watered and soil is packed around roots before applying this product.

EXAMPLE A / EJEMPLO A:



NOTE: Established plants are those that have been planted for more than 2 weeks.

RESTRICTIONS

- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.
- Do not allow people or pets to enter the treated area until dusts have settled. Do not enter or allow others to enter treated areas until watering-in is complete and the soil surface is dry.
- Do not use when planting seeds.
- Do not use on lawns.
- Do not apply more than one time every 12 months.
- Do not treat plants grown for food or feed.
- Do not use treated plants for food or feed.
- This product is not for use on lawns or vegetable gardens.

PRECAUTIONS

- Make sure newly planted areas have been watered and soil is packed around roots of desirable plants before applying this product.
- Keep product off of plant leaves. If product is applied to the plant leaves, rinse the leaves with water.
- Avoid unintentional contact of granules with stone, wood, or other porous surfaces as staining may occur. Sweep immediately to avoid staining. If granules are crushed into surface, rinse thoroughly.
- Unusually cold, excessively wet, or hot and dry conditions that delay germination or extend germination over a long period of time can reduce weed control.
- To prevent possible staining to unintended surfaces, ex.: concrete, stone walks, vinyl surfaces, etc., sweep up stray granules as soon as possible.
- Not for use on edible fruit, vegetables or herb areas.
- This product prevents weeds from germinating. It does not kill existing weeds. If you have visible weeds, remove them first then rake the soil surface level prior to application. Avoid over application to prevent carryover problems with sensitive plants the following season.
- This product prevents most weeds from germinating for up to 6 months in flower beds and around ground covers, trees and shrubs.

Scotts® Landscape Weed Preventer is recommended for use around the following established
FLOWERS, BULBS, SHRUBS, TREES, AND GROUND COVERS:

TREES
Alder, European black • Apple • Arborvitae, American • Arbutus • Ash, red • Ash, white • Aspen, bigtooth • Aspen, quaking • Basswood • Birch, European weeping • Birch, river • Buckeye, red • Cedar, white • Chamaecyparis, boulevard • Cherry, black • Cherry, choke • Cherry, Kwanzan • Cherry, Nanking • Cottonwood • Crabapple • Crepe myrtle • Cryptomeria, Japanese • Cypress, bald • Cypress, Leyland • Dogwood, flowering • Dogwood, Korean • Dogwood, shrub • Dogwood, silky • Elm • Fir, balsam • Fir, Douglas • Fir, fraser • Fir, white • Franklinia • Ginkgo • Gum, black • Gum, sour • Hawthorn • Hemlock, Canada • Hemlock, Eastern • Holly, American • Honeylocust • Lilac, common • Lilac, Japanese tree • Linden • Magnolia, saucer • Magnolia, Southern • Magnolia, star • Maidenhair tree • Maple, Japanese • Maple, Norway • Maple, paper-bark • Maple, red • Maple, sugar • Nannyberry, rusty • Oak, chinquapin • Oak, live • Oak, pin • Oak, red • Oak, swamp chestnut • Oak, water • Oak, white • Oak, willow • Olive • Palm, date • Palm, fan • Palm, pindo • Palm, Washington • Peach • Pear, Bradford • Pecan • Pine, Austrian • Pine, Italian stone • Pine, loblolly • Pine, Monterey • Pine, red • Pine, Scotch • Pine, Virginia • Pine, white • Plum, purple leaf • Poplar, black • Redcedar, Eastern • Redcedar, Western • Redlronbark • Redwood, dawn • Sequoia, giant • Serviceberry • Sourwood • Spruce, Colorado blue • Spruce, dwarf Alberta • Spruce, Norway • Spruce, white • Sweetgum • Sycamore • Trachycarpus • Tulip tree • Walnut, black • Willow, weeping • Yellowwood

SHRUBS
Abelia, glossy • Althaea • Aucuba, gold • Azalea • Bamboo, heavenly • Barberry • Barberry, Japanese • Blue indigo bush • Bottlebrush, lemon • Boxwood, common • Boxwood, Japanese • Brittlebush • Buttonbush • Butterfly bush • Camellia • Cape jasmine • Cassia, feathery • Cordyline • Correa • Cotoneaster • Cotoneaster, bearberry • Cotoneaster, rock • Cypress, Italian • Cypress, Leyland • Deutzia, slender • Dogwood, red twig • Elaeagnus • Escallonia • Euonymus • Euonymus, golden • Euonymus, winged • Firethorn • Forsythia, border • Fragrant olive • Fuschia, California • Gardenia • Hawthorne, Indian • Hibiscus • Holly, Chinese • Holly, Foster's • Holly, Japanese • Holly, Savannah • Holly, yaupon • Honeysuckle, bush • Hopbush • Hopseed bush • Hydrangea • Juniper • Juniper, Chinese • Juniper, shore • Juniper, trailing • Laurel, cherry • Laurel, mountain • Laurel, Otto Luyken • Laurel, Schipka • Laurustinus • Lavender, English • Leucothoe • Leucothoe, coast • Lilac, cut-leaf • Lily-of-the-Nile • Mahonia • Mock orange • Myrtle, compact • Myrtle, wax • Nandina • Oleander • Oregon grape • Osmanthus • Palm, European fan • Palm, Mediterranean fan • Phlox, prickly • Photinia, Fraser • Pieris, Japanese • Pine, mugo • Plum, natal • Privet, California • Privet, glossy • Privet, variegated • Privet, waxleaf • Pyracantha • Quince, flowering • Ranger, Texas • Redroot • Rhododendron • Robira • Rose • Rose-of-Sharon • Spice plant • Spiraea • Spirea, Anthony Waterer • Spiraea, Japanese • Sweet bay • Trumpet bush • Verbena, lemon • Viburnum • Vitex • Weigela • Wild lilac • Wisteria • Xylosma • Yellowbells • Yew • Yew, Japanese • Yew, Southern • Yucca, Adam's needle • Yucca, weeping

BEDDING PLANTS*
Ageratum • Alyssum • Anemone, poppy-flowered • Artemesia • Balloonflower • Begonia • Cabbage, ornamental • Caladium • Chinaaster • Crocosmia, Montebretia • Dahlia • Dianthus • Dusty miller • Gayfeather • Gazania, trailing • Gazania, treasure flower • Geranium • Gloxinia • Impatiens • Kale, ornamental • Marigold, African • Moss rose • Mum, garden • Pansy • Periwinkle • Periwinkle, rose • Petunia • Plumosa cockscomb • Portulaca • Salvia • Snapdragon • Statice • Sweet William • Vinca • Zinnia

*After planting bedding plants and before this product is applied, the area to be treated should be watered sufficiently to pack soil around roots.

Scotts® Landscape Weed Preventer may be used on plant species not listed on this label. The suitability for such uses should be determined by treating a small number of such plants at the specified rate. Treated plants should be evaluated 1 to 2 months following treatment for possible injury.

GROUND COVERS
Ajuga • Baby sun rose • Beach strawberry • Capeweed • Cinquefoil, spring • Coyotebrush, dwarf • Daisy, trailing African • Dymondia • Gazania • Iceplant, large leaf • Ivy, English • Ivy, geranium • Jasmine, Asiatic • Jasmine, primrose • Jessamine, Carolina • Manzanita, bearberry • Miscanthus • Mondograss • Morningglory • Myoporum • Pachysandra • Potentilla • Red apple • Rosemary • Rose-of-Sharon • St. Johnswort, creeping • Sand strawberry • Sedum • Stonecrop • Verbena, Peruvian • Vervain • Vetch, crown • Vinca • Wintercreeper

PERENNIALS
Acacia • Alumroot* • Asparagus • Aster, New York • Aster, Stokes • Astilbe (False spirea) • Baby's breath • Beard tongue • Bee balm* • Bellflower • Bergenia, heart-leaved* • Bird of paradise • Black-eyed Susan • Blanket flower • Bleeding heart • Bluestar* • Blue false indigo • Butterfly weed • California poppy • Calla lily • Canna, common garden • Canadian ginger* • Carex • Cast iron plant • Chincherinchee • Clover, crimson • Columbine • Coral bells* • Coreopsis • Crimum lily • Crocus • Daffodil • Daylily • False dragonhead • Fairy duster • Fern, asparagus • Fern, Boston • Fern, leatherleaf** • Fern, tree • Flax, blue • Foamflower, heartleaf • Fortnight lily • Foxglove, common • Freesia • Fuschia, Arizona • Gaillardia • Gaura* • Geum • Gladiolus • Globe amaranth* • Golden rockets* • Goldenrod, seaside* • Goldenrod, showy* • Goldenrod, wrinkleleaf • Heather, dwarf • Hen and chicks • Hopflower oregano • Hosta • Hyssop, Coronado* • Hyssop, sunset • Ice plant, hardy or yellow • Indian blanket • Ironweed, New York* • Jacob's ladder* • Joepye weed, sweetscented* • Lady's-mantle • Lantana, weeping • Lavender, English • Leopard's bane • Lily • Lily, plantain • Liriope, big blue • Liriope, creeping • Liriope, variegated • Loosestrife, garden • Montbretia • Moonbeam • Nightshade • Orchid, peacock • Oxeye daisy • Oxeye, smooth* • Peony, Chinese • Phlox, creeping • Purple coneflower • Purple loosestrife • Pussy-toes, small-leaf* • Pussy-toes, stoloniferous* • Red-hot-poker • Rock cress • Rosemary • Ruscus, Israeli • Sage, Russian • Sedge • Shasta daisy • Shrub verbena • Sneezeweed, common • Spiderwort* • Sunflower* • Sweet flag • Thrift, sea pink* • Tickseed • Transvaal daisy* • Tulip • Turtlehead, snakehead • Twinspur • Wonder flower • Vervain* • Yarrow • Zephyr lily

**Applications of this product to immature ferns (during periods of new growth of fronds) may result in some injury.
*Not for use in California.

ORNAMENTAL GRASSES
Beach grass • Fescue, blue • Fescue, sheep • Fountain grass • Pampas grass • Reed canary grass • Reed, giant • Ribbon grass • Tufted hair grass

ORNAMENTAL BULBS
Scotts® Landscape Weed Preventer may be applied for control of susceptible annual weeds in ornamental bulbs listed on the label (crocus, daffodil [narcissus], gladiolus, tulip, etc.). Apply this product prior to, during, or after bulb emergence.
If weeds have already germinated, use a labeled postemergence herbicide to control emerged weeds.

WILDFLOWERS
Scotts® Landscape Weed Preventer may be applied for control of susceptible annual weeds in plantings of wildflowers listed on the label (black-eyed susan, California poppy, coreopsis, oxeye daisy, etc.). This product may be applied to established perennial wildflowers before emergence of weeds or wildflowers. For wildflowers being established from seed, apply this product after wildflowers have emerged but prior to weed germination. **If weeds have already germinated, use a labeled postemergence product to control emerged weeds.**
Due to the diversity of species and varieties which exist in areas where wildflowers are grown, the response to this product may vary greatly. Carefully testing on desirable species is recommended to determine if area-wide applications can be made.

WEEDS CONTROLLED OR SUPPRESSED:
Use Scotts® Landscape Weed Preventer for preemergence control of the weed species listed. Applications can be made around and over the top of the ornamentals listed on this label.

GRASS WEEDS
Barnyardgrass • Bluegrass, annual • Crabgrass, large • Crabgrass, smooth • Crowfootgrass • Foxtail, giant • Foxtail, green • Foxtail, yellow • Goosegrass • Itchgrass • Johnsongrass (from seed) • Junglerice • Lovegrass (from seed) • Panicum, browntop • Panicum, fall • Panicum, Texas • Sandbur, field • Signalgrass • Sprangletop, Mexican • Sprangletop, red • Witchgrass • Woolly cupgrass

BROADLEAF WEEDS
Burweed, lawn • Carpetweed • Chickweed, common • Chickweed, mouseear • Clover, hop • Cudweed • Evening primrose • Fiddleneck • Filaree • Henbit • Knotweed, prostrate • Kochia • Lambsquarters • Pigweed • Puncturevine • Purslane • Pusley, Florida • Rocket, London • Shepherdspurse • Smartweed, Pennsylvania • Speedwell, corn • Spurge, annual • Spurge, prostrate • Woodsorrel, yellow • Velvetleaf (Buttonweed)

NOTICE: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.
GUARANTEED SATISFACTION. If for any reason you are not satisfied after using this product, simply send us the original proof of purchase and we will refund the purchase price.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes eye irritation. Avoid contact with eyes, skin or clothing. May be harmful if swallowed. Avoid inhalation.

USER SAFETY RECOMMENDATIONS
Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

FIRST AID
If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. **If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **If inhaled:** Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor, or going for treatment.

ENVIRONMENTAL HAZARDS
This pesticide is toxic to fish. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems. In case of spills, either collect for use or dispose of properly.

STORAGE AND DISPOSAL
PESTICIDE STORAGE: Store in a dry place for your next application. Product can be used until container is empty.

PESTICIDE DISPOSAL AND CONTAINER HANDLING:
Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

QUESTIONS OR COMMENTS: PREGUNTAS O COMENTARIOS:
1-800-543-TURF (8873) or
Visit our Website at scotts.com
Sold by: The Scotts Company
14111 Scottslawn Rd
Marysville, OH 43041
©2019 The Scotts Company LLC.
All rights reserved
EPA Reg. No. 538-192 EPA Est. No. 084175-TX-001

Si se inhala: Llevea la persona al aire fresco. Si la persona no respira, llame al 911 o a una ambulancia y luego, de ser posible, dele respiración artificial (boca a boca, preferiblemente). Llame a un centro de control de envenenamientos o a un médico para recibir recomendaciones de tratamiento. Tenga el envase o la etiqueta del producto con usted cuando llame al centro de control de envenenamientos o al médico, o al acudir a recibir tratamiento.

RIESGOS AMBIENTALES
Este pesticida es tóxico para los peces. Los escurrimientos pueden ser peligrosos para los organismos acuáticos de las zonas aledañas a las áreas tratadas. Para proteger el ambiente, no permita que el pesticida entre o se escurra en drenajes pluviales, zanjas de drenaje, cunetas o aguas superficiales. Aplicar este producto en clima tranquilo cuando no haya pronóstico de lluvia en las siguientes 24 horas ayudará a asegurarse de que el viento o la lluvia no soplen o lave el pesticida fuera del área de tratamiento. Barrer el producto que caiga sobre la entrada de automóviles, la acera o la calle hacia el área tratada del césped para evitar que se escurra a cuerpos de agua o sistemas de drenaje.

ALMACENAMIENTO Y ELIMINACIÓN
ALMACENAMIENTO DEL PESTICIDA: Guarde el producto en un lugar seco para la próxima aplicación. El producto puede usarse hasta vaciar el envase.

ELIMINACIÓN DEL PESTICIDA Y MANEJO DEL ENVASE: Este envase no se puede rellenar. No vuelva a usar ni llenar este envase. **Si está vacío:** Tírelo a la basura o recíclelo, de ser posible. **Si está parcialmente lleno:** Llame a la agencia local de control de desechos sólidos para solicitar instrucciones sobre cómo eliminarlo. Nunca elimine el producto no utilizado en drenajes internos o externos.

INSTRUCCIONES DE USO
Utilizar este producto de modo inconsistente con las declaraciones de su etiqueta constituye una violación de las leyes federales. No lo utilice en césped cultivado para su venta u otros usos comerciales, como tepes, ni para la producción de semilla comercial o con fines de investigación.

APLICACIÓN

ÁRBOLES BIEN ESTABLECIDOS, ARBUSTOS, PLANTAS PERENNES, CUBIERTAS VEGETALES, CÉSPED DECORATIVO, BULBOS	PLANTAS DE MACIZO*
CUÁNDO APLICAR • Aplíquelo a la tierra alrededor de las plantas en la primavera antes de que las malezas germinen y antes de usar mantillo. • Lave los gránulos que hayan caído sobre las plantas y active el producto regando ligeramente. • Aplique el producto una vez cada 12 meses.	**CUÁNDO APLICAR** • Aplíquelo después de plantar y regar el área para compactar la tierra alrededor de las raíces. • Lave los gránulos que hayan caído sobre las plantas y active el producto regando ligeramente. • Aplique el producto una vez cada 12 meses.

CÓMO APLICAR
- Esparza el producto alrededor de las plantas en una proporción de 21 g (2 cucharaditas) por cada 0.93 m².
- El aspecto del producto tras la aplicación debe ser el que se muestra en el Ejemplo A.
- Riegue el producto ligeramente para activarlo. Este producto puede rastrillarse para mezclarlo con los 2.5 cm de la capa superior de tierra antes de regar.

Aplique el Herbicida para preventir malezas de jardín de Scotts® directamente a la tierra alrededor de las plantas ornamentales de jardín para prevenir la germinación de las malezas. El mejor control de las malezas y la mayor tolerancia de las plantas ornamentales se obtiene con aplicaciones que cubran uniformemente la tierra con el producto.
*Después de transplantar plantas de macizo, asegúrese de regar y compactar la tierra en el área recién plantada antes de aplicar el producto.
IMPORTANTE: Las plantas bien establecidas son aquellas que han estado plantadas durante más de 2 semanas.

RESTRICCIONES
- No aplique este producto de manera que entre en contacto con cualquier adulto o mascota, ya sea en forma directa por efecto de la corriente de aire. Mantenga a la gente y las mascotas fuera del área durante la aplicación.
- No permita el ingreso de gente o mascotas al área tratada hasta que el polvo se haya asentado. No entre ni permita que otros entren a las áreas tratadas hasta que el riego se haya completado y la superficie del suelo esté seca.
- No lo use cuando esté plantando semillas.
- No lo aplique sobre césped.
- No lo aplique más de una vez cada 12 meses.
- No trate plantas cultivadas para comida o forraje.
- No use plantas tratadas para comida o forraje.
- Este producto no se debe usar en céspedo huertas.

PRECAUCIONES
- Compruebe que las áreas recién plantadas hayan sido regadas y que el suelo esté compactado alrededor de las raíces de las plantas deseadas antes de aplicar este producto.
- No aplique el producto a las hojas de las plantas. En caso de aplicarse a las hojas de las plantas, enjuáguelas con agua.
- Evite el contacto intencional de los gránulos con piedras, madera u otras superficies porosas, ya que pueden mancharlas. Barra inmediatamente para evitar las manchas. Si los gránulos se trituran contra la superficie, enjuague minuciosamente.
- Las condiciones climáticas anormalmente frías, excesivamente húmedas, o calurosas y secas que demoran la germinación o la extienden por un período prolongado pueden reducir el control de malezas.

AVISO: En la medida contemplada por las leyes aplicables, el comprador asume todos los riesgos de uso, almacenamiento o manejo de este producto si no se siguen las instrucciones.
SATISFACCIÓN GARANTIZADA. Si por alguna razón no está satisfecho luego de utilizar este producto, simplemente envíenos el comprobante de compra original y le devolveremos el precio de compra.

AVISOS DE PRECAUCIÓN

RIESGOS PARA LOS SERES HUMANOS Y LOS ANIMALES DOMÉSTICOS

PRECAUCIÓN: Causa irritación en los ojos. Evite el contacto con los ojos, la piel o la ropa. Puede ser nocivo si se ingiere. Evite la inhalación.

RECOMENDACIONES DE SEGURIDAD PARA EL USUARIO
Lávese las manos antes de comer, mastícar goma de mascar, consumir tabaco o usar el inodoro. El usuario deberá quitarse la ropa inmediatamente si le cae adentro el pesticida. Luego deberá lavarse bien y ponerse ropa limpia.

PRIMEROS AUXILIOS
Si entra en los ojos: Mantenga el ojo abierto y enjuáguelo lentamente y con cuidado con agua durante 15 a 20 minutos. Si tiene lentes de contacto, quítelos después de lavarse los primeros 5 minutos y continúe lavando el ojo. **Si cae en la piel o la ropa:** Quítese la ropa contaminada. Enjuague la piel de inmediato con abundante agua por 15 a 20 minutos. **Si se ingiere:** Llame a un centro de control de envenenamientos o a un médico inmediatamente para recibir instrucciones de tratamiento. Haga que la persona beba un vaso de agua si puede tragar. No induzca el vómito a menos que así lo indique el centro de control de envenenamientos o el médico. No le dé nada por vía oral a una persona que haya perdido el conocimiento.

0 32247 43893 3
VD-PP 867885
100% SIZE
12-digit UPC-A
(non-suppressed)
For Position Only

EPA Reg No No.538-192(5.37lb)
Scotts Landscape Weed Preventer

Keep Out Of Reach Of Children

CAUTION See back panel for additional precautionary statements

Mantener Fuera Del Alcance De Los Niños

PRECAUCIÓN Consulte el panel posterior para conocer los avisos de precaución adicionales

ACTIVE INGREDIENT:	
Pendimethalin†	1.71%
OTHER INGREDIENTS	98.29%
Total	100.00%

†CAS# 40487-42-1

NET WEIGHT / CONTENIDO NETO: 5.37 LBS (2.44 KG)

EPA Reg No No.538-192(5.37lb)

Scotts Landscape Weed Preventer

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Not for use on plants being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks.

APPLICATION

ESTABLISHED TREES, SHRUBS, PERENNIALS, GROUND COVERS, ORNAMENTAL GRASS, BULBS	BEDDING PLANTS*
WHEN TO APPLY • Apply to soil around plants in spring before weeds germinate and before mulching. • Wash granules from plants and activate product by lightly watering-in. • Apply once every 12 months.	**WHEN TO APPLY** • Apply after planting and watering the area to pack soil around roots. • Wash granules from plants and activate product by lightly watering-in. • Apply once every 12 months.
HOW TO APPLY • Sprinkle around plants at a rate of ¾ oz (2 Tbsp) per 10 sq ft. • Appearance of application should match Example A. • Activate product by lightly watering-in. This product may be raked into the top inch of soil before watering-in.	

Apply Scotts® Landscape Weed Preventer directly to the soil around ornamental landscape plants to prevent weeds from germinating. Applications where soil is uniformly covered with this product will result in best weed control and ornamental tolerance.

*After planting bedding plants, make sure newly planted area has been watered and soil is packed around roots before applying this product.

NOTE: Established plants are those that have been planted for more than 2 weeks.

EXAMPLE A / EJEMPLO A:



RESTRICTIONS

- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.
- Do not allow people or pets to enter the treated area until dusts have settled. Do not enter or allow others to enter treated areas until watering-in is complete and the soil surface is dry.
- Do not use when planting seeds.
- Do not use on lawns.
- Do not apply more than one time every 12 months.
- Do not treat plants grown for food or feed.
- Do not use treated plants for food or feed.
- This product is not for use on lawns or vegetable gardens.

PRECAUTIONS

- Make sure newly planted areas have been watered and soil is packed around roots of desirable plants before applying this product.
- Keep product off of plant leaves. If product is applied to the plant leaves, rinse the leaves with water.
- Avoid unintentional contact of granules with stone, wood, or other porous surfaces as staining may occur. Sweep immediately to avoid staining. If granules are crushed into surface, rinse thoroughly.
- Unusually cold, excessively wet, or hot and dry conditions that delay germination or extend germination over a long period of time can reduce weed control.
- To prevent possible staining to unintended surfaces, ex.: concrete, stone walks, vinyl surfaces, etc., sweep up stray granules as soon as possible.
- Not for use on edible fruit, vegetables or herb areas.
- This product prevents weeds from germinating. It does not kill existing weeds. If you have visible weeds, remove them first then rake the soil surface level prior to application. Avoid over application to prevent carryover problems with sensitive plants the following season.
- This product prevents most weeds from germinating for up to 6 months in flower beds and around ground covers, trees and shrubs.

Scotts® Landscape Weed Preventer is recommended for use around the following established

FLOWERS, BULBS, SHRUBS, TREES, AND GROUND COVERS:

TREES

Alder, European black • Apple • Arborvitae, American • Arbutus • Ash, red • Ash, white • Aspen, bigtooth • Aspen, quaking • Basswood • Birch, European weeping • Birch, river • Buckeye, red • Cedar, white • Chamaecyparis, boulevard • Cherry, black • Cherry, choke • Cherry, Kwanzan • Cherry, Nanking • Cottonwood • Crabapple • Crepe myrtle • Cryptomeria, Japanese • Cypress, bald • Cypress, Leyland • Dogwood, flowering • Dogwood, Korean • Dogwood, shrub • Dogwood, silky • Elm • Fir, balsam • Fir, Douglas • Fir, Fraser • Fir, white • Franklinia • Ginkgo • Gum, black • Gum, sour • Haw, black • Hawthorn •

INSTRUCCIONES DE USO

Utilizar este producto de modo inconsistente con las declaraciones de su etiqueta constituye una violación de las leyes federales. No lo utilice en césped cultivado para su venta u otros usos comerciales, como tepes, ni para la producción de semilla comercial o con fines de investigación.

APLICACIÓN

ÁRBOLES BIEN ESTABLECIDOS, ARBUSTOS, PLANTAS PERENNES, CUBIERTAS VEGETALES, CÉSPED DECORATIVO, BULBOS	PLANTAS DE MACIZO*
CUÁNDO APLICAR • Aplíquelo a la tierra alrededor de las plantas en la primavera antes de que las malezas germinen y antes de usar mantillo. • Lave los gránulos que hayan caído sobre las plantas y active el producto regando ligeramente. • Aplique el producto una vez cada 12 meses.	**CUÁNDO APLICAR** • Aplíquelo después de plantar y regar el área para compactar la tierra alrededor de las raíces. • Lave los gránulos que hayan caído sobre las plantas y active el producto regando ligeramente. • Aplique el producto una vez cada 12 meses.
CÓMO APLICAR • Espárzar el producto alrededor de las plantas en una proporción de 21 g (2 cucharaditas) por cada 0.93 m². • El aspecto del producto tras la aplicación debe ser el que se muestra en el Ejemplo A. • Riegue el producto ligeramente para activarlo. Este producto puede rastrillarse para mezclarlo con los 2.5 cm de la capa superior de tierra antes de regar.	

Aplique el Herbicida para prevenir malezas de jardín de Scotts® directamente a la tierra alrededor de las plantas ornamentales de jardín para prevenir la germinación de las malezas. El mejor control de las malezas y la mayor tolerancia de las plantas ornamentales se obtiene con aplicaciones que cubran uniformemente la tierra con el producto.

*Después de transplantar plantas de macizo, asegúrese de regar y compactar la tierra en el área recién plantada antes de aplicar el producto.

IMPORTANTE: Las plantas bien establecidas son aquellas que han estado plantadas durante más de 2 semanas.

RESTRICCIONES

- No aplique este producto de manera que entre en contacto con cualquier adulto o mascota, ya sea en forma directa o por efecto de la corriente de aire. Mantenga a la gente y las mascotas fuera del área durante la aplicación.
- No permita el ingreso de gente o mascotas al área tratada hasta que el polvo se haya asentado. No entre ni permita que otros entren a las áreas tratadas hasta que el riego se haya completado y la superficie del suelo esté seca.
- No use cuando esté plantando semillas.
- No lo aplique sobre césped.
- No lo aplique más de una vez cada 12 meses.
- No trate plantas cultivadas para comida o forraje.
- No use plantas tratadas para comida o forraje.
- Este producto no se debe usar en césped o huertas.

Hemlock, Canada • Hemlock, Eastern • Holly, American • Honeylocust • Lilac, common • Lilac, Japanese tree • Linden • Magnolia, saucer • Magnolia, Southern • Magnolia, star • Maidenhair tree • Maple, Japanese • Maple, Norway • Maple, paper-bark • Maple, red • Maple, sugar • Nannyberry, rusty • Oak, chinquapin • Oak, live • Oak, pin • Oak, red • Oak, swamp chestnut • Oak, water • Oak, white • Oak, willow • Olive • Palm, date • Palm, fan • Palm, pindo • Palm, Washington • Peach • Pear, Bradford • Pecan • Pine, Austrian • Pine, Italian stone • Pine, loblolly • Pine, Monterey • Pine, red • Pine, Scotch • Pine, Virginia • Pine, white • Plum, purple leaf • Poplar, black • Redcedar, Eastern • Redcedar, Western • Redbranch • Redwood, dawn • Sequoia, giant • Serviceberry • Sourwood • Spruce, Colorado blue • Spruce, dwarf Alberta • Spruce, Norway • Spruce, white • Sweetgum • Sycamore • Trachycarpus • Tulip tree • Walnut, black • Willow, weeping • Yellowwood

SHRUBS

Abelia, glossy • Althaea • Aucuba, gold • Azalea • Bamboo, heavenly • Barberry • Barberry, Japanese • Blue indigo bush • Bottlebrush, lemon • Boxwood, common • Boxwood, Japanese • Brittlebush • Buttonbush • Butterfly bush • Camellia • Cape jasmine • Cassia, feathery • Ceanothus • Currea • Cotoneaster • Cotoneaster, bearberry • Cotoneaster, rock • Crotalaria, Indian • Cypress, Leyland • Deutzia, slender • Dogwood, red twig • Elaeagnus • Escallonia • Euonymus • Euonymus, golden • Euonymus, winged • Firethorn • Forsythia, border • Fragrant olive • Fuschia, California • Gardenia • Hawthorne, Indian • Hibiscus • Holly, Chinese • Holly, Foster's • Holly, Japanese • Holly, Savannah • Holly, yaupon • Honeysuckle, bush • Hopbush • Hopseed bush • Hydrangea • Juniper • Juniper, Chinese • Juniper, shore • Juniper, trailing • Laurel, cherry • Laurel, mountain • Laurel, Otto Luyken • Laurel, Schipka • Laurustinus • Lavender, English • Leucothoe • Leucothoe, coast • Lilac, cut-leaf • Lily-of-the-Nile • Mahonia • Mock orange • Myrtle, compact • Myrtle, wax • Nandina • Oleander • Oregon grape • Osmanthus • Palm, European fan • Palm, Mediterranean fan • Phlox, prickly • Photinia, Fraser • Pieris, Japanese • Pine, mugo • Plum, natal • Privet, California • Privet, glossy • Privet, variegated • Privet, waxleaf • Pyracantha • Quince, flowering • Ranger, Texas • Rose-of-sharon, dwarf • Rose, Rose-of-Sharon • Sage, Jerusalem • Spiraea • Spiraea, Bumalda • Spiraea, Japanese • Sweet bay • Trumpet bush • Verbena, lemon • Viburnum • Vitex • Weigela • Wild lilac • Wisteria • Xylosma • Yellowbells • Yew • Yew, Japanese • Yew, Southern • Yucca, Adam's needle • Yucca, weeping

BEDDING PLANTS*

Ageratum • Alyssum • Anemone, poppy-flowered • Artemesia • Balloonflower • Begonia • Cabbage, ornamental • Caladium • Chinaaster • Crocosmia, Montebretia • Dahlia • Dianthus • Dusty miller • Gayfeather • Gazania, trailing • Gazania, treasure flower • Geranium • Gloxinia • Impatiens • Kale, ornamental • Marigold, African • Mexicrose • Mum, garden • Pansy • Periwinkle • Periwinkle, rose • Petunia • Plumosa cockscomb • Portulaca • Salvia • Snapdragon • Statice • Sweet William • Vinca • Zinnia

*After planting bedding plants and before this product is applied, the area to be treated should be watered sufficiently to pack soil around roots.

Scotts® Landscape Weed Preventer may be used on plant species not listed on this label. The suitability for such uses should be determined by treating a small number of such plants at the specified rate. Azalea and Camellia should be evaluated 1 to 2 months following treatment for possible injury.

GROUND COVERS

Ajuga • Baby sun rose • Beach strawberry • Capeweed • Cinquefoil, spring • Coyotebush, dwarf • Daisy, trailing African • Dymondia • Gazania • Iceplant, largeleaf • Ivy, English • Ivy, geranium • Jasmine, Asiatic • Jasmine, primrose • Jessamine, Carolina • Manzanita, bearberry • Miscanthus • Mondograss • Morningglory • Myoporum • Pachysandra • Potentilla • Red apple • Rosemary • Rose-of-Sharon • St. Johnswort, creeping • Sand strawberry • Sedum • Stonecrop • Verbena, Peruvian • Vervain • Vetch, crown • Vinca • Wintercreeper

PERENNIALS

Acacia • Alumroot* • Asparagus • Aster, New York • Aster, Stokes • Astilbe (False spirea) • Baby's breath • Beard tongue • Bee balm • Bellflower • Bergenia, heart-leaved • Bird of paradise • Black-eyed Susan • Blanket flower • Bleeding heart • Blue star* • Blue false indigo • Butterfly weed • California poppy • Calla lily • Canna, common garden • Canadian ginger* • Carex • Cast iron plant • Chincherinchee • Clover, crimson • Columbine • Coral bells* • Coreopsis • Crinum lily • Crocus • Daffodil • Daylily • False dragonhead • Fairy duster • Fern, asparagus • Fern, Boston • Fern, leatherleaf** • Fern, tree • Flax, blue • Foamflower, heartleaf • Fortnight lily • Foxglove, common • Freesia • Fuschia, Arizona • Gaillardia • Gaura* • Geum • Gladiolus • Globe amaranth • Golden rockets* • Goldenrod, seaside* • Goldenrod, showy* • Goldenrod, wrinkleleaf • Heather, dwarf • Hen and chicks • Hopflower oregano • Hosta • Hyssop, Coronado† • Hyssop, sunset • Ice plant, hardy or yellow • Indian blanket • Ironweed, New York* • Jacob's ladder* • Joepye weed, sweet scented* • Lady's-mantle • Lantana, weeping • Lavender, English • Leopard's bane • Lily • Lily, plantain • Liriope, big blue • Liriope, creeping • Liriope, variegated • Loosestrife, garden • Montbretia • Moonbeam • Nightshade • Orchid, peacock • Oxeye daisy • Oxeye, smooth* • Peony, Chinese • Phlox, creeping • Purple coneflower • Purple loosestrife • Pussy-toes, small-leaf* • Pussy-toes, stoloniferous† • Red-hot-poker • Rock cress • Rosemary • Ruscus, Israeli • Sage, Russian • Sedge • Shasta daisy • Shrub verbena • Sneezeweed, common • Spiderwort* • Sunflower* • Sweet flag • Thrift, sea pink* • Tickseed • Transvaal daisy* • Tulip • Turtlehead, snakehead • Twinspur • Wonder flower • Vervain* • Yarrow • Zephyr lily

**Applications of this product to immature ferns (during periods of new growth of fronds) may result in some injury.
†Not for use in California.

ORNAMENTAL GRASSES

Beach grass • Fescue, blue • Fescue, sheep • Fountain grass • Pampas grass • Reed canary grass • Reed, giant • Ribbon grass • Tufted hair grass

PRECAUCIONES

- Comprueba que las áreas recién plantadas hayan sido regadas y que el suelo esté compactado alrededor de las raíces de las plantas de estadas antes de aplicar este producto.
- No aplique el producto a las hojas de las plantas. En caso de aplicarse a las hojas de las plantas, enjuáguelas con agua.
- Evite el contacto intencional de los gránulos con piedras, madera u otras superficies porosas, ya que pueden mancharlas. Barra inmediatamente para evitar las manchas. Si los gránulos se trituran contra la superficie, enjuague minuciosamente.
- Las condiciones climáticas anormalmente frías, excesivamente húmedas, calurosas y secas que demoran la germinación o la extienden por un periodo prolongado pueden reducir el control de malezas.
- Para evitar manchas en superficies indeseadas, como hormigón, sendas de piedra, superficies vinílicas, etc., barra los gránulos dispersos lo más pronto posible.
- No use el producto en frutas, verduras o hierbas comestibles.
- Este producto impide la germinación de maleza. No mata las malezas existentes. Si tiene malezas visibles, quítelas primero y después rastrille la superficie del suelo antes de aplicar. Evite aplicar una cantidad excesiva para evitar problemas residuales en plantas sensibles la temporada siguiente.
- Este producto previene la germinación de la mayoría de las malezas por hasta 6 meses en lechos de flores y alrededor de coberturas de suelo, árboles y arbustos.

AVISO: En la medida contemplada por las leyes aplicables, el comprador asume todos los riesgos de uso, almacenamiento o manejo de este producto si no se siguen las instrucciones.

SATISFACCIÓN GARANTIZADA. Si por alguna razón no está satisfecho luego de utilizar este producto, simplemente envíenos el comprobante de compra original y le devolveremos el precio de compra.

AVISOS DE PRECAUCIÓN

RIESGOS PARA LOS SERES HUMANOS Y LOS ANIMALES DOMÉSTICOS

PRECAUCIÓN: **Causa irritación en los ojos. Evite el contacto con los ojos, la piel o la ropa. Puede ser nocivo si se ingiere. Evite la inhalación.**

RECOMENDACIONES DE SEGURIDAD PARA EL USUARIO
Lávese las manos antes de comer, mastticar goma de mascar, consumir tabaco o usar el inodoro. El usuario deberá quitarse la ropa inmediatamente si le cae adentro el pesticida. Luego deberá lavarse bien y ponerse ropa limpia.

PRIMEROS AUXILIOS

Si entra en los ojos: Mantenga el ojo abierto y enjuáguelo lentamente y con cuidado con agua durante 15 a 20 minutos. Si tiene lentes de contacto, quítelos después de lavarse los primeros 5 minutos y continúe lavando el ojo. **Si cae en la piel o la ropa:** Quítese la ropa contaminada. Enjuague la piel de inmediato con abundante agua por 15 a 20 minutos. **Si se ingiere:** Llame a un centro de control de envenenamientos o a un médico inmediatamente para recibir instrucciones de tratamiento. Haga que la persona beba un vaso de agua si puede tragar. No induzca el vómito a menos que así lo indique el centro de control de envenenamientos o el médico. No le dé nada por vía oral a una persona que haya perdido el conocimiento.

EPA Reg No No.538-192(5.37lb)
Scotts Landscape Weed Preventer

ORNAMENTAL BULBS

Scotts® Landscape Weed Preventer may be applied for control of susceptible annual weeds in ornamental bulbs listed on the label (crocus, daffodil [narcissus], gladiolus, tulip, etc.). Apply this product prior to, during, or after bulb emergence.

If weeds have already germinated, use a labeled postemergence herbicide to control emerged weeds.

WILDFLOWERS

Scotts® Landscape Weed Preventer may be applied for control of susceptible annual weeds in plantings of wildflowers listed on the label (black-eyed susan, California poppy, coreopsis, oxeye daisy, etc.). This product may be applied to established perennial wildflowers before emergence of weeds or wildflowers. For wildflowers being established from seed, apply this product after wildflowers have emerged but prior to weed germination. **If weeds have already germinated, use a labeled postemergence product to control emerged weeds.**

Due to the diversity of species and varieties which exist in areas where wildflowers are grown, the response to this product may vary greatly. Carefully testing on desirable species is recommended to determine if area-wide applications can be made.

WEEDS CONTROLLED OR SUPPRESSED:

Use Scotts® Landscape Weed Preventer for preemergence control of the weed species listed. Applications can be made around and over the top of the ornamentals listed on this label.

GRASS WEEDS

Barnyardgrass • Bluegrass, annual • Crabgrass, large • Crabgrass, smooth • Crowfootgrass • Foxtail, giant • Foxtail, green • Foxtail, yellow • Goosegrass • Itchgrass • Johnsongrass (from seed) • Junglerice • Lovegrass (from seed) • Panicum, browntop • Panicum, fall • Panicum, Texas • Sandbur, field • Signalgrass • Sprangletop, Mexican • Sprangletop, red • Witchgrass • Woolly cupgrass

BROADLEAF WEEDS

Burweed, lawn • Carpetweed • Chickweed, common • Chickweed, mouseear • Clover, hop • Cudweed • Evening primrose • Fiddleneck • Filaree • Henbit • Knotweed, prostrate • Kochia • Lambsquarters • Pigweed • Puncturevine • Purslane • Pusley, Florida • Rocket, London • Shepherdspurse • Smartweed, Pennsylvania • Speedwell, corn • Spurge, annual • Spurge, prostrate • Woodsorrel, yellow • Velvetleaf (Buttonweed)

NOTICE: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

GUARANTEED SATISFACTION. If for any reason you are not satisfied after using this product, simply send us the original proof of purchase and we will refund the purchase price.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes eye irritation. Avoid contact with eyes, skin or clothing. May be harmful if swallowed. Avoid inhalation.

USER SAFETY RECOMMENDATIONS

Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. **If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **If inhaled:** Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor, or going for treatment.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems. In case of spills, either collect for use or dispose of properly.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in a dry place for your next application. Product can be used until container is empty.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

QUESTIONS OR COMMENTS: PREGUNTAS O COMENTARIOS:

1-800-543-TURF (8873) or
Visit our Website at scotts.com
Sold by: The Scotts Company
14111 Scottslawn Rd
Marysville, OH 43041

©2019 The Scotts Company LLC.
World rights reserved

EPA Reg. No. 538-192 EPA Est. No. 084175-TX-001

Si se inhala: Lleve a la persona al aire fresco. Si la persona no respira, llame al 911 o una ambulancia y luego, de ser posible, dele respiración artificial (boca a boca, preferiblemente). Llame a un centro de control de envenenamientos o a un médico para recibir recomendaciones de tratamiento. Tenga el envase o la etiqueta del producto con usted cuando llame al centro de control de envenenamientos o al médico, o al acudir a recibir tratamiento.

RIESGOS AMBIENTALES

Este pesticida es tóxico para los peces. Los escurrimientos pueden ser peligrosos para los organismos acuáticos de las zonas aledañas a las áreas tratadas. Para proteger el ambiente, no permita que el pesticida entre o se escurra en drenajes pluviales, zanjas de drenaje, cunetas o aguas superficiales. Aplicar este producto en clima tranquilo cuando no haya pronóstico de lluvia en las siguientes 24 horas ayudará a asegurarse de que el viento o la lluvia no soplen o laven el pesticida fuera del área de tratamiento. Barrer el producto que caiga sobre la entrada de automóviles, la acera o la calle hacia el área tratada del césped para evitar que se escurra a cuerpos de agua o sistemas de drenaje.

ALMACENAMIENTO Y ELIMINACIÓN

ALMACENAMIENTO DEL PESTICIDA: Guarde el producto en un lugar seco para la próxima aplicación. El producto puede usarse hasta vaciar el envase.

ELIMINACIÓN DEL PESTICIDA Y MANEJO DEL ENVASE: Este envase no se puede rellenar. No vuelva a usar ni llenar este envase. **Si está vacío:** Tírelo a la basura o recíclelo, de ser posible. **Si está parcialmente lleno:** Llame a la agencia local de control de desechos sólidos para solicitar instrucciones sobre cómo eliminarlo.

- Nunca elimine el producto no utilizado en drenajes internos o externos.

0 32247 43893 3

100% SIZE
12-digit UPC-A
(non-suppressed)
For Position Only

VID-PP B67955

SEAL AREA