


TREATS 5,000 SQUARE FEET

Lawn Pro®

"Available only at authorized
Scotts. Lawn Pro. retailers."

Scotts®

Crabgrass Preventer Plus Lawn Fertilizer



Crabgrass

Prevents crabgrass
and 8 other problem weeds

Thicker, greener turf
— satisfaction guaranteed*

Not for use on dichondra, St. Augustinegrass or bentgrass lawns

ACTIVE INGREDIENT:	1.22%
Pendimethalin†	98.78%
OTHER INGREDIENTS:	Total 100.00%
†CAS #40487-42-1	EPA Est. No. 538-011-1
EPA Reg. No. 538-202	

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back for additional precautionary statements

NET WEIGHT 14.06 lb (6.38 kg) **26-0-3**

TREATS
5,000
SQUARE
FEET

Crabgrass Preventer Plus Lawn Fertilizer 5M
500034
100% SIZE
12-digit UPC-A
(non-suppressed)
For Position Only
0 32247 39605 9
PROOF OF PURCHASE
FORM 3
MD-BB



Crabgrass Preventer Plus Lawn Fertilizer



39605
3



Crabgrass Preventer Plus Lawn Fertilizer

39605
3

CUT HERE TO OPEN



Crabgrass Preventer Plus Lawn Fertilizer

Directions for use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Application

- Apply to dry foliage. It is not necessary to water in after application. However, for best results the lawn should receive 1/4 to 1/2 inch of water from rainfall or watering within 2-3 days after application.
- Apply this product in early Spring before the 4th mowing or before temperatures are regularly in the 80's (See Map). Rain, snow or freezing weather after application will not affect the performance of this product.
- Do not seed or sod for four growing months following application. This product can prevent seeds from germinating.
- On newly seeded or sodded areas, wait until grass has been mowed at least 4 times.
- On newly sprigged areas, wait 5 months before using.
- Do not use on dichondra, St. Augustinegrass or bentgrass lawns.
- Do not apply to shrubs, flower or garden seed beds or plants.
- Allow at least 4-6 weeks between applications of any other product in this Program.
- Do not apply material to cement, stone, metallic surfaces (such as automobiles and garden furniture), clothing or shoes. If contact occurs, brush off particles to prevent staining and unwanted tracking into the house. If necessary, rinse off with water.
- This product applies 1.5 lbs of pendimethalin per acre.
- Do not apply more than twice a year.



Raking

You may rake your lawn lightly to remove grass clippings or debris. But avoid breaking the soil surface in your lawn for 4 months after application. Heavy raking will disturb the soil where the product was applied and reduce the effectiveness. Do not enter or allow others to enter the treated area until dust has settled. Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

Weeds Controlled/Killed

Barnyardgrass, Foxtail, Oxalis (Common Yellow Woodsorrel), Chickweed, Knotweed, Poa Annua, Crabgrass, Moss, Spurge, Fall Panicum.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION. Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing.

USER SAFETY RECOMMENDATIONS

User should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. User should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

FIRST AID

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor, or going for treatment.

Environmental Hazards:

This pesticide is toxic to fish. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems. In case of spills, either collect for use or dispose of properly.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in a cool, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. **If Empty:** Place in trash or offer for recycling if available.

If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Crabgrass Preventer Plus Lawn Fertilizer 26-0-3 F 643
Guaranteed Analysis

Total nitrogen (N)	26%
11.8% ammoniacal nitrogen	
7.8% urea nitrogen	
5.9% other water soluble nitrogen*	
0.5% water insoluble nitrogen*	
Soluble potash (K ₂ O)	3%
Sulfur (S)	15%
15% combined sulfur (S)	
Derived from: urea, methyleneurea, potassium sulfate, ammonium sulfate.	
*Contains 4.8% slowly available methylenedurea nitrogen, dimethylenetriurea nitrogen and water insoluble nitrogen.	

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-sc.com>

Scotts No-Quibble GuaranteeSM

If for any reason you, the consumer, are not satisfied after using this product, you are entitled to get your money back. Simply send us evidence of purchase, and we will mail you a refund check promptly.

Scotts ...the lawn people

For Additional Questions, Comments and Information, contact the Scotts Lawn Pro retailer where you bought this Product or you can...

Call Scotts' toll-free Consumer Hotline: 1-800-543-TURF

"Lawn Success Made Easy"SM Visit Scotts' website at www.scotts.com

Spreader Settings This package applies 2.81 lbs of product per 1000 sq. ft.	
<p>Spreading Tips Apply header strips. Then apply in the longest direction of lawn. For best results, use a Scotts[®] spreader.</p> <p>Spreader Settings Scotts Broadcast/Rotary Spreaders Each pass should be within 5 feet of each other to ensure an overlap. Scotts[®] Base[®], StandardSM, DeluxeSM EdgeGuard[®], LawnPro[®] or SpeedyGreen[®]</p>	Covers 5,000 sq. ft.
<p>Scotts EasyGreen[®] Each pass should be within 30 inches of each other to ensure an overlap.</p> <p>Scotts Triple Spreaders Make sure spreader wheel completely overlaps previous wheel marks. Scotts AccuGreen[®]</p>	3 1/4
	27
	6
For additional spreader settings, please call 1-800-543-TURF (8873)	


Dedicated To A Beautiful World[®]

Trusted by generations of homeowners, Scotts is dedicated to helping you enhance and protect the beauty of your home environment.

Scotts[®]

Your Do-It-Yourself Lawn Care Headquarters

Scotts[®] Lawn Pro[®] retailers can provide you with the do-it-yourself expertise and products to have a beautiful Scotts lawn simply and easily...for less money than hiring a lawn service. That's why we call them Lawn Pro[®] retailers!



© 2011 The Scotts Company LLC. World rights reserved. Made in U.S.A. of U.S. and Imported Materials.

Sold and Guaranteed By: The Scotts Company 14111 Scottslawn Rd. Marysville, OH 43011

000 TREATS 3 SQUARE FEET

EPA Reg No. 538-202 (5M)


Scotts Lawn Pro Crabgrass Preventer Plus Lawn Fertilizer



TREATS **5,000** SQUARE FEET

Crabgrass Preventer Plus Lawn Fertilizer

EPA Reg No. 538-202 (5M)
Scotts Lawn Pro Crabgrass Preventer Plus Lawn Fertilizer



Crabgrass

Prevents crabgrass
and 8 other problem weeds

Thicker, greener turf
– satisfaction guaranteed*

Not for use on dichondra, St. Augustinegrass or bentgrass lawns

ACTIVE INGREDIENT:	
Pendimethalin†	1.22%
OTHER INGREDIENTS:	98.78%
†CAS #40487-42-1	Total 100.00%
EPA Reg. No. 538-202	EPA Est. No. 538-OH-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back for additional precautionary statements


NET WEIGHT 14.06 lb (6.38 kg)

26-0-3



Crabgrass Preventer
Plus Lawn Fertilizer

39605




Crabgrass Preventer Plus Lawn Fertilizer

Directions for use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Application

- Apply to dry foliage. It is not necessary to water in after application. However, for best results the lawn should receive 1/4 to 1/2 inch of water from rainfall or watering within 2-3 days after application.
- Apply this product in early Spring before the 4th mowing or before temperatures are regularly in the 80's (See Map). Rain, snow or freezing weather after application will not affect the performance of this product.
- Do not seed or sod for four growing months following application. This product can prevent seeds from germinating.
- On newly seeded or sodded areas, wait until grass has been mowed at least 4 times.
- On newly sprigged areas, wait 5 months before using.
- Do not use on dichondra, St. Augustinegrass or bentgrass lawns.
- Do not apply to shrubs, flower or garden seed beds or plants.
- Allow at least 4-6 weeks between applications of any other product in this Program.
- Do not apply material to cement, stone, metallic surfaces (such as automobiles and garden furniture), clothing or shoes. If contact occurs, brush off particles to prevent staining and unwanted tracking into the house. If necessary, rinse off with water.
- This product applies 1.5 lbs of pendimethalin per acre.
- Do not apply more than twice a year.



Raking

You may rake your lawn lightly to remove grass clippings or debris. But avoid breaking the soil surface in your lawn for 4 months after application. Heavy raking will disturb the soil where the product was applied and reduce the effectiveness.

Do not enter or allow others to enter the treated area until dust has settled. Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

Weeds Controlled/Killed

Barnyardgrass, Foxtail, Oxalis (Common Yellow Woodsorrel), Chickweed, Knotweed, Poa Annua, Crabgrass, Moss, Spurge, Fall Panicum.

3/8/11 SSL

Page 5 of 6

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION. Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing.

USER SAFETY RECOMMENDATIONS

User should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. User should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

FIRST AID

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor, or going for treatment.

Environmental Hazards: This pesticide is toxic to fish. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems. In case of spills, either collect for use or dispose of properly.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in a cool, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. If Empty: Place in trash or offer for recycling if available.

If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Crabgrass Preventer Plus Lawn Fertilizer

26-0-3

F 643

Guaranteed Analysis

EPA Reg No. 538-202 (5M)

Scotts Lawn Pro Crabgrass Preventer Plus Lawn Fertilizer

8 Weeds Controlled/Killed
 Rambling grasses, Foxtail, Oxalis (Common Yellow Woodsorrel), Chickweed, Knotweed, Fall Annua, Crabgrass, Moss, Spurge, Fall Panicum.

Spreader Settings This package applies 2.81 lbs of product per 1000 sq ft.

Spreading Tips	Covers 5,000 sq. ft.
Apply header strips. Then apply in the longest direction of lawn. For best results, use a Scotts® spreader.	
Spreader Settings	
Scotts Broadcast/Rotary Spreaders Each pass should be within 5 feet of each other to ensure an overlap.	3 1/4
Scotts® Basic®, Standard™, Deluxe™ EdgeGuard®, LawnPro® or SpeedyGreen®	27
Scotts EasyGreen® Each pass should be within 30 inches of each other to ensure an overlap. Scotts Drop Spreaders Make sure spreader wheel completely overlaps previous wheel marks. Scotts AccuGreen®	6
For additional spreader settings, please call 1-800-543-TURF (8873)	

Dedicated To A Beautiful World®
 Trusted by generations of homeowners, Scotts is dedicated to helping you enhance and protect the beauty of your home environment.
Scotts®

Your Do-It-Yourself Lawn Care Headquarters
 Scotts® Lawn Pro® retailers can provide you with the do-it-yourself expertise and products to have a beautiful Scotts lawn simply and easily...for less money than hiring a lawn service. That's why we call them Lawn Pro® retailers!

1000'S SQUARE FEET STRENGTH

Crabgrass Preventer Plus Lawn Fertilizer	26-0-3	F 643
Guaranteed Analysis		
Total nitrogen (N).....	26%	
11.8% ammoniacal nitrogen		
7.8% urea nitrogen		
5.9% other water soluble nitrogen*		
0.5% water insoluble nitrogen*		
Soluble potash (K ₂ O).....	3%	
Sulfur (S).....	15%	
15% combined sulfur (S)		

Derived from: urea, methyleneurea, potassium sulfate, ammonium sulfate.
 *Contains 4.8% slowly available methyleneurea nitrogen, dimethyl/centriurea nitrogen and water insoluble nitrogen.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-sc.com>

Scotts No-Quibble Guarantee®**

If for any reason you, the consumer, are not satisfied after using this product, you are entitled to get your money back. Simply send us evidence of purchase, and we will mail you a refund check promptly.



For Additional Questions, Comments and Information, contact the Scotts Lawn Pro retailer where you bought this Product or you can...

 Call Scotts' toll-free Consumer Hotline: 1-800-543-TURF

 "Lawn Success Made Easy®"
 Visit Scotts' website at www.scotts.com

© 2011 The Scotts Company LLC.
 World rights reserved.
 Made in U.S.A. of U.S. and Imported Materials.

Sold and Guaranteed By:
 The Scotts Company
 14111 Scottslawn Rd.
 Marysville, OH 43041

100% SIZE
 12-digit UPC-A
 (non-suppressed)
 For Position Only

32247 39605 9