



186

32070

TO OPEN
CUT HERE

1.5"

12.5"

29" Web Width
4"

Hi-Yield®

IMPROVED
SLUG & SNAIL BAIT



- Longer Lasting. The All-Weather Formula Is Effective Up To 3 To 4 Weeks.
- Use Around Fruits, Vegetables, Flowers, And Ornamentals.
- Attractants Draw In All Species Of Slugs And Snails.
- 1 Lb. Covers 4,400 Sq. Ft.



ACTIVATION POINTS
CONTENTS
OTHER INGREDIENTS
TOTAL

KEEP OUT OF REACH OF CHILDREN
CAUTION
This product may be fatal to dogs or other pets.
Do not use around pets. Do not use around birds.
Do not use around bees or other pollinators.
Do not use around children or pets.

NET WEIGHT 2 1/2 LBS. (1.13 KG)

32070



Hi-Yield®
**Improved
Slug & Snail Bait**

32070

Hi-Yield®

IMPROVED

SLUG & SNAIL BAIT

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing dust. Avoid contact with eyes, skin or clothing. Wear chemical resistant gloves made of waterproof material when applying this product. Wash hands with soap and water after handling and before eating and smoking. This pesticide may be fatal to dogs or other pets if eaten. Dogs may be attracted to this bait. Confine pets during application to prevent them from believing they are being baited. Keep pets out of treated area when bait is present.

FIRST AID

If Swallowed	<ul style="list-style-type: none"> Call Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.
If Inhaled	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a Poison Control Center or doctor for further treatment advice.
If In Eyes	<ul style="list-style-type: none"> Hold eye open and rinse steadily and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.
If On Skin Or Clothing	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a Poison Control Center or doctor, or for advice on treatment. You may also contact the National Pesticide Information Center at 1-800-855-7478 for emergency health and information.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Follow directions and use with care.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read entire label. Use in accordance with Precautionary Statements and Directions For Use.

FOR HOME GARDEN USE ONLY

HI-YIELD® IMPROVED SLUG & SNAIL BAIT is a soil surface treatment for control of Snails and Slugs in Vegetable Crops and Gardens, Ornamental Gardens, and Turfgrass Lawns. When applied as directed, HI-YIELD® IMPROVED SLUG & SNAIL BAIT will withstand rain and sprinkling and will offer protection to Gardens and Lawns for several weeks.

USE PRECAUTIONS

Read entire label before using. Use only as a baiting treatment to be applied directly to the soil area beneath plants as listed on this label. DO NOT allow bait pellet to come in contact with parts of plant that may be used for food or feed purposes.

Distributed By:
VOLUNTARY PURCHASING GROUPS, INC.

230 FM 87

BONHAM, TEXAS 75418

Visit Us At: www.hi-yield.com

EPA Reg. No. 71095-7-7401 • EPA Est. No. 7401-TX-1

HI-YIELD® IMPROVED SLUG & SNAIL BAIT should not be applied to dry soil. Applications should be made following an irrigation for best results. DO NOT re-water for 48 hours after application. Apply any time of day, but morning applications are preferred.

APPLICATION INFORMATION

For control of Snails and Slugs in the following areas: use 1 lb. to treat 4,490 sq. ft. of soil surface. For smaller areas, use one level teaspoon per square yard. Apply when first plant damage appears or is anticipated and repeat as needed for control.

VEGETABLE CROPS AND GARDENS such as Artichoke, Asparagus, Beans, Beets, Blackeyed Peas, Broccoli, Brussels Sprouts, Cabbage, Cabbage, Cucumbers, Eggplant, Endive, Garlic, Greening, Horseradish, Kale, Kohlrabi, Lettuce, Lethach, Melons, Mustard Greens, Okra, Onion, Peas, Peppers, Pimientos, Potatoes, Pumpkins, Radishes, Rhubarb, Rutabagas, Salad, Shallots, Spinach, Squash, Sweet Potatoes, Swiss Chard, Tomatoes, Turnips, and Watermelons. Apply only to soil surface.

FRUIT TREE CROPS such as Apples, Apricots, Avocados, Cherries, Citrus (Oranges, Lemons, Grapefruit, etc.), Peaches and Pears. Broadcast under trees.

BERRY CROPS such as Blackberries, Boysenberries, Logansberries, Raspberries and Strawberries. Apply only to soil surface.

TURFGRASS LAWNS. Broadcast this product directly and evenly.

ORNAMENTAL PLANTS - ORNAMENTAL GARDENS, PLANTED BORDERS AND GROUND COVERS such as Azaleas, Begonias, Camellias, Chrysanthemums, Daffodils, Daisies, Geraniums, Honeyuckles, Hydrangeas, Ice Plant, Impatiens, Iris, Marigolds, Petunias, Phlox, Rose, Sheets, Pansies, Snapdragons, Scotch Thistle, and Tulips. Broadcast or sprinkle this product evenly over the infested areas and along edges of flower beds adjacent to border or ground cover plants. Also apply on ground at base of fences and walls in shady protected locations. This product may be injurious to Daffodils and Clematis. Do not use on these plants.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store product in original labeled container in a cool, dry, locked place out of reach of children. Keep container tightly closed when not in use. Do not store in direct sunlight.

CONTAINER DISPOSAL: If Empty: Do not reuse this container. Place in trash or offer for recycling if available. If Partly Filled: Call your solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONDITIONS FOR SALE

Important: Read these entire Directions and Conditions of Sale before using HI-YIELD® IMPROVED SLUG & SNAIL BAIT. Disclaimer: Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in the Directions For Use, subject to the inherent risks referred to above. Manufacturer makes no other express or implied warranty. In no case shall Manufacturer be liable for consequential, special or indirect damage resulting from the use or handling of this product.

NOTICE: Buyer assumes all risks of use, storage or handling of this product not in accordance with directions.



25M-2-69-6


32070

TO OPEN
CUT HERE



RESEALABLE
ZIPPER
BAG

Hi-Yield® IMPROVED **SLUG & SNAIL BAIT**



- Longer Lasting. The All-Weather Formula Is Effective Up To 3 To 4 Weeks.
- Use Around Fruits, Vegetables, Flowers, And Ornamentals.
- Attractants Draw In All Species Of Slugs And Snails.
- 1 Lb. Covers 4,400 Sq. Ft.



ACTIVE INGREDIENT

Metaldehyde

3.25%

OTHER INGREDIENTS

96.75%

TOTAL

100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated area when bait is present. Read and follow all directions.


NET WEIGHT 2½ LBS. (1.13 KG)

32070

Hi-Yield®

**Improved
Slug & Snail Bait**

32070



Hi-Yield® IMPROVED SLUG & SNAIL BAIT

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing dust. Avoid contact with eyes, skin or clothing. Wear chemical resistant gloves made of waterproof material when applying this product. Wash hands with soap and water after handling and before eating and smoking. This pesticide may be fatal to dogs or other pets if eaten. Dogs may be attracted to this bait. Confine pets during application to prevent them from believing they are being fed. Keep pets out of treated area when bait is present.

FIRST AID

If Swallowed	<ul style="list-style-type: none">Call Poison Control Center or doctor immediately for treatment advice.Have person sip a glass of water if able to swallow.Do not induce vomiting unless told to do so by the Poison Control Center or doctor.Do not give anything by mouth to an unconscious person.
If Inhaled	<ul style="list-style-type: none">Move person to fresh air.If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.Call a Poison Control Center or doctor for further treatment advice.
If In Eyes	<ul style="list-style-type: none">Hold eye open and rinse slowly and gently with water for 15-20 minutes.Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.Call a Poison Control Center or doctor for treatment advice.
If On Skin Or Clothing	<ul style="list-style-type: none">Take off contaminated clothing.Rinse skin immediately with plenty of water for 15-20 minutes.Call a Poison Control Center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a Poison Control Center or doctor, or for going for treatment. You may also contact the National Pesticide Information Center at 1-800-858-7378 for emergency treatment information.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Follow directions and use with care.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read entire label. Use in accordance with Precautionary Statements and Directions For Use.

FOR HOME GARDEN USE ONLY

HI-YIELD® IMPROVED SLUG & SNAIL BAIT is a soil surface treatment for control of Snails and Slugs in Vegetable Crops and Gardens, Ornamental Gardens, and Turfgrass Lawns. When applied as directed, HI-YIELD® IMPROVED SLUG & SNAIL BAIT will withstand rain and sprinkling and will offer protection

HI-YIELD® IMPROVED SLUG & SNAIL BAIT should not be applied to dry soil. Applications should be made following an irrigation for best results. DO NOT re-water for 48 hours after application. Apply any time of day, but evening applications are preferred.

APPLICATION INFORMATION

For control of Snails and Slugs in the following areas, use 1 lb. to treat 4,400 sq. ft. of soil surface. For smaller areas, use one level teaspoon per square yard. Apply when first plant damage appears or is anticipated and repeat as needed for control.

VEGETABLE CROPS AND GARDENS such as Artichoke, Asparagus, Beans, Beets, Blackeyed Peas, Broccoli, Brussels Sprouts, Cabbage, Cantaloupe, Cucumbers, Eggplant, Endive, Garlic, Ginseng, Horseradish, Kale, Kohlrabi, Leeks, Lettuce, Melons, Mustard Greens, Okra, Onion, Parsnips, Peas, Peppers, Pimentos, Potatoes, Pumpkins, Radishes, Rhubarb, Rutabagas, Salsify, Shallots, Spinach, Squash, Sweet Potatoes, Swiss Chard, Tomatoes, Turnips, and Watermelons: Apply only to soil surface.

FRUIT TREE CROPS such as Apples, Apricots, Avocados, Cherries, Citrus (Oranges, Lemons, Grapefruit, etc.), Peaches and Pears: Broadcast under trees.

BERRY CROPS such as Blackberries, Boysenberries, Loganberries, Raspberries and Strawberries: Apply only to soil surface.

TURFGRASS LAWNS: Broadcast this product directly and evenly.

ORNAMENTAL PLANTS - ORNAMENTAL GARDENS, PLANTED BORDERS AND GROUND COVERS such as Azaleas, Begonias, Camellias, Chrysanthemums, Daffodils, Daisies, Geraniums, Honeysuckle, Hydrangeas, Ice Plant, Impatiens, Iris, Marigolds, Pansies, Petunias, Rhododendrons, Rose, Sweets Peas, Snapdragons, Spathiphyllum, and Tulips: Broadcast or sprinkle this product evenly over the infested areas and along edges of flower beds adjacent to border or ground cover plants. Also apply on ground at base of fences and walls in shady protected locations. This product may be injurious to Daylilies and Clematis. Do not use on these plants.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store product in original labeled container in a cool, dry, locked place out of reach of children. Keep container tightly closed when not in use. Do not store in direct sunlight.

CONTAINER DISPOSAL: If Empty: Do not reuse this container. Place in trash or offer for recycling if available. **If Partly Filled:** Call your solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drains.

CONDITIONS FOR SALE

Important: Read these entire Directions and Conditions of Sale before using HI-YIELD® IMPROVED SLUG & SNAIL BAIT. **Disclaimer:** Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in the Directions For

other pets if eaten. Dogs may be attracted to this bait. Confine pets during application to prevent them from believing they are being fed. Keep pets out of treated area when bait is present.

FIRST AID

If Swallowed	<ul style="list-style-type: none">Call Poison Control Center or doctor immediately for treatment advice.Have person sip a glass of water if able to swallow.Do not induce vomiting unless told to do so by the Poison Control Center or doctor.Do not give anything by mouth to an unconscious person.
If Inhaled	<ul style="list-style-type: none">Move person to fresh air.If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.Call a Poison Control Center or doctor for further treatment advice.
If In Eyes	<ul style="list-style-type: none">Hold eye open and rinse slowly and gently with water for 15-20 minutes.Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.Call a Poison Control Center or doctor for treatment advice.
If On Skin Or Clothing	<ul style="list-style-type: none">Take off contaminated clothing.Rinse skin immediately with plenty of water for 15-20 minutes.Call a Poison Control Center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a Poison Control Center or doctor, or for going for treatment. You may also contact the National Pesticide Information Center at 1-800-858-7378 for emergency treatment information.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Follow directions and use with care.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read entire label. Use in accordance with Precautionary Statements and Directions For Use.

FOR HOME GARDEN USE ONLY

HI-YIELD® IMPROVED SLUG & SNAIL BAIT is a soil surface treatment for control of Snails and Slugs in Vegetable Crops and Gardens, Ornamental Gardens, and Turfgrass Lawns. When applied as directed, HI-YIELD® IMPROVED SLUG & SNAIL BAIT will withstand rain and sprinkling and will offer protection to Gardens and Lawns for several weeks.

USE PRECAUTIONS

Read entire label before using. Use only as a baiting treatment to be applied directly to the soil area beneath plants as listed on this label. DO NOT allow bait pellet to come in contact with parts of plant that may be used for food or feed purposes.

Distributed By:
VOLUNTARY PURCHASING GROUPS, INC.
230 FM 87
BONHAM, TEXAS 75418

Visit Us At: www.hi-yield.com

EPA Reg. No. 71096-7-7401 • EPA Est. No. 7401-TX-1

For control of Snails and Slugs in the following areas, use 1 lb. to treat 4,400 sq. ft. of soil surface. For smaller areas, use one level teaspoon per square yard. Apply when first plant damage appears, or is anticipated and repeat as needed for control.

VEGETABLE CROPS AND GARDENS such as Artichoke, Asparagus, Beans, Beets, Blackeyed Peas, Broccoli, Brussels Sprouts, Cabbage, Cantaloupe, Cucumbers, Eggplant, Endive, Garlic, Ginseng, Horseradish, Kale, Kohlrabi, Leeks, Lettuce, Melons, Mustard Greens, Okra, Onion, Parsnips, Peas, Peppers, Pimentos, Potatoes, Pumpkins, Radishes, Rhubarb, Rutabagas, Salsify, Shallots, Spinach, Squash, Sweet Potatoes, Swiss Chard, Tomatoes, Turnips, and Watermelons: Apply only to soil surface.

FRUIT TREE CROPS such as Apples, Apricots, Avocados, Cherries, Citrus (Oranges, Lemons, Grapefruit, etc.), Peaches and Pears: Broadcast under trees.

BERRY CROPS such as Blackberries, Boysenberries, Loganberries, Raspberries and Strawberries: Apply only to soil surface.

TURFGRASS LAWNS: Broadcast this product directly and evenly.

ORNAMENTAL PLANTS – ORNAMENTAL GARDENS, PLANTED BORDERS AND GROUND COVERS such as Azaleas, Begonias, Camellias, Chrysanthemums, Daffodils, Daisies, Geraniums, Honeysuckle, Hydrangeas, Ice Plant, Impatiens, Iris, Marigolds, Pansies, Petunias, Rhododendrons, Rose, Sweets Peas, Snapdragons, Spathiphyllum, and Tulips: Broadcast or sprinkle this product evenly over the infested areas and along edges of flower beds adjacent to border or ground cover plants. Also apply on ground at base of fences and walls in shady protected locations. This product may be injurious to Daylilies and Clematis. Do not use on these plants.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.


STORAGE: Store product in original labeled container in a cool, dry, locked place out of reach of children. Keep container tightly closed when not in use. Do not store in direct sunlight.

CONTAINER DISPOSAL: If Empty: Do not reuse this container. Place in trash or offer for recycling if available. **If Partly Filled:** Call your solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drains.

CONDITIONS FOR SALE

Important: Read these entire Directions and Conditions of Sale before using HI-YIELD® IMPROVED SLUG & SNAIL BAIT. **Disclaimer:** Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in the Directions For Use, subject to the inherent risks referred to above. Manufacturer makes no other express or implied warranty. In no case shall Manufacturer be liable for consequential, special or indirect damage resulting from the use or handling of this product.

NOTICE: Buyer assumes all risks of use, storage or handling of this product not in accordance with directions.



25M-2-69-5