This product contains N-methyl carbamate that inhibits cholinesterase If in eyes:

- Hold eye open and rinse slowly and gently with water for 15-20
- minutes. · Remove contact lenses, if present, after the first 5 minutes, then
- continue rinsing eye. · Call a poison control center or doctor for treatment advice.

- Call a poison control center or doctor immediately for treatment advice
- Have person sip a glass of water if able to swallow
- . Do not induce vomiting unless told to do so by the poison control center or doctor
- Do not give anything by mouth to an unconscious person.

If on skin or on clothing:

- Take off contaminated clothing.
 Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

If inhaled:

- Move person to fresh air.
- · If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible
- Call a poison control center or doctor for further treatment advice.

POISONING HOTLINE

Seek medical care as soon as possible after exposure. For incidents involving animals, seek veterinary care as soon as possible after exposure. Have the product container or label with you when you call a poison control center or doctor or veterinarian, or when going for treatment. For information on this pesticide product (including health concerns, medical emergencies, treatment advice, or pesticide incidents), call PROSAR at 1-800-308-3723.

Metaldehyde is a systemic toxin. There is no antidote. The following instructions are not intended for laypeople. There is no home treatment. Exposed individuals and animals should receive emergency care as quickly as possible.

NOTE TO PHYSICIAN: Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine is antidotal. Dust inhalation is usual route of accidental exposure; the product is rarely ingested. Treatment for metaldehyde is symptomatic and supportive. Monitor severe exposures closely: seizures, electrolyte imbalances, acidosis, dehydration, and increased body temperature have been reported.

NOTE TO VETERINARIAN: Animals are typically exposed via ingestion. Treatment for metaldehyde is symptomatic and supportive. If significant ingestion is suspected and animal is asymptomatic, consider induction of emesis or gastric lavage and administration of activated charcoal, cathartic and enema to limit absorption. Monitor asymptomatic and symptomatic animals closely. Treat seizures, electrolyte imbalances, acidosis, dehydration, and increased body temperature. Monitor liver function post recovery.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes eye irritation. May be harmful if swallowed. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly after use. Keep out of reach of children and domestic animals. This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated area. Bait may be attractive to dogs. Confine pets during application to prevent them from believing they are being fed.

USER SAFETY RECOMMENDATIONS

- Wear long-sleeved shirt, long pants, shoes plus socks and chemical resistant gloves, such as polyethylene or butyl rubber or neoprene
- rubber or viton when applying this product. Change clothing as soon as possible after use.
- Wash the outside of gloves before removing. As with any pesticide product, wash hands thoroughly immediately after handling and before eating, smoking or using the toilet.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic and estuarine invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

Distributed by:

Lilly Miller Brands 1340 Treat Blvd, Suite 650 Walnut Creek, CA 94597

EPA Reg. No. 8119-5-33116 EPA Est. No. 8119-WA-1

www.lillymiller.com

Cooke is a registered trademark of Central Garden & Pet.

















Kills earwigs, cutworms, sowbugs, snails, slugs and other listed pests

Use on Selected Fruit. Vegetable, Flower and **Ornamental Gardens**

Remains effective after rain or sprinkling

ACTIVE INGREDIENTS:

Metaldehyde (2,4,6,8-tetramethyl-1,3,5,7-OTHER INGREDIENTS......93%

Keep out of reach of children

NET WT. 3 LB. (1.3 kg)

This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated area. Read and follow all directions

This product is a convenient, ready-to-use bait. It is effective in the control of earwigs, sowbugs, cutworms, crickets, grasshoppers, mole crickets*, ants (except fire ants, harvester ants, pharaoh ants and carpenter ants), armyworms, millipedes, pillbugs, Japanese and darkling beetles, slugs and snails. Easy to use, quick and economical COOKE PEST GRANULES resists rain and sprinkling and remains effective in the garden for many days.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RESTRICTIONS: Do not apply this product in a way that will contact other persons or pets, either directly or through drift. Keep people and pets out of the area during application. Do not allow children or pets to contact treated area until dust has settled. Avoid applying bait in piles that may attract pets.

This product may only be applied by sprinkling directly from the original container to the soil in the area to be treated. Do not apply by hand, spoon or belly grinder. Apply when air is calm. Start applying at the farthest corner of the treatment area and work backward to avoid contact with treated surfaces.

TO APPLY: This product is intended only for outdoor use in home and garden areas. Apply to the soil surface in infested areas as stated in the Product Application Chart.

This product can be used around the following flower/ ornamental, fruit and vegetable plants. Do not apply to foliage or edible parts of the plant. Sprinkle this product evenly to the soil surface around individual plants, between rows of plants and/or as a barrier treatment around plants that you wish to protect.

*For mole crickets, water-in thoroughly (¼ to ½ inch of water) following application to move the insecticide into the root zone.

Product Application Chart

| Use Rate: ¾ LB/1,750 sq. ft. | Minimum Retreatment Interval: | Maximum Applications Per Year: | Pre-harvest |
|---|-------------------------------------|--------------------------------------|--------------------------------|
| Asparagus, pre-harvest | 3 days | 3 | 780. 1 50.00 Singa p |
| Cucumbers, Melons, Squash | 7 days | 6 | 3 |
| Use Rate: 1 LB/1,750 sq. ft. | 0 | | 1000000 |
| Asparagus, post-harvest | 3 days | 5 (pre- & post- harvest combined) | 0 |
| Blueberries | 7 days | 4 | 7 |
| Caneberries (bingleberry, black raspberry, blackberry, boysenberry, dewberry, lowberry, marionberry, clallieberry, red raspberry, youngberry) and Other Berries (currant, elderberry, gooseberry, luckleberry, loganberry, lingonberry, juneberry, salal) | 7 days | 4 | 7 |
| Carrots, Potatoes, Radishes, Turnips | 7 days | 4 | 7 |
| Broccoli, Brussels sprouts, cabbage, cauliflower, cavalo broccolo, kohlrabi | 7 days | 4 | 3 |
| Collards, kale, mizuna, mustard greens, rape greens | 7 days | 4 | 14 |
| Tomatoes, Pepper, Eggplant | 7 days | 4 | 3 |
| Flowers/Ornamentals/Non-turf Ground cover | 7 days | 6 | 0 |

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in a cool, dry, locked location out of direct sunlight, in original container, and not accessible to children or pets. Avoid contamination of feed and foodstuffs.

PESTICIDE DISPOSAL: If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL: *If empty:* Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.