

302 x 10.500
 California Composite Container
 single up size: 9.937" (9-15/16") x 10.5" (10-1/2")
 delivered strip size: 9.937" (9-15/16") x 32"

1 lb Canister label
 Deadline Bug Bait
 Printer: IPCO Printing
 11/7/11

*Note: IPCO Printing prints flood aqueous

Bleed Area

PROTECTS LISTED
 FRUIT, VEGETABLE &
 ORNAMENTAL GARDENS

Deadline[®]

BUG BAIT

Fast, effective control of slugs,
 snails and listed insects



REMAINS EFFECTIVE
 AFTER RAIN OR SPRINKLING



KEEP OUT OF REACH
 OF CHILDREN AND
 DOMESTIC ANIMALS

CAUTION

ACTIVE INGREDIENTS:
 Metaldehyde (2, 4, 6, 8-tetramethyl-1, 3, 5, 7-
 tetraoxocyclo-octane) 2%
 Carbaryl (1-Naphthyl N-methylcarbamate) 5%
 OTHER INGREDIENTS: 93%
 TOTAL: 100%

NET WEIGHT 1 LB (454 g)

*Except fire ants, pharaoh ants, carpenter ants and harvester ants

This pesticide may be harmful to children and fatal to domestic animals if ingested. Exclude children and pets from treated areas until the applied product is no longer visible. For additional precautionary measures, see "Directions for Use" and "Storage and Disposal". Pests targeted by this product are listed in Directions for Use.

Deadline[®]

BUG BAIT

PRODUCT INFORMATION
 DEADLINE[®] BUG BAIT is a convenient, ready-to-use bait. It is extremely effective in the control of slugs, snails, earwigs, sowbugs, cutworms, crickets, grasshoppers, mole crickets, ants, armyworms, millipedes, pillbugs, Japanese and darkling beetles. Easy to use, quick and economical DEADLINE[®] BUG BAIT resists rain and sprinkling and remains effective in the garden for many days.

DIRECTIONS FOR USE
 It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes.

PRECAUTIONS AND RESTRICTIONS
 Do not apply this product in a way that will contact other persons or pets, either directly or through drift. Keep people and pets out of the area during application. This pesticide may be harmful to children and fatal to dogs and other domestic animals if ingested. Children and dogs may be attracted to metaldehyde products, both in the package and when applied. Children and domestic animals must be kept out of treated areas from the start of application until the applied product is no longer visible. Application of this metaldehyde product is prohibited unless children and domestic animals can be excluded from the treated areas from the start of application until the applied product is no longer visible. Avoid applying pellets in piles that may attract pets. Applications to turf and dichondra are prohibited. Application is permitted only to non-turf areas (e.g., on soil or mulch) directly surrounding plants listed on the label. Broadcast and foliar applications of this product are prohibited. Application is permitted only as a barrier around gardens or individual plants. Application is prohibited within one foot of vegetable plants or fruit-bearing plants not listed on this label. If directions for use require watering-in, do not allow people (except those involved in the watering-in) to enter the treated area until the watering-in is complete, the product is no longer visible, and the area has dried.

APPLICATION METHOD
 Only apply this product from the original container by sprinkling directly on the area to be treated. Do not apply by hand, spoon or belly grinder. Apply when air is calm to avoid drift and contact with eyes and skin. Start applying at the farthest corner of the treatment area and work backward to avoid contact with treated surfaces.

Certain cultural practices may reduce damage from slugs and snails. These practices include: eliminating hiding places by removing leaf litter and debris in the garden; removing slug and snails during daylight hours from nearby leaf litter, mulch, and other protected areas; watering in the morning to reduce humidity during the night when slugs and snails are active.

This product is for outdoor use only. Apply to the soil surface in infested areas as indicated in the Product Application Chart.

This bait is extremely attractive to slugs, snails, and other listed insects and will lure them from their hiding places. They favor damp, well shaded locations around listed berry, fruit, vegetable and ornamental plants located outdoors in residential gardens. Treat all listed sites where slug and snails can obtain shelter by day, as these pests migrate to better feeding and sheltering conditions. Be sure area to be treated is damp. In dry weather, water well before applying bait. Heavy or prolonged rain can shorten effective period of bait. If slugs, snails, and other listed insects are invading from adjacent properties, a pencil-thin line the entire length of the infested area will form a barrier and result in excellent control. Preferred baiting time is in the evening as these pests feed mainly at night. DEADLINE[®] BUG BAIT can be used to protect the listed fruit, vegetable and ornamental plants. Apply only to the soil surface. Do not apply to foliage or edible parts of the plant. Apply this product evenly around individual plants, between rows of plants and/or as a barrier treatment around plants that you wish to protect.

Use this product to control slugs, snails, earwigs, sowbugs, cutworms, crickets, grasshoppers, mole crickets, ants, armyworms, millipedes, pillbugs, Japanese and darkling beetles.

*For mole crickets, water-in thoroughly (1/4 to 1/2 inch of water) following application to move the insecticide into the root zone.

*Except fire ants, pharaoh ants, carpenter ants and harvester ants

PLANTS	Minimum Retreatment Interval:	Maximum Applications Per Season:	Days from Product Application to Harvest
Blueberries	14 days	3	7
Caneberries (bingeberry, black raspberry, blackberry, boysenberry, dewberry, lowberry, marionberry, olallieberry, red raspberry, youngberry) and Other Berries (currant, elderberry, gooseberry, huckleberry, loganberry, lingonberry, Juneberry, salal)	14 days	3	7
Cole Crops (broccoli, Brussels sprouts, cabbage, cauliflower, cavalo broccolo, collards, kale, kohlrabi, mizuna, mustard greens, rape greens)	14 days	3	15
Tomatoes	14 days	3	3
Strawberries	14 days	3	7
Ornamentals	21 days	6	0

STORAGE AND DISPOSAL
 Do not contaminate water, food or feed by storage and disposal.
PESTICIDE STORAGE: This product can be harmful to children and fatal to domestic animals if ingested. Dogs have been known to ingest metaldehyde after opening or tearing packaging. Store this product in its original packaging, in a cool, secure location, and out of reach of children and pets.
PESTICIDE DISPOSAL: If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.
CONTAINER DISPOSAL: If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION: Causes moderate eye irritation. Harmful if absorbed through skin. Harmful if swallowed. Harmful if inhaled. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. **IMPORTANT:** This product may be harmful to children and fatal to domestic animals if ingested. Children and dogs may be attracted to metaldehyde products and their packaging. Keep children and pets out of treated areas from the start of application until the applied product is no longer visible.

USER SAFETY REQUIREMENTS

- Wear long sleeved shirt, long pants, shoes plus socks and chemical resistant gloves, such as polyethylene or butyl rubber or neoprene rubber or viton when applying this product.
- Change clothing as soon as possible after use.
- Wash the outside of gloves before removing. As with any pesticide product, wash hands thoroughly immediately after handling and before eating, smoking or using the toilet.
- Do not allow children or pets to contact treated area until applied product is no longer visible.

ENVIRONMENTAL HAZARDS
 This product is extremely toxic to aquatic and estuarine invertebrates and is toxic to mollusks (clams, oysters, scallops, mussels). To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters (including garden ponds). Do not apply if heavy rain is expected. Applying this product in calm weather when rain is not predicted for the next 24 hours will help ensure that wind or rain does not wash pesticide off the treatment area. This pesticide is toxic to birds and mammals. Collect and remove any product that is spilled.

Deadline is a registered trademark of Matson, LLC. www.corrys.com
 © 2010, 2014, 2017 Matson, LLC

Mfd. for: Matson, LLC
 P.O. Box 1820
 North Bend, WA 98045
 EPA Reg. No. 8119-S
 EPA Est. No. 66676-DR-001,
 8119-WA-1,
 Subscript used is first letter of Run Code on container.

300522941 - 06/17 DL12_v7

0 70585 00701 5

FIRST AID
 This product contains N-methyl carbamate that inhibits cholinesterase.

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

IF SWALLOWED:

- Call poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

IF INHALED:

- Move person to fresh air.
- If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.
- Call a poison control center or doctor for further treatment advice.

POISONING HOTLINE
 Seek medical care as soon as possible after exposure. For incidents involving animals, seek veterinary care as soon as possible after exposure. Have the product container or label with you when you call a poison control center or doctor or veterinarian, or when going for treatment. For information on this pesticide product (including health concerns, medical emergencies, treatment advice, or pesticide incidents), call PROSAR at 1-800-308-3723.

Metaldehyde is a systemic toxin. There is no antidote. The following instructions are not intended for laypeople. There is no home treatment. Exposed individuals and animals should receive emergency care as quickly as possible.

NOTE TO PHYSICIAN: Carbaryl is a N-methyl carbamate which is a cholinesterase inhibitor. Atropine is antidote. Dust inhalation is usual route of accidental exposure; the product is rarely ingested. Treatment is symptomatic and supportive. Monitor severe exposures closely: seizures, electrolyte imbalances, acidosis, dehydration, and increased body temperature have been reported.

NOTE TO VETERINARIAN: Animals typically are exposed via ingestion. Treatment is symptomatic and supportive. If significant ingestion suspected and the animal is asymptomatic, consider induction of emesis or gastric lavage and administration of activated charcoal, cathartic and enema to limit absorption. Monitor asymptomatic and symptomatic animals closely. Treat seizures, electrolyte imbalances, acidosis, dehydration, and increased body temperature. Monitor liver function post recovery.

NOTICE - Cancer - www.P65Warnings.ca.gov

9.937" (9-15/16")

CONTROLS

NEW REVISIONS OTHER

client: **DEADLINE**

date submitted: **XX/XX/17** version date: **06/15/17** requested finish: **XX/XX/17**

file name: **DL12 - Deadline 100509274 Bug Bait 1LB**

version #: **7**

requester: **AZIEZA**

designer: **SHAK**

approval sign-off: _____ date: _____

colors: CMYK SPOT COLORS

PMS # 000 PMS # 000
 PMS # 000 PMS # 000

notes: Special notes and instructions will go here. Special notes and instructions will go here. Special notes and instructions will go here.

This color print is for content and position only. Use Contract Proof for Process-Color matching. Use Ink Drawdowns for Spot-Color matching.

