

31815  
5

100% SIZE  
12-digit UPCA  
(not suppressed)  
For Position Only  
32247 31815



# Turf Builder<sup>1</sup>

WITH **PLUS 2<sup>®</sup> WEED CONTROL**

Con control de malezas PLUS 2<sup>®</sup>



**Kills Dandelions and Other Major Lawn Weeds<sup>+</sup>**

Elimina el diente de león y otras malezas principales del césped<sup>+</sup>

NO MATENIR OVN ST. ANILLOS DE GRASS. FLECKING. DISCOLORIA. LUPIN. CARPENTERESS OVN BENEFICIOS LADAS. EN LOS CASOS DE LOS PESOS SI SON INCLUIDOS EN EL MANEJO. TRABAJO EN LA ESPERA. VERBENA ALIUMPIA NO APLICADO.

<sup>1</sup>Zero-Phosphorus Formula

NET WEIGHT/PESO NETO  
43.89 lb (19.91 kg)

ACTIVE INGREDIENTS:  
NITROGEN 15.00%  
PHOSPHORUS 0.00%  
POTASH 13.00%  
IRON 1.00%  
ZINC 0.50%  
MANGANESE 0.50%  
COPPER 0.50%  
BORON 0.50%  
ZINC 0.50%  
MANGANESE 0.50%  
COPPER 0.50%  
BORON 0.50%



**Builds Strong, Deep Roots**

Desarrolla raíces fuertes y profundas



**Improves Lawn's Ability to Absorb Water & Nutrients**

Mejora la capacidad del césped para absorber agua y nutrientes



WITH **PLUS 2<sup>®</sup> WEED CONTROL**  
**28-0-3 Covers 15,000 SQ FT** <sup>31815</sup>/<sub>5</sub>

**Won't Burn Lawn Guaranteed!**

KEEP OUT OF REACH OF CHILDREN  
SEE BACK FOR ADDITIONAL PRECAUTIONARY STATEMENTS.  
**CAUTION** MANTENER FUERA DEL ALCANCE DE LOS NIÑOS  
**PRECAUCION** CONSULTAR EL PANEL POSTERIOR PARA CONOCER MAS DE PRECAUCION ADICIONALES.





We care. Scotts® products are designed with care to grow thicker, greener lawns. Because Green is Good™. A healthy lawn cleans the air, produces oxygen and prevents runoff and soil erosion. You can make a difference. Help keep our water resources clean. Apply this product only to your lawn, and sweep any product that lands in the driveway, sidewalk or street back onto your lawn.

**Tips for Lawn Care Success:**

- **Feed regularly for your best lawn.** Regular feedings of Scotts® Turf Builder® will help build a lawn you and your family can enjoy. Scotts Turf Builder provides the nutrients your lawn needs to look its best and withstand the stresses of weeds, heat, drought and family activity.
- **Mow your lawn high.** Mowing high allows the grass to develop a deep root system & helps your lawn use water more effectively.
- **Leave the grass clippings on your lawn.** This recycles the plant nutrients back into the soil.
- **Conserve water.** Your lawn will begin to wilt when water is needed. As much as possible, take advantage of nature's sprinkler and rely on the rain to water your lawn.

**Plan your feeding schedule. Choose the right product for your lawn.**

| ANY SEASON  | EARLY SPRING February-April  | LATE SPRING April-June  | SUMMER June-August                                       | FALL September-December   |
|---|--|---|--|---|
| Apply any season if weeds or bugs are not a problem:<br>Scotts® Turf Builder® Lawn Fertilizer | To prevent crabgrass:<br>Scotts® Turf Builder® with Halts® Crabgrass Preventer | To kill weeds:<br>Scotts® Turf Builder® with Plus 2® Weed Control | To kill bugs:<br>Scotts® Turf Builder® with SummerGuard® | Scotts® Turf Builder® WinterGuard®<br>To kill fall weeds:<br>Scotts® Turf Builder® WinterGuard® with Plus 2® Weed Control |



**Well-fed lawns are more efficient at using available water.**  
Feeding with Scotts® helps build a thick lawn with more roots to better absorb water and nutrients than a unfed lawn. This helps protect your lawn against heat, drought and other stresses.

**Get expert advice for your lawn NOW!**  
Want information on what to use and when? Sign up today to get free expert advice specifically for your lawn.  
Visit our website: [www.scotts.com](http://www.scotts.com)  
Consumer Helpline: 1-800-543-TURF (8873)

**FOR BEST RESULTS, APPLY TO A WET LAWN**

**Directions for Use / Instrucciones de uso**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product applies 1.5 pounds (0.7 kg) per acre per application. The maximum number of broadcast applications per treatment area is two per year. A maximum of 30 days between applications is required.

**Application**  
• Apply when weeds are actively growing (when daytime temperatures are consistently above 50°F).  
• Apply on a calm day.  
• Apply to moist grass. To help particles stick to moist leaves, the grass should be thoroughly watered or wet from dew before applying this product.  
• Do not apply to newly seeded lawns, until well after the second mowing of the year but NOT before mid-March. In the CA, DO NOT use this product on lawns until well after the first of October and DO NOT use before the first of November.  
• Do not use this product on flowers, shrubs, fruit or vegetable plants or on existing lawns, St. Augustine, Berberis, dichroa, camphorosma or Apple trees. On lawns, citrus, ornamentals, roses, hydrangeas, bay, and oaks. Do not apply when windy. Apply the product evenly to your lawn or garden, and sweep any product landing on the driveway, sidewalk, or street, back onto the treated area. To prevent product run-off, do not over water the treated area to the point of runoff or apply when raining or when rain is expected that day.

**Watering or Rain**  
Do not water your lawn for 24 hours after application. Water will wash the weed control of the weed's leaves and reduce the effectiveness of this product. This product should not be applied if rain is expected within the next 24 hours.

**IMPORTANT**  
**What to Expect**  
Weed stems and leaves will begin to wilt and curl in a few days, but a month or more may be required for control. This product will not prevent weed seeds from producing new plants.

**Extreme Temperatures**  
Avoid applying when temperatures are consistently above 90°F.

**Seeding/Sodding**  
Wait until new grass has been seeded at least four times before applying Scotts® Turf Builder® with Plus 2® Weed Control. If you are planning to seed or sod, you should wait at least one month after you have applied Scotts® Turf Builder® with Plus 2® Weed Control.

**Riego o lluvia**  
No debe regar en las siguientes 24 horas después de la aplicación. El agua lavará el herbicida de las hojas de las malezas y reducirá la efectividad de este producto. No se debe aplicar este producto si se espera lluvia dentro de las siguientes 24 horas.

**¡IMPORTANTE!**  
**Qué debe esperar**  
Las hojas y tallos de las malezas se empiezan a retorcer y a plegar. Cuello en pocos días, pero puede ser necesario un mes o más para obtener un control completo. Este producto no previene que las semillas de las malezas produzcan nuevos plantas.

**Temperaturas extremas**  
Evite aplicar cuando las temperaturas estén arriba de 90°C consistentemente.

**Siembra/Colocación de tepes**  
Espere a que la nueva gramínea haya sido sembrada por lo menos cuatro veces antes de aplicar Scotts® Turf Builder® with Plus 2® Weed Control. Si tiene planeado sembrar o colocar tepes, deberá esperar por lo menos un mes después de haber aplicado Scotts® Turf Builder® with Plus 2® Weed Control.

**Spreader Settings / Posiciones del esparcidor**

| Spreader Settings   | Covers 15,000 sq. ft. | Posiciones del esparcidor  | Cubre 1394 metros cuadrados |
|---|-----------------------|--|-----------------------------|
| <b>Scotts® Broadcast/Rotary Spreaders</b><br>Apply heaver chips. Then apply product in longest direction of lawn. For best results, use a Scotts® variable. Shut off spreader or stop each time you reach a border strip. Each pass should be within 3 feet of each other to ensure an overlap.<br>Scotts® Basic™, Standard™, Deluxe™ EdgeGuard™, Lawn Pro™ or SpeedyGreen™ | 3 1/4                 | <b>Scotts® EasyGreen®</b> Cada pasada debe ser a menos de 76 cm de la otra para asegurar un trabajo.   | 27                          |
| <b>Scotts® Drop Spreaders</b><br>Make sure spreader wheel completely overlaps previous wheel marks.<br>Scotts® AccuGreen™<br>For additional spreader settings, please call 1-800-543-TURF (8873).   | 5 1/2                 | <b>Esparcidores de goteo Scotts®</b><br>Asegúrese de que la rueda del esparcidor trabaje completamente las marcas previas de riego.<br>Scotts® AccuGreen™<br>Para conocer las posiciones adicionales del esparcidor, comuníquese al 1-800-543-TURF (8873). | 51/2                        |

**First Aid & Environmental Information / Primeros auxilios e información ambiental**

**KEEP OUT OF REACH OF CHILDREN / CAUTION / PRECAUCIÓN**  
**Precautionary Statements / Hazards to Humans and Domestic Animals**  
CAUTION: Harmful if absorbed through skin. Harmful if inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing dust. Wear long-sleeved shirt, long pants, socks and closed-toe shoes and chemical-resistant gloves made of any waterproof material.

**First Aid**  
• **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Flush skin liberally with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.  
• **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.  
• **IF IN EYES:** Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.  
Have the product container or label with you when calling poison control center or doctor, or going for treatment.

**ENVIRONMENTAL HAZARD:** This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Do not apply directly to water, to areas where surface water is present, or to isolated areas below the mean high water mark. Do not apply directly to aquatic organisms or to water adjacent to treated areas. Do not contaminate water when disposing of equipment/washwaters. This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where such are permitted, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

**Storage and Disposal**  
• **PESTICIDE STORAGE:** Store in a cool, dry place. Recycle unused bag by holding top down and securing.  
• **PESTICIDE CONTAINER DISPOSAL:** IF EMPTY: Non-refillable container. Do not reuse or refill this container. Place in trash or other recycling if available. IF PARTIALLY FILLED: Call your local waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**Questions / Information**  
Full and guaranteed by: The Scotts Company, 14111 Scottsblaw Rd., Marysville, Ohio 43041  
Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.responsiblepest.com>  
Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.responsiblepest.com>  
© 2011 The Scotts Company LLC. World rights reserved.  
EPA Reg. No. 538-270 EPA Est. No. 538-OH-1 TCAS 894-75-7 TCAS 61484-74-8

**NOTICE:** To the extent consistent with applicable law, the buyer assumes all risks of use, storage or handling of this product not in accordance with directions.  
**NOTA:** Conforme a los límites de la ley aplicable, el comprador asume todos los riesgos de uso, almacenamiento o manejo de este producto si no se siguen las instrucciones.

**Scotts No-Quibble Guarantee®**  
If for any reason you, the consumer, are not satisfied after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly. Si por cualquier razón usted, el consumidor, no está satisfecho después de usar este producto, puede devolverlo a quien se lo devolvió su dinero. Simplemente envíenos su comprobante de venta y nosotros le enviaremos rápidamente por correo un cheque de reembolso.

**Guaranteed Analysis**

|  |                             |
|--|-----------------------------|
| Scotts® Turf Builder® with Plus 2® Weed Control 29-0-3 F 643 | Total nitrogen (N)..... 29% |
| 12% ammoniacal nitrogen                                      |                             |
| 1.2% water soluble nitrogen                                  |                             |
| 1.2% water insoluble nitrogen                                |                             |
| Soluble phosphorus (P2O5)..... 3%                            |                             |
| Sulfur (S)..... 3%   |                             |
| 7% combined sulfur (S)                                       |                             |

Derived from: waterfurner.com, potassium sulfate, ammonium sulfate and urea.  
Contains 1% slowly available nitrogen from urea-formaldehyde and dimethylammonium.  
• Packaging white color, thickened, identical and registered.  
• Entre otros: Sulfato de Amonio, Sulfato de Potasio, Urea, Nitrato de Amonio.

**SMG** Full and guaranteed by:  
**NYSF** The Scotts Company  
14111 Scottsblaw Rd.  
Marysville, Ohio 43041  
Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.responsiblepest.com>  
Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.responsiblepest.com>  
© 2011 The Scotts Company LLC. World rights reserved.  
EPA Reg. No. 538-270 EPA Est. No. 538-OH-1 TCAS 894-75-7 TCAS 61484-74-8

**120% SIZE 12-digit UPC-A (non-suppressed) For Position Only**

3 2247 31815 0

PROOF OF PURCHASE  
P01816-0 1 B6 129 1 W0-86



**Water  
Smart**



# **Turf Builder<sup>I</sup>**

**WITH PLUS 2<sup>®</sup> WEED CONTROL**



**Kills Dandelions and Other Major Lawn Weeds+**

Elimina el diente de león y otras malezas principales del césped+

DO NOT USE ON ST. AUGUSTINEGRASS, FLOPATAM, DICHONDRA, LIPPIA, CARPETGRASS OR BENTGRASS LAWNS.  
NO USE EN CESPEDS SAN AGUSTIN, FLORPATAM, DICHONDRA, LIPIA, GRAMA ALFOMBRA, M. AGROSTIS.

†Zero-Phosphorus Formula



**Builds Strong, Deep Roots**

Desarrolla raíces fuertes y profundas



**Improves Lawn's Ability to Absorb Water & Nutrients**

Mejora la capacidad del césped para absorber agua y nutrientes

**NET WEIGHT/PESO NETO**

**43.89 lb (19.91 kg)**

|   |         |
|---|---------|
| ACTIVE INGREDIENTS:                                 |         |
| 2,4-D†  | 1.18%   |
| Mecoprop-p††  | 0.35%   |
| OTHER INGREDIENTS                                   | 98.23%  |
| TOTAL   | 100.00% |
| *0.018 lbs. 4.42 and includes per pound of product. |         |
| †0.018 lbs. 4.42 and includes per pound of product. |         |



**Turf Builder<sup>1</sup>**

**WITH PLUS 2. WEED CONTROL**  
**28-0-3 Covers 15,000 SQ FT**  
**31815 5**

**Won't Burn Lawn Guaranteed!**

7/11/11 SSL  
Page 4 of 6

EPA Reg No. 538-270 (15M)

Scotts Turf Builder<sup>1</sup> with Plus 2 Weed Control

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**  
SEE BACK FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

**MANTENER FUERA DEL ALCANCE DE LOS NIÑOS**  
**PRECAUCION**  
CONSULTE EL PANEL POSTERIOR PARA CONOCER ANOS DE PRECAUCION ADICIONALES.



# Scotts® & Your Environment >>



**We care.**  
Scotts® products are designed with care to grow thicker, greener lawns.  
**Because Green Is Good™.**  
A healthy lawn cleans the air, produces oxygen and prevents runoff and soil erosion.  
**You can make a difference.**  
Help keep our water resources clean. Apply this product only to your lawn, and sweep any product that lands in the driveway, sidewalk or street back onto your lawn.

## Tips for Lawn Care Success:

- **Feed regularly for your best lawn.** Regular feedings of Scotts® Turf Builder® will help build a lawn you and your family can enjoy. Scotts Turf Builder provides the nutrients your lawn needs to look its best and withstand the stresses of weeds, heat, drought and family activity.
- **Mow your lawn high.** Mowing high allows the grass to develop a deep root system & helps your lawn use water more effectively.
- **Leave the grass clippings on your lawn.** This recycles the plant nutrients back into the soil.
- **Conserve water.** Your lawn will begin to wilt when water is needed. As much as possible, take advantage of nature's sprinkler and rely on the rain to water your lawn.

## Plan your feeding schedule. Choose the right product for your lawn.

| ANY SEASON   | EARLY SPRING February-April   | LATE SPRING April-June   | SUMMER June-August  | FALL September-November  |
|--|---|--|---|--|
| <p>Apply any season if weeds or bugs are not a problem:</p>  <p>Scotts® Turf Builder®<br/>Lawn Fertilizer</p> | <p>To prevent crabgrass:</p>  <p>Scotts® Turf Builder® with Halts®<br/>Crabgrass Preventer</p> | <p>To kill weeds:</p>  <p>Scotts® Turf Builder®<br/>with Plus 2®<br/>Weed Control</p> | <p>To kill bugs:</p>  <p>Scotts® Turf Builder® with SummerGuard®</p> | <p>Scotts® Turf Builder® WinterGuard®</p> <p>To kill fall weeds:</p>  <p>Scotts® Turf Builder® WinterGuard® with Plus 2® Weed Control</p> |



### Well-fed lawns are more efficient at using available water.

Feeding with Scotts® helps build a thick lawn with more roots to better absorb water and nutrients than an unfed lawn. This helps protect your lawn against heat, drought and other stresses.

### Get expert advice for your lawn NOW!

Want information on what to use and when? Sign up today to get free expert advice specifically for your lawn.



Visit our website:  
[www.scotts.com](http://www.scotts.com)



Consumer Helpline:  
**1-800-543-TURF (8873)**

## FOR BEST RESULTS, APPLY TO A WET LAWN

### Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product applies 1.5 pounds of 2,4-D per acre per application. The maximum number of broadcast applications per treatment site is two per year. A minimum of 30 days between applications is required.

#### Application

- Apply when weeds are actively growing (when daytime temperatures are consistently above 60°F).
- Apply on a calm day.
- Apply to moist grass. To help particles stick to weed leaves, the grass should be thoroughly watered or wet from dew before applying this product.
- On Bahia and centipede lawns, wait until after the second mowing of the year but NOT before mid-March. In the fall, DO NOT treat centipede after the first of October and DO NOT treat Bahia after the first of November.
- Do not use this product on flowers, shrubs, fruit or vegetable plants or on creeping bentgrass, St. Augustine, floratam, dichondra, carpetgrass or Rippia lawns. On bermudagrass, Bahia, centipede grass, zoysia lawns, under certain conditions, some temporary discoloration may result.

#### Precautions

Do not allow product to contact people or pets directly or through drift. Keep people and pets off lawn during application. Do not allow people or pets to enter treated areas until dusts have settled. Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. Apply this product directly to your lawn or garden, and sweep any product landing on the driveway, sidewalk, gutter, or street, back onto the treated area. To prevent product run-off, do not over water the treated area to the point of runoff or apply when raining or when rain is expected that day.

#### Watering or Rain

Do not water your lawn for 24 hours after application. Water will wash the weed control off the weed's leaves and reduce the effectiveness of this product. This product should not be applied if rain is expected within the next 24 hours.

#### IMPORTANT

##### What to Expect

Weed stems and leaves will begin to twist and curl in a few days, but a month or more may be required for control. This product will not prevent weed seeds from producing new plants.

##### Extreme Temperatures

Avoid applying when temperatures are consistently above 90° F.

##### Seeding/Sodding

Wait until the new grass has been mowed at least four times before applying Scotts® Turf Builder® I with Plus 2® Weed Control. If you are planning to seed or sod, you should wait at least one month after you have applied Scotts® Turf Builder® I with Plus 2® Weed Control.

### Instrucciones de uso

Es una violación a la ley Federal usar este producto de forma inconsistente con su etiqueta. Este producto brinda 680 g de 2,4-D por acre por aplicación. El máximo número de aplicaciones al voleo por área de tratamiento es de dos por año. Espere al menos 30 días entre las aplicaciones.

#### Aplicación

- Se debe aplicar en cualquier momento en que las malezas estén creciendo activamente (cuando las temperaturas del día están arriba de 15° C consistentemente).
- Se debe aplicar en un día tranquilo.
- Se debe aplicar a grama húmeda. Para ayudar a que las partículas se adhieran a las hojas de las malezas, la grama debe estar completamente regada o mojada con riego antes de aplicar este producto.
- En céspedes Bahia y ciempies, espere hasta el segundo corte de césped del año para NO antes de mediados de marzo. En otoño, NO trate el césped ciempies después del 1 de octubre y NO trate el césped Bahia después del 1 de noviembre.
- No se debe usar este producto en flores, arbustos, plantas frutales ni verduras, ni en céspedes agrícolas pastebros, San Agustín, floratam, orja de ratón, césped alta mar ni césped Rippia. En céspedes grama Bermuda, Bahia, ciempies y zoysia puede ocurrir alguna decoloración temporal.

#### Precauciones

No deje que el producto entre en contacto con personas o mascotas, en forma directa o a través de la deribación del producto. Mantenga a las personas y mascotas fuera del jardín durante la aplicación. No permita que las personas o las mascotas ingresen al área tratada hasta que el producto se haya asentado. No aplique el producto directamente o cerca de agua, drenajes de tormenta, canales, alcantarillas o zanjas de drenaje. No aplique el producto a menos de 7.6 metros de ríos, estanques de peces, lagos, arroyos, embalses, pozos, estuarios, bahías y océanos. No aplique el producto cuando haya viento. Aplique este producto directamente a su césped o jardín y barra hacia el área tratada el producto que caiga sobre la entrada de automóviles, la vereda, las canchales o la calle. Para evitar el escurrimiento, no regue en exceso el área tratada ni aplique el producto cuando llueva ni cuando se esperen lluvias para ese día.

#### Riego o lluvia

No debe regar en las siguientes 24 horas después de la aplicación. El agua lavará el herbicida de las hojas de las malezas y reducirá la efectividad de este producto. No se debe aplicar este producto si se espera lluvia dentro de las siguientes 24 horas.

#### IMPORTANTE

##### Qué debe esperar

Los tallos y hojas de las malezas se empezarán a retorcer y a poner rizalos en pocos días, pero puede ser necesario un mes o más para obtener un control completo. Este producto no previene que las semillas de las malezas produzcan nuevas plantas.

##### Temperaturas extremas

Debe evitar aplicarlo cuando las temperaturas estén arriba de 32° C consistentemente.

##### Siembra/Colocación de tepes

Espera a que la nueva grama haya sido cortada por lo menos cuatro veces antes de aplicar Scotts® Turf Builder® I with Plus 2® Weed Control. Si tiene planeado sembrar o colocar tepes, deberá esperar por lo menos un mes después de haber aplicado Scotts® Turf Builder® I with Plus 2® Weed Control.



# Spreader Settings

Covers 15,000 sq. ft.

# Posiciones del esparcidor

Cubre 1394 metros cuadrados



This package applies 2.9 lbs. of product per 1,000 sq. ft.

## Scotts® Broadcast/Rotary Spreaders

Apply header strips. Then apply product in longest direction of lawn. For best results, use a Scotts® spreader. Shut off spreader or stop each time you reach a header strip. Each pass should be within 5 feet of each other to ensure an overlap.

Scotts® Basic™, Standard™, Deluxe™ EdgeGuard®, Lawn Pro® or SpeedyGreen®

3 1/4

Scotts® EasyGreen® Each pass should be within 30" of each other to ensure an overlap.

27

## Scotts® Drop Spreaders

Make sure spreader wheel completely overlaps previous wheel marks.

Scotts® AccuGreen®

For additional spreader settings, please call 1-800-543-TURF (8873).

5 1/2

## Esparcidores de goteo Scotts®

Asegúrese de que la rueda del esparcidor traslape completamente las marcas previas de ruedas.

Scotts® AccuGreen®

Para conocer las posiciones adicionales del esparcidor, comuníquese al 1-800-543-TURF (8873).

# First Aid & Environmental Information

## KEEP OUT OF REACH OF CHILDREN CAUTION

### Precautionary Statements

#### Hazards to Humans and Domestic Animals

**CAUTION:** Harmful if absorbed through skin. Harmful if inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing dust. Wear long-sleeved shirt, long pants, shoes and socks and chemical-resistant gloves made of any waterproof material.

#### First Aid

- **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
- **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

#### Have the product container or label with you when calling poison control center or doctor, or going for treatment.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment washwaters.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

#### Storage and Disposal

- **PESTICIDE STORAGE:** Store in a cool, dry place. Reseal opened bag by holding top down and securing.
- **PESTICIDE CONTAINER DISPOSAL:** IF EMPTY: Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. IF PARTLY FILLED: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

## Guaranteed Analysis

Scotts® Turf Builder® with Plus 2® Weed Control 28-0-3 F 643

Total nitrogen (N) ..... 28%  
 5.2% ammoniacal nitrogen  
 12.7% urea nitrogen  
 0.8% water insoluble nitrogen  
 0.8% water insoluble nitrogen

Soluble potash (K<sub>2</sub>O) ..... 3%  
 Sulfur (S) ..... 7%  
 7% combined sulfur (S)

Derived from: methyleneureas, potassium sulfate, ammonium sulfate and urea.  
 \*Contains 6.7% slowly available nitrogen from methyleneurea and dimethyleneurea.

+ including white clover, chickweed, plantain and ragweed.

+ Extra salts: Debol blanco, Ailene, Hainery y ambrosias.

# Primeros auxilios e información ambiental

## MANTENER FUERA DEL ALCANCE DE LOS NIÑOS PRECAUCION

### Avisos de Precaución

#### Riesgos para humanos y animales domésticos

**PRECAUCION:** Nocivo si se absorbe por la piel. Dañino si se inhala. Produce una irritación de los ojos moderada. Evite el contacto con la piel, ojos o ropa. Evite inhalar el polvo. Use una camisa de mangas largas, pantalones, zapatos y guantes resistentes a los productos químicos hechos de algún material impermeable.

#### Primeros Auxilios

- **SI CAE EN LA PIEL O EN LA ROPA:** Quite la ropa contaminada. Enjuague la piel inmediatamente con abundante agua durante 15 a 20 minutos. Llame a un centro de control de emergencias o a un médico para recibir instrucciones de tratamiento.
- **SI SE INHALA:** Lleve a la persona al aire fresco. Si la persona no respira llame al 911 o a una ambulancia. Haga que respire un gas artificial, preferiblemente de boca a boca, si es posible. Llame a un centro de control de emergencias o al médico para obtener recomendaciones de tratamiento.
- **SI ENTRA EN LOS OJOS:** Mantenga el ojo abierto y enjuague con agua fresca y con cuidado de 15 a 20 minutos. Si hubiera lentes de contacto, quítelos después de lavarse con agua los primeros 5 minutos y después continúe enjuagando el ojo. Llame a un centro de control de emergencias o a un médico para recibir instrucciones de tratamiento.

#### Tenga a la mano el envase del producto o la etiqueta cuando llame al centro de control de emergencias o al médico, o al buscar tratamiento.

**RIESGOS AMBIENTALES:** Este pesticida es tóxico para los peces y animales invertebrados acuáticos, y puede afectar de manera adversa a plantas que se desean conservar. No lo aplique directamente en el agua, en áreas donde hay agua superficial o en áreas entre mareas por debajo de la marea de marea alta promedio. El desplazamiento o el escorrentamiento del producto pueden ser peligrosos para los peces en aguas adyacentes a las áreas tratadas. No contamine el agua cuando elimine las aguas residuales del lavado o enjuague de los equipos. Este producto químico tiene propiedades y características asociadas con las sustancias químicas detectadas en aguas subterráneas. La utilización de este producto químico en áreas donde los suelos son permeables, en particular donde el manto freático es superficial, puede derivar en la contaminación de las aguas subterráneas. La aplicación en torno a una cisterna o a un pozo puede provocar la contaminación del agua potable o las aguas subterráneas.

#### Almacenamiento y Eliminación

- **ALMACENAMIENTO DEL PESTICIDA:** Conserve en lugar fresco y seco. Cierre la bolsa abierta doblando la parte superior y asegurándola.
- **ELIMINACIÓN DEL ENVASE DE PESTICIDA:** SI ESTÁ VACÍO: Envase no rellenable. No reusar ni rellenar este envase. Limbo a la bolsa, si está disponible, atráezalo para recubrirlo. SI ESTÁ PARCIALMENTE LLENO: Llame a su agencia de desechos sólidos para obtener instrucciones sobre cómo eliminarlo. Nunca elimine el producto no utilizado en ningún drenaje interior o exterior.

## Questions / Information

### SMG

Sold and guaranteed by:  
 The Scotts Company  
 14111 Scottslawn Rd.  
 Marysville, Ohio 43041



Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-sc.com>

Información relacionada con el contenido y con los niveles de metales en este producto se encuentra disponible en Internet en <http://www.regulatory-info-sc.com>

© 2011 The Scotts Company LLC.

World rights reserved.

EPA Reg. No. 538-270 EPA Est. No. 538-0H-1

TCAS #94-75-7 TCAS #16484-77-8


**NOTICE:** To the extent consistent with applicable law, the buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

**NOTA:** Conforme a los límites de la ley aplicable, el comprador asume todos los riesgos de uso, almacenamiento o manejo de este producto si no se siguen las instrucciones.

### Scotts No-Quibble Guarantee®

If for any reason you, the consumer, are not satisfied after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

Si por cualquier razón usted, el consumidor, no está satisfecho después de usar este producto, tiene derecho a que se le devuelva su dinero. Simplemente envíenos su comprobante de venta y nosotros le enviaremos rápidamente por correo un cheque de reembolso.



PROOF OF PURCHASE  
 P3 1815-S 1 BG1029 1 VID-BE

TURF BUILDER WITH PLUS 2  
 WEED CONTROL 15M 91815-5

www.scotts.com :ajsqaw mo tisa

EPA Reg No. 538-270 (15M)

Scotts Turf BuilderI with Plus 2 Weed Control