

44W 5/2/10/ ) 10

48737



# MASTER NURSERY®

MAR 30 2007 2217-643-11204

## Master Green™ Weed & Feed

25-3-8

**Controls  
Dandelion, Spurge,  
Oxalis and Many  
Other Broadleaf  
Weeds in Grass Lawns.**

**For use on grass lawns including  
St. Augustine. Treats up to 5,000 sq.ft.**

**ACTIVE INGREDIENTS:**

2,4-Dichlorophenoxyacetic acid .....	0.55%
(+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid .....	0.12%
Dicamba: 3,6-dichloro-o-anisic acid .....	0.05%
<b>INERT INGREDIENTS:</b> .....	99.28%
<b>Total</b> .....	<b>100.00%</b>

**THIS PRODUCT CONTAINS:**

- 11.0 lbs. 2,4-Dichlorophenoxyacetic acid equivalent per ton.
- 2.4 lbs. (+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per ton.
- 1.0 lbs. 3,6-dichloro-o-anisic acid equivalent per ton.

Isomer Specific by AOAC Methods.

Contains the single isomer form of Mecoprop-p

TRIMEC® is a registered trademark of PBI/GORDON CORPORATION



**KEEP OUT OF REACH  
OF CHILDREN  
CAUTION**  
See Back Panel for  
Precautionary Statements.

**NET WEIGHT 16 LBS. (7.2Kg)**



# MASTER GREEN™ WEED & FEED

## 25-3-8

**STOP** READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

### PRECAUTIONARY STATEMENTS

#### Hazards to Humans & Domestic Animals

**CAUTION:** Harmful if swallowed. Do not inhale dust. Do not allow contact with skin, eyes or clothing. When using this product, wear long-sleeved shirt, long pants, socks and shoes.

After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

### FIRST AID

If in eyes:	<ul style="list-style-type: none"> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
If on skin or clothing:	<ul style="list-style-type: none"> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
If swallowed:	<ul style="list-style-type: none"> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
If inhaled:	<ul style="list-style-type: none"> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>
<p>Have the product container or label with you when calling a poison control center or doctor or going for treatment. For additional information in case of emergency, call toll free 1-877-800-5556.</p>	

**ENVIRONMENTAL HAZARDS:** Drift or runoff may adversely affect non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwater. Do not apply when weather conditions favor drift from target area.

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment area until spray has dried or dust has settled.

**STORAGE:** Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals. Do not store near food or feedstuffs.

#### DISPOSAL:

If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partially filled: Call your local solid waste agency or toll free number (1-800-CLEANUP) for disposal instructions. Never place unused product down any indoor or outdoor drain.

**USE PRECAUTIONS:** Do not apply this product to dichondra or carpetgrass. Do not apply this product to 'Floratam' St. Augustine grass in Florida.

Do not use this product where desirable clovers are present or allow the material to drift onto flowers, vegetables or ornamental shrubbery. Do not apply in areas underlaid by roots of desirable trees or shrubs. Do not exceed specified dosages for any area; be particularly careful within dripline of tree and other ornamental species. Apply when the air is calm. Do not apply to newly seeded lawns. During application, close spreader openings when turning to prevent over-application.

#### INSTRUCTIONS:

Master Nursery® Master Green Weed & Feed controls a wide range of lawn weeds. In addition, a 25-3-8 fertilizer provides plant nutrients. Possible retreatment may be necessary if (a) lawn is heavily overrun by weeds, or (b) if adverse low moisture conditions prevail and weeds are in a state of poor growth. A second application may be made in approximately 30 days.

The maximum application rate to turf is 1.2 pounds 2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

1. Mow lawn to normal height 1 to 2 days before application.

2. Water lawn thoroughly at least 1 day before application to sustain moisture until the next watering (see step 4).

3. Apply when weeds are young and actively growing, preferably in the morning when dew is on the grass. If grass is not moist at time of application, sprinkle lightly with water to hold the material and prevent dust drift onto non-target plants.

4. Do not wash from weed leaves for 1 to 2 days after application. At this time a thorough watering should be made.

Bag Size, Pounds	Calibration Rate, Pounds/Sq. Ft.	Application Rate, Pounds/1000 Sq. Ft.	Treated Area for This Bag Size, Sq. Ft.	
			Cool Season Grass	St. Augustinegrass
16	1/310	3.23	5,000	5,000

### SPREADER SETTINGS

Scotts PF4...7 Central...6-3/4 Ortho Drop...5-1/2 Scotts Accugreen 1000...5

The above settings are approximate.

• 16 lb. bag: Calibrate your spreader on 310 sq. ft. and adjust to apply 1.0 lb. of product per 310 sq. ft.

### WEEDS

Bedstraw	Dock	Morningglory	Sheep Sorrel
Black Medic	English Daisy	Oxalis	Speedwell
Buckhorn	Ground Ivy	Peppergrass	Spurge
Burclover	Healall	Pigweed	Thistle
Burdock	Henbit	Plantain	Wild Carrot
Chicory	Knotweed	Poison Ivy	Wild Garlic
Chickweed	Lambsquarters	Poison Oak	Wild Lettuce
Clover	Lespedeza	Purslane	Wild Onion
Dandelion	Mallow	Ragweed	Yarrow

### GUARANTEED ANALYSIS

Total Nitrogen (N)	25.00%
5.70% Ammoniacal Nitrogen	
19.30% Urea Nitrogen*	
Available Phosphate (P <sub>2</sub> O <sub>5</sub> )	3.00%
Soluble Potash (K <sub>2</sub> O)	8.00%
Sulfur (S)	7.00%
Iron (Fe)	1.00%
Manganese (Mn)	0.08%
Zinc (Zn)	0.08%

Derived from: Ammonium Sulfate, Urea, Polymer Coated Urea, Diammonium Phosphate, Muriate of Potash, Elemental Sulfur, Iron Sulfate, Manganese Sulfate and Zinc Sulfate.

\*Contains 2.5% Coated Slow Release Nitrogen from Polymer Coated Urea.

**Note:** Sweep all residue from concrete surfaces immediately after application. The iron content in this product will stain sidewalks, patios, driveways, swimming pools and deck coatings if not removed before watering. Seller nor distributor assumes any responsibility for damage incurred to any surface other than product's intended use.

**Warning:** This product contains a chemical known to the State of California to cause cancer, birth defects or other reproductive harm. Proposition 65, the Safe Drinking Water and Toxic Enforcement Act of 1986, requires notification of potential exposure to substances identified by the State of California as causing cancer, birth defects or other reproductive harm.

#### LIMITED WARRANTY AND DISCLAIMER:

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.htm>

EPA REG. NO. 2217-843-11204  
EPA EST. NO. 35 497-OR-1  
MFG. BY E. B. STONE & SON, INC.  
P.O. BOX 550 • SUISUN, CA 94585  
FOR MASTER NURSERY GARDEN CENTERS, INC.

[www.masternursery.com](http://www.masternursery.com)

CODE 264