

Safer[®]
BRAND

GRUB KILLER

READY-TO-SPRAY

Mata Larvas Listo Para Rociar

Kills LARVAL STAGES OF INSECTS
including SOD WEBWORMS, CHINCH BUGS,
AND OTHER LISTED INSECTS

Treats up to **4,000** sq. ft.



ACTIVE INGREDIENT:

Azadirachtin	0.09%
OTHER INGREDIENTS	99.91%
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION SEE BACK PANEL FOR
ADDITIONAL PRECAUTIONARY
STATEMENTS & FIRST AID

NET CONTENTS 32 FL OZ (946ml)

LBL5611F-6 0517



Safer[®]
BRAND

Grub Killer
READY-TO-SPRAY

Shake Well
Before Using!

Nota: Safer, Inc. garantiza que el material incluido aquí cumple con la descripción de la etiqueta y es razonablemente adecuado para los propósitos indicados en las instrucciones de uso. Los tiempos y el método de aplicación, el clima, las prácticas de riego, la naturaleza del suelo, el problema de los insectos, las condiciones de la cosecha, la incompatibilidad con otros productos químicos no recomendados específicamente y otros factores que pueden influir en el uso de este producto están fuera del control del vendedor. El comprador asume todos los riesgos del uso, almacenaje o manipulación de este material que no se ajusten estrictamente a las instrucciones aquí entregadas. **NO SE ESTABLECE NINGUNA OTRA GARANTÍA EXPRESA O IMPLÍCITA DE COMERCIABILIDAD O IDONEIDAD.**

Distribuido por: **Safer[®], Inc.** (Una subsidiaria de propiedad exclusiva de Woodstream Corporation)

 **woodstream**

69 North Locust Street, Lititz, PA 17543
1-800-800-1819 para información

EPA Reg. No. 70051-6-42697
EPA Est. No. 63416-MN-001 (D)
63416-MN-002 (C)
63416-WI-001 (P)

Circled letter is first letter of lot number.

© Propiedad exclusiva de
WOODSTREAM CORPORATION

© Copyright 2009 **WOODSTREAM CORPORATION**

Modelo No. 5611
LBL5611B-6 0517



▲
PEEL OPEN FOR ADDITIONAL DIRECTIONS AND FURTHER INFORMATION. SEE PRECAUTIONARY STATEMENT AND FIRST AID INSIDE LABEL. DESPENDA PARA VER MÁS INSTRUCCIONES E INFORMACIÓN ADICIONAL. CONSULTE LOS ENUNCIADOS DE PRECAUCIÓN Y LA ETIQUETA DE PRIMEROS AUXILIOS DENTRO.

Grub Killer's effectiveness is based on several modes of action. It disrupts insects' delicate hormonal balance so they die before they molt to the next life stage. Grub Killer suppresses some insects' desire to feed and also repels many insects in areas that have been sprayed. These different modes of action result in broad spectrum control of the majority of insects that harm your yard and garden. Grub Killer kills or repels a broad assortment of insect pests. Grub Killer spares many beneficial insects such as honey bees and lady bugs that prey on undesirable insects. Without beneficial insects to control pest populations, plants are even more vulnerable to new infestations.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Shake well before using. Use spray solutions within 8 hours of mixing for maximum effectiveness. Do not store diluted spray solution for later use. Not for use in food handling areas. Since Grub Killer interferes with insect growth functions, it is most effective when applied 2-3 times at 7-10 day intervals. Application directly onto the target pest will increase efficacy. Time applications for early to mid-morning or late afternoon. Do not add other chemicals to Grub Killer Solution. Do not apply to wilted, stressed, or newly transplanted materials prior to root development. Do not apply to known sensitive plant species without prior testing. **Known Sensitive Plants.** Do not apply Grub Killer to the following plant species due to potential plant damage: Hibiscus flowers

HOSE END APPLICATOR INSTRUCTIONS:
1. Make sure knob is twisted fully clockwise to OFF position. Shake well, then attach to hose.
2. Turn Product Control Button clockwise until the flat portion is flush with the lock tab, then push button all the way in. Avoid squeezing the bottle.

HOSE END APPLICATOR INSTRUCTIONS: (cont.)
3. Turn water on at faucet, aim nozzle toward surface to be sprayed and turn knob counter-clockwise to begin spraying.
4. When finished, push Product Control Button to OFF position from opposite side. Return knob and faucet to OFF position. Discharge water pressure by turning knob ON and OFF again. Turn Product Control Button counter-clockwise away from lock tab to prevent accidental discharge. Store out of reach of children.

FOLIAR APPLICATION (TREES AND SHRUBS) For use on trees and shrubs on home landscapes to control the immature larval stages of the following insect pests:

PESTS: Leafminers, Leaf hoppers, Gypsy moths, Weevils, Psyllids, Webworms, Hornworms, Spruce bud worms, Pine sawflies, Elm leaf beetle, and Grasshoppers **USE DIRECTIONS:** The 32oz hose-end applicator for trees and shrubs will treat up to 10 ten foot trees. Repeat application 2 to 3 times at an interval of 7-10 days. Apply to leaf surfaces to run-off. Be sure to coat underside of leaves as this is where many insects hide. Avoid excessive application.

LAWN APPLICATION: For use on home lawns to control the immature larval stages of the following insect pests:

PESTS: Mole crickets, White Grubs, Sod webworms, Fall armyworms, Chinch bugs, Hyperodes weevil, and Billbugs **USE DIRECTIONS:** The 32oz hose-end applicator for lawns will treat approximately 2000 - 4000 square feet. Apply Grub Killer 2-3 times on a 7-10 day interval to insure effective control of surface and sub-surface feeding pests.

STORAGE & DISPOSAL

PESTICIDE STORAGE: Keep in original container. Store in a cool dry place, away from direct sunlight, feed or foodstuffs. Keep container tightly sealed when not in use. Do not store below 50°F (10°C) or above 95°F (35°C).

PESTICIDE AND CONTAINER HANDLING:

If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.
If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Causes moderate eye irritation. Harmful if inhaled. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

FIRST AID	
If swallowed:	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If on skin or clothing:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If in eyes:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

FIRST AID (cont.)

If inhaled:	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. Hot Line Number: 1-800-858-7378	

ENVIRONMENTAL HAZARDS:

This product is hazardous to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

PHYSICAL OR CHEMICAL HAZARDS:

Flammable. Keep away from heat and open flame.

Note: Safer, Inc. warrants that the material contained herein conforms to the description on the label and is reasonably fit for the purposes referred to in the directions for use. Timing and method of application, weather, watering practices, nature of soil, the insect problem, conditions of the crop, incompatibility with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herein. NO OTHER EXPRESS OR IMPLIED WARRANTY OF THE FITNESS OR MERCHANTABILITY IS MADE.

Insecticida para Larvas LISTO PARA ROCIAR

INSTRUCCIONES PARA EL USO:

Constituye violación de la Ley Federal utilizar este producto de una manera distinta a la estipulada en la etiqueta. Mantenga el envase firmemente sellado. Para máxima efectividad, use las soluciones para rociar y en el lapso de 8 horas de haberlas preparado. No almacene la solución para rociar diluida para uso posterior. No apto para uso en áreas donde se manipulan alimentos. Debido a que el insecticida para larvas interfiere con las funciones de crecimiento de los insectos, es más efectivo cuando se aplica 2-3 veces en intervalos de 7 a 10 días. La aplicación directamente sobre la plaga objetivo aumenta la eficacia. Aplique temprano, a media mañana o al final de la tarde. No añada otras sustancias químicas a la solución del Insecticida para larvas. No aplique en materiales mustios, estresados ni recientemente trasplantados antes de que desarrollen raíces. No aplique a especies de plantas conocidas por su sensibilidad sin probar previamente. Plantas sensibles conocidas. No aplique el insecticida para larvas a las siguientes especies de plantas debido a la posibilidad de daño potencial: Flores de hibisco

ROCIADOR PARA EXTREMO DE MANGUERA: FÁCIL DE UTILIZAR
1. Compruebe que la perilla esté completamente girada en el sentido horario a la posición OFF (cerrada). Agite bien y fije a la manguera.
2. Gire el botón de control del producto en el sentido horario hasta que la porción plana esté a ras con la perilla de fijación, luego presione el botón completamente hacia adentro. Evite oprimir el envase.
3. Abra el suministro de agua en el grifo, dirija la boquilla hacia la superficie que va a rociar y gire la perilla en el sentido antihorario para comenzar a rociar.

ROCIADOR PARA EXTREMO DE MANGUERA: FÁCIL DE UTILIZAR

4. Cuando termine, presione el botón de control del producto a la posición OFF (cerrado) desde el lado opuesto. Regrese la perilla y el grifo a la posición OFF (cerrada). Descargue la presión del agua girando la perilla a ON (abierto) y OFF (cerrada) nuevamente. Gire el botón de control del producto en el sentido antihorario apartándolo de la pestaña de fijación para evitar la descarga accidental. Almacene fuera del alcance de los niños.

APLICACIÓN FOLIAR (ÁRBOLES Y ARBUSTOS): Para uso en árboles y arbustos en áreas verdes domésticas para controlar las etapas de larvas inmaduras de las siguientes plagas de insectos:

PLAGAS: minador de hojas, saltarillas, palomillas gitanas, gorgojos, psíidos, gusanos telarañeros, gusanos de cuernos, gusanos del cogollo de la picea, moscas de sierra del pino, escarabajos de las hojas del olmo y saltamontes. **INSTRUCCIONES DE USO:** El aplicador de manguera de 32 onzas (946.4 ml) para árboles y arbustos permite tratar árboles de hasta 10 pies (3 m). Repita la aplicación 2-3 veces a intervalos de 7-10 días. Aplique a la superficie de las hojas hasta producir escorrentía. Cubra la parte inferior de las hojas ya que es allí donde se ocultan muchos insectos. Evite la aplicación excesiva.

APLICACIÓN EN EL CÉSPED: Para uso en céspedes domésticos para controlar las etapas de larvas inmaduras de las siguientes plagas de insectos:

PLAGAS: grillo topo, larvas blancas, gusanos telarañeros del césped, gusanos cogollero, chinches, gorgojos curculeónidos y picudos. **INSTRUCCIONES PARA EL USO:** El aplicador de manguera de 32 onzas (946.4 ml) para áreas verdes permite tratar aproximadamente 2000 - 4000 pies cuadrados (185.8 - 371.6 m²). Aplique el insecticida para

larvas 2-3 veces en un intervalo de 7-10 días para lograr el control efectivo de las plagas activas de la superficie y el subsuelo.

ALMACENAMIENTO Y DESECHO:

ALMACENAMIENTO DEL PESTICIDA: Conserve en el envase original. Almacene en un lugar fresco y seco, alejado de la luz solar directa, los alimentos o los comestibles. Conserve el envase muy bien cerrado cuando no esté en uso. No almacene a menos de 50 °F (10 °C) ni a más de 95 °F (35 °C).

MANIPULACIÓN DEL PESTICIDA Y DEL ENVASE:

Si está vacío: Envase no rellenable. No reutilice ni rellene este envase. Colóquelo en la basura u ofrézcalo para reciclaje si está disponible.

Si está parcialmente lleno: Llame a la agencia de desechos sólidos local para las instrucciones de desecho. Nunca vierta el producto sin usar en un desagüe de interiores o exteriores.

MEDIDAS DE PRECAUCIÓN**PELIGROS PARA LOS SERES HUMANOS Y LOS ANIMALES DOMÉSTICOS**

PRECAUCIÓN: Dañino si lo ingiere. Dañino si se absorbe a través de la piel. Evite el contacto con la piel, los ojos o la ropa. Causa irritación moderada en los ojos. Nocivo si lo inhala. Evite respirar la atomización del rocío. Lávese muy bien con agua y jabón después de manipular el producto y antes de comer, beber, usar goma de mascar, tabaco o el inodoro. Retírese la ropa contaminada y lávela antes de reutilizarla.

PRIMEROS AUXILIOS

Si se ingiere:	<ul style="list-style-type: none"> • Llame inmediatamente a un centro de control de envenenamiento o a un médico para solicitar tratamiento. • Haga que la persona tome a sorbos un vaso de agua si puede tragar. • No induzca el vómito a menos que así se lo haya ordenado un centro de control de envenenamiento o un médico. • No administre algo por la boca a una persona inconsciente.
Si entra en contacto con la piel o la ropa:	<ul style="list-style-type: none"> • Quitese la ropa contaminada. • Enjuague la piel inmediatamente con abundante agua durante 15-20 minutos. • Llame a un centro de control de envenenamiento o a un médico para que le recomiende un tratamiento.
Si entra en contacto con los ojos:	<ul style="list-style-type: none"> • Mantenga los ojos abiertos y enjuáguelos de forma lenta y suave con agua durante 15-20 minutos. • Retire los lentes de contacto, si los hubiera, después de los primeros 5 minutos, y continúe enjuagando los ojos. • Llame a un centro de control de envenenamiento o a un médico para que se le recomiende un tratamiento.

Si lo inhala:	<ul style="list-style-type: none"> • Traslade la persona afectada al aire libre. • Si la persona no respira, llame al 911 o a una ambulancia y administre respiración artificial preferiblemente de boca a boca si es posible. • Llame a un centro de control de envenenamiento o a un médico para que se le recomiende un tratamiento.
<p>Lleve consigo el envase o la etiqueta del producto cuando llame a un centro de control de envenenamiento, al médico o vaya a recibir tratamiento. Línea de ayuda: 1-800-858-7378</p>	

RIESGOS PARA EL AMBIENTE:

Este producto es peligroso para los peces y los invertebrados acuáticos. Para proteger el ambiente, no permita que el pesticida ingrese ni corra hacia los desagües pluviales, zanjas de drenaje, canaletas ni aguas superficiales. Aplicar este producto cuando el clima esté en calma y no haya predicción de lluvia durante las 24 horas siguientes, contribuirá a lograr que el viento o la lluvia no esparzan ni arrastren el pesticida del área de tratamiento. Enjuagar el equipo de aplicación sobre el área tratada contribuirá a evitar la escorrentía hacia cuerpos de agua o sistemas de drenaje.

RIESGOS FÍSICOS O QUÍMICOS:

Inflamable. Mantenga alejado del calor y las llamas expuestas.

FIRST AID

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. Hot Line Number: 1-800-858-7378

Distributed by: **Safer[®], Inc.** (A wholly-owned subsidiary of Woodstream Corporation)



69 North Locust Street, Lititz, PA 17543
1-800-800-1819 for information

EPA Reg. No. 70051-6-42697
EPA Est. No. 63416-MN-001 (D)
63416-MN-002 (C)
63416-WI-001 (P)

Circled letter is first letter of lot number.

All © Property of **WOODSTREAM CORPORATION**
© Copyright 2009 **WOODSTREAM CORPORATION**

Model No. 5611 LBL5611B-6 0517

