



FRONT LABEL



BOOK OUT

2.3125"

2.50"

5.5625"

5.6875" 5.9375"

RECOMENDACIONES DE SEGURIDAD PARA EL USUARIO

- Los usuarios deberán lavarse las manos antes de comer, beber, masticar goma de mascar, usar tabaco o usar el baño.
- Los usuarios deberán quitarse la ropa y equipo de protección personal inmediatamente si les cae adentro el pesticida. Luego deberán lavarse completamente y ponerse ropa limpia. Si el pesticida cae en la piel, deberán lavarse inmediatamente con agua y jabón.
- Los usuarios deben quitarse inmediatamente el equipo de protección personal después de manipular este producto. Lave la parte exterior de los guantes antes de quitárselos. Tan pronto como sea posible, báñese bien y cámbiese a ropa limpia.

RIESGOS AMBIENTALES

Este pesticida es tóxico para los peces y otros invertebrados acuáticos. Al fin de proteger el medio ambiente, no permita que el pesticida ingrese o se derive a drenajes para tormentas, canales de desagüe, canales de aguas superficiales. La aplicación de este producto en un clima tranquilo cuando no haya un pronóstico de lluvia para las próximas 24 horas, asegurará que el viento o la lluvia no sople o lave el pesticida fuera de la zona de tratamiento. Enjuagar el equipo utilizado en la aplicación sobre el área tratada ayudará a evitar que el producto se derive a cuerpos de agua o sistemas de drenaje.

Este producto químico tiene propiedades y características asociadas con las sustancias químicas detectadas en aguas subterráneas. La utilización de este producto químico en áreas donde los suelos son permeables, en particular donde el manto freático es superficial, puede derivar en la contaminación de las aguas subterráneas. La aplicación en torno a cisternas o pozos puede provocar la contaminación del agua potable o las aguas subterráneas.

ORTHO® Y SU ENTORNO: Su jardín es un lugar en el que su familia y sus mascotas disfrutan. Por este motivo, los productos Ortho® están diseñados cuidadosamente para proporcionar soluciones efectivas a los problemas de malezas. Para lograr los mejores resultados, siga las instrucciones de uso, almacenamiento y eliminación.

NOTA: El comprador asume todos los riesgos de uso, almacenamiento o manejo de este producto si no se siguen las instrucciones.

LA GARANTIA ORTHO®: Si por algún motivo no está satisfecho con este producto, envíenos por correo el comprobante de compra para recibir el reembolso total del precio de compra.

ORTHO®

WEED B GON®
MAX®

CONCENTRATE PLUS
CRABGRASS CONTROL

OPEN
Resealable Label
for Directions
& Precautions

Kills Crabgrass Plus Broadleaf Weeds! - Guaranteed Results!

PRODUCT FACTS Treats up to 5,000 square feet

Kills Dandelions, Clover, and other Broadleaf Weeds! Plus Kills Crabgrass and Other Grass Weeds!



Before



After

KILLS THE TOUGHEST WEEDS IN THESE LAWN:

COOL SEASON TURFGRASS: Kentucky Bluegrass, Perennial & Annual Ryegrass, Tall Fescue
WARM SEASON TURFGRASS: Bermudagrass, common & hybrid, Buffalo grass, Zoysiagrass
DO NOT use on St. Augustine, including Floratam species.

*Application to Bermudagrass may cause temporary yellowing or discoloration but full recovery can be expected. Do not apply to Bermudagrass when daytime temperatures exceed 85° F.

HOW MUCH TO USE

FOR TANK SPRAYER - Add 2.5 fl oz per gallon of water for each 400 sq ft.

FOR BROADCAST APPLICATION

Ortho® Dial 'N Spray® Applicator

1. Add 16 fl oz of concentrate directly into sprayer jar. DO NOT ADD WATER.
2. Set dial to 2.5 oz.
3. Spray evenly over 2,500 sq ft.
4. Any unused portion should be poured back into its original container.



Do not allow people or pets to enter the treated area until sprays have dried.

THE ORTHO® GUARANTEE: If for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.



Questions & Comments
Preguntas y comentarios
call 1-800-225-2883 www.ortho.com

Sold by The ORTHO Group
P.O. Box 190, Marysville, OH 43040
EPA Reg. No. 2217-896-239
EPA Est. No. 239-1A-31,
239-MS-001M, 58996-MD-1A,
085632-OH-TW
Superscript is first letter of lot number.

FPO

LB2735

2.75"

2.75"

BOOK IN

2.3125"

2.3125"

5.5625"

5.9375"



**READ THE ENTIRE LABEL FIRST.
OBSERVE ALL PRECAUTIONS AND
FOLLOW DIRECTIONS CAREFULLY.**

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

General Precautions and Restrictions:

- Do not apply this product in a way that will contact any person or pet either directly or through drift. Keep people and pets out of the area during application.
- Do not allow people or pets to enter the treated area until sprays have dried.

SHAKE WELL BEFORE USING.

PRODUCT FACTS

WHAT IT DOES	Kills major broadleaf and troublesome grass weeds including dandelion, chickweed and clover as well as crabgrass and foxtail.
WHERE TO USE	Lawns: Kills the weeds not the lawn when used as directed.
WHEN TO USE	Apply when daytime temperatures are below 90°F.

HOW IT WORKS

Ortho® Weed B Gon® Max® Concentrate plus Crabgrass Control contains three proven weed killers that target lawn weeds and crabgrass. This herbicide enters the lawn weeds through their leaves and moves throughout the plant to provide control. And lawns listed on this label will not be harmed when used as directed.

WHERE TO USE

Ortho® Weed B Gon® Max® Concentrate plus Crabgrass Control can be applied to residential lawns with the following turfgrass species:

LAWNS TO BE TREATED

Cool Season Turfgrass	Warm Season Turfgrass
Kentucky bluegrass Ryegrass, perennial and annual Tall fescue Mixtures of cool season grasses containing fine fescues (red, hard and chewings)	Bermudagrass ¹ , common and hybrid Buffalograss Zoysiagrass <small>¹Application to Bermudagrass may cause temporary yellowing or discoloration but full recovery can be expected. Do not apply to Bermudagrass when daytime temperatures exceed 85° F.</small>

DO NOT apply to the following:

Bahiagrass Bentgrass, colonial and creeping Carpetgrass Centipede grass Dichondra Gardens including vegetables, fruit trees, vines and berries	Ornamental plants (flowers, trees, groundcovers, landscape beds and shrubs) Seashore paspalum St. Augustine grass Turfgrass species that are not listed on this label.
---	---

KILLS HARD TO CONTROL WEEDS

A partial list is presented below: Bedstraw, Broadleaf Signalgrass, Burweed, Burclover, Buttercup, Carpetweed, Chickweeds, Creeping Charlie, Cudweed, Curly Dock, Dandelion, Dollarweed, English Daisy, False Dandelion, Florida Pusley, Giant Foxtail, Green Foxtail, Heartleaf Drymary, Henbit, Ground Ivy, Morningglory, Large Crabgrass, Oxalis, Pennywort, Plantain, Purslane (common), Ragweed, Red Sorrel, Sheep Sorrel, Speedwell, Spotted Spurge, Spurweed, Thistle, White Clover, Wild Carrot, Wild Geranium, Wild Onion, Yellow Foxtail and other broadleaf weeds

2.75"

2.75"

BOOK IN

2.3125"

2.3125"

5.5625"

5.9375"

WHEN TO USE

Apply this product when weeds are small and actively growing.

Weed species	Maximum number of applications ²	Application interval, days	Comments	
Crabgrass (large and smooth)				
Spring	From crabgrass emergence until the crabgrass is 3-4 inches in height.	2	14	Re-treat at the same rate at 14 days later for dense populations or for continued crabgrass emergence.
Foxtail (green, giant and yellow)				
Spring and early summer	During the early growth stages or when foxtail is 1-4 inches in height.	2	14	Re-treat at the same rate at 14 days later for dense populations.
Broadleaf Signalgrass				
Spring and early summer	During the early growth stages or during the 3-7 leaf stage.	2	14	Re-treat at the same rate at 14 days later if needed.
Dandelion, plantain, buttercup, speedwell, knotweed and other listed broadleaf weeds				
Spring	When broadleaf weeds are small and actively growing.	2		Apply when broadleaf weeds are young and actively growing with adequate soil moisture.

Weed species (cont'd)	Maximum number of applications ²	Application interval, days	Comments	
Henbit, chickweed, white clover, ground ivy, lawn burweed and other listed broadleaf weeds				
Fall	When broadleaf weeds are young and actively growing.	2		Apply when broadleaf weeds are young and actively growing with adequate soil moisture.

²The maximum application rate is 6.4 fl oz of product per 1,000 sq ft per application (1.0 lb 2,4-D acid equivalent per acre per application). The maximum number of broadcast applications is limited to 2 per year. Do not apply more than 2 applications per year. The maximum seasonal rate is 12.8 fl oz of product per 1,000 sq ft (2.0 lbs 2,4-D acid equivalent per acre).

HOW MUCH TO USE


FOR TANK SPRAYER	• Add 2.5 fl oz per gallon of water for each 400 sq ft.
FOR BROADCAST APPLICATION	Ortho® Dial 'N Spray® Applicator 1. Add 16 fl oz of concentrate directly into sprayer jar. DO NOT ADD WATER. 2. Set dial to 2.5 oz. 3. Spray evenly over 2,500 sq ft. 4. Any unused portion should be poured back into its original container.

Over-application or rates above those recommended on this label can cause turf injury.

2.75"

2.75"

BOOK IN



CULTURAL TIPS AND NOTES

WHEN TO APPLY	<p>For established lawns For newly seeded areas For newly sodded, sprigged, or plugged areas</p> <ul style="list-style-type: none"> • Apply when daytime temperatures are below 90°F. • Apply this product to newly seeded grasses when well-established (approximately 6 weeks after seedling emergence) or after the third mowing. • Apply this product 3 to 4 weeks after the sodding, sprigging, or plugging operations.
SEEDING	<ul style="list-style-type: none"> • The treated area can be seeded at 4 weeks after the application of this product.
IRRIGATION	<p>Non-stressed turfgrass Stress from high temperatures, drought, insects or diseases</p> <ul style="list-style-type: none"> • Adequate soil moisture and favorable growing conditions enhance the performance of this product. • Avoid applications of this product when turfgrasses are under stress since injury may result. If dry conditions exist, schedule irrigations (watering) before and after the application. For best results, delay the irrigation until approximately 24 hours after application of this product.
MOWING	<ul style="list-style-type: none"> • Delay mowing 2 days before and until 2 days after the application of this product. • Do not use clippings from the treated areas as mulch or compost around flowers, ornamentals, trees, or in vegetable gardens.
NONTARGET PLANTS	<ul style="list-style-type: none"> • Do not apply this product to food crops (gardens, fruits and vegetables), forage crops, or ornamental plants including flowers, trees, shrubs, hedges, woody ornamentals, groundcovers established in landscape plantings and other nontarget plants. • Do not spray exposed roots of ornamentals and trees.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE	Keep from freezing. Store in original container in a locked storage area inaccessible to children and pets. Avoid contamination of food or feedstuffs.
PESTICIDE DISPOSAL AND CONTAINER HANDLING	<p>Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.</p>

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Harmful if swallowed. When using this product, wear long-sleeved shirt, long pants, socks, shoes, and rubber gloves.
 Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

FIRST AID

IF IN EYES	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF SWALLOWED	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-225-2883 for emergency medical treatment advice.	

BOOK IN



USER SAFETY RECOMMENDATIONS

- Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. If pesticide gets on skin, wash immediately with soap and water.
- Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

ORTHO® AND YOUR ENVIRONMENT: Your yard is a place for family and pets to enjoy. That's why Ortho® products are designed with care to provide effective solutions to weed problems. For best results, please follow instructions for appropriate usage, storage and disposal.

NOTICE: Buyer assumes all risks of use, storage, or handling of this product not in accordance with directions.

THE ORTHO® GUARANTEE: If for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.

**Ortho® Weed B Gon® Max®
con Control del Zacate Mano de Cangrejo
Concentrado**

ALTO LEA PRIMERO LA ETIQUETA COMPLETA.
TENGA EN CUENTA TODAS LAS PRECAUCIONES
Y SIGA CUIDADOSAMENTE LAS INSTRUCCIONES.

INSTRUCCIONES DE USO

Es una violación a la ley Federal usar este producto de forma inconsistente con su etiqueta.

Precauciones y restricciones generales:

- No se debe aplicar este producto de manera que entre en contacto con ninguna persona o mascota, ya sea directamente o por la deriva. Se debe mantener a personas y mascotas fuera del área durante la aplicación.
- No permita que ninguna persona o mascota ingrese al área tratada hasta que se haya secado el rocío.

AGITE BIEN ANTES DE USAR.

DATOS DEL PRODUCTO

QUE HACE	Elimina las principales malezas herbáceas problemáticas y de hoja ancha, entre ellas, diente de león, álsine y trébol, así como zacate mano de cangrejo y zacate cola de zorro.
DONDE USAR	Césped: Elimina las malezas no el césped, cuando se usa como se indica.
CUANDO USAR	Aplique cuando las temperaturas del día sean inferiores a 32 °C.

COMO FUNCIONA

Ortho® Weed B Gon® Max® Concentrate plus Crabgrass Control contiene tres herbicidas comprobados que atacan las malezas del césped y el zacate mano de cangrejo. Este herbicida entra a las malezas del césped a través de sus hojas y se mueve por toda la planta para proporcionar control. Y los céspedes que se detallan en esta etiqueta no sufrirán daños cuando se usa como se indica.

5.5625"

5.9375"

2.75"

2.75"

BOOK IN



DONDE USAR

Ortho® Weed B Gon® Max® Concentrate plus Crabgrass Control se puede aplicar a céspedes residenciales con las siguientes especies de césped en tepe:

Céspedes a tratar

Céspedes en tepe de temporada fría	Céspedes en tepe de temporada cálida
Pasto azul de Kentucky Raigrás, perenne y anual Festuca alta Mezclas de céspedes de temporada fría que contienen festucas delgadas (roja, dura y chewings)	Césped zoysia Césped búfalo Césped Bermuda ¹ , común e híbrido ¹ La aplicación al césped Bermuda puede ocasionar un color amarillento o una decoloración temporal, pero se puede esperar la recuperación total. No se debe aplicar al césped Bermuda cuando la temperatura del día exceda los 29 °C.

NO aplique a las siguientes especies:

Césped Bahía	Plantas ornamentales (flores, árboles, cubresuelos, lechos jardinizados y arbustos)
Césped agrostis, en colonias y estolonifera	Césped de agua (paspalum)
Césped alfombra	Césped San Agustín
Césped ciempiés	Especies de césped en tepe que no se detallan en esta etiqueta
Oreja de ratón	
Jardines con vegetales, árboles frutales, enredaderas y bayas	

ELIMINA MALEZAS RESISTENTES

A continuación se suministra una lista parcial: Acaricoba, acedera común, acederilla, alsine, amargosa, anicillo, cadillo, cardo, cazahuate, cebolla silvestre, centella asiática, ciniquillo, cola de zorro amarilla, cola de zorro gigante, cola de zorro verde, cuajaleche, diente de león, falso diente de león, geranio silvestre, hiedra rastrera, hiedra terrestre, hierba del tormento, lechtrezna moteada, margarita inglesa, ortiga mansa, pasto bandera, plántago, ranúnculo, romaza erizada, trébol blanco, trébol erizo, trébol rojo, verdolaga común, verdolaga del caballo, Verónica americana, yerba de pollo, zacate mano de cangrejo alto, zanahoria silvestre y otras malezas de hoja ancha.

CUANDO USAR

Aplique este producto cuando las malezas estén pequeñas y creciendo activamente.

Especie de maleza	Cantidad máxima de aplicaciones ²	Intervalo entre aplicaciones, días	Comentarios	
Zacate mano de cangrejo (grande y liso)				
Primavera	Desde que emerge hasta que tiene una altura de 8 a 10 cm.	2	14	Volver a aplicar a la misma dosis, 14 días después para poblaciones densas o en caso de que haya aparición continua de la maleza.
Zacate cola de zorra (verde, gigante y amarillo)				
Primavera e inicios de verano	Durante las etapas de crecimiento inicial o cuando tiene una altura de 2.5 a 10 cm.	2	14	Volver a aplicar a la misma dosis, 14 días después para poblaciones densas.
Pasto bandera de hoja ancha				
Primavera e inicios de verano	Durante las etapas de crecimiento inicial o durante la etapa de 3-7 hojas.	2	14	Volver a aplicar a la misma dosis 14 días después, si es necesario.



BOOK IN

2.3125"

2.3125"

5.5625"

5.9375"

Especie de maleza (continua)	Temporada	Programación	Cantidad máxima de aplicaciones ²	Intervalo entre aplicaciones, días	Comentarios
Diente de león, plátano, ranúnculo, Verónica americana, polígono y otras malezas de hoja ancha indicadas					
Primavera	Cuando las malezas de hoja ancha estén pequeñas y creciendo activamente.		2		Aplique cuando las malezas de hoja ancha son jóvenes y están creciendo activamente y haya humedad del suelo adecuada.
Ortiga mansa, estalaria, trébol blanco, hiedra rastrera, cadillo y otras malezas de hoja ancha enumeradas					
Otoño	Cuando las malezas de hoja ancha sean jóvenes y estén creciendo activamente.		2		Aplique cuando las malezas de hoja ancha son jóvenes y están creciendo activamente y haya humedad del suelo adecuada.

²La proporción máxima de aplicación es 189 ml de producto cada 93 m² por aplicación (455 g de 2,4-D ácido equivalente cada 0.4 hectáreas por aplicación). El número máximo de aplicaciones al voleo es dos por año. No realice más de dos aplicaciones al año. La proporción máxima de aplicación por estación es 378 ml de producto cada 93 m² (910 g de 2,4-D ácido equivalente cada 0.4 hectáreas).

12.

CUANTO USAR

PARA ROCIADORES DETANQUE	• Agregue 74 mL cada 3.8 litros de agua para cada 37 m ² .
PARA APLICACION AL VOLEO	Aplicador Ortho® Dial 'N Spray® 1. Agregue 473 mL de concentrado directamente a la botella de rociar. NO AGREGUE AGUA. 2. Coloque el disco selector en 2.5 oz (74 mL). 3. Rocíe uniformemente sobre 232 m ² . 4. El producto que no se utilice debe verse de regreso en el envase original.

Aplique de más o dosis arriba de las recomendadas en esta etiqueta puede causar daño al césped.

SUGERENCIAS Y NOTAS CULTURALES

CUANDO APLICAR	Para céspedes establecidos Para áreas recién sembradas con semilla Para áreas con tepes, cepellones o retoños nuevos • Aplique cuando las temperaturas del día sean inferiores a 32 °C. • Aplique este producto a céspedes recién sembrados con semilla cuando están bien establecidos (aproximadamente 6 semanas después de la aparición de las plántulas) o después del tercer corte. • Aplique este producto de 3 a 4 semanas después de colocar nuevos tepes, cepellones o retoños.
SIEMBRA DE SEMILLAS	• El área tratada se puede sembrar con semilla 4 semanas después de la aplicación de este producto.
IRRIGACION	Césped en tepe sin desgaste Desgaste por altas temperaturas, sequía, insectos o enfermedades • La humedad adecuada de la tierra y las condiciones de crecimiento favorables mejoran el rendimiento de este producto. • Evite aplicar este producto cuando los céspedes en tepe están desgastados ya que los puede dañar. Si existen condiciones de sequía, programe irrigaciones (riego) antes y después de la aplicación. Para obtener resultados óptimos, retrase el riego hasta aproximadamente 24 horas después de la aplicación de este producto.

2.75"

2.75"

BOOK IN

2.3125"

2.3125"

5.5625"

5.9375"

SUGERENCIAS Y NOTAS CULTURALES (continúa)

CORTE	<ul style="list-style-type: none"> • Programe el corte para 2 días antes y 2 días después de la aplicación de este producto. • No utilice el césped recortado de las áreas tratadas como cubresuelos o abono orgánico alrededor de flores, plantas ornamentales, árboles o en jardines de vegetales.
PLANTAS QUE NO DESEA ELIMINAR	<ul style="list-style-type: none"> • No aplique este producto a cultivos para alimentos (jardines, frutas y vegetales), forrajes o plantas ornamentales, incluyendo flores, árboles, arbustos, setos, plantas ornamentales leñosas, cubresuelos establecidos en plantaciones jardinizadas y otras plantas que no desee eliminar. • No rocíe las raíces expuestas de árboles y plantas ornamentales.

ALMACENAMIENTO Y ELIMINACION

No contamine el agua, la comida o los alimentos para animales mediante el almacenamiento o la eliminación.

ALMACENAMIENTO DEL PESTICIDA	Evite que se congele. Almacene en el envase original en un área de almacenamiento bajo llave inaccesible para niños y mascotas. Evite la contaminación de la comida o de los alimentos para animales.
ELIMINACION DEL PESTICIDA Y MANEJO DEL ENVASE	<p>Envase no rellenable. No vuelva a usar o llenar este envase.</p> <p>Si está vacío: Tirelo a la basura o, si está disponible, ofrézcalo para reciclaje.</p> <p>Si está parcialmente lleno: Llame a su agencia local de desechos sólidos para obtener instrucciones sobre cómo eliminarlo. Nunca elimine el producto no utilizado en ningún drenaje interior o exterior.</p>

14

AVISOS DE PRECAUCION

RIESGOS PARA HUMANOS Y ANIMALES DOMESTICOS

PRECAUCION: Causa irritación moderada en los ojos. Evite el contacto con ojos, piel o ropa. Dañino si se traga. Cuando utilice este producto debe llevar camisa de manga larga, pantalones largos, calcetines, zapatos y guantes de hule.

Lávese con abundante agua y jabón después de usarlo y antes de comer, beber, masticar goma de mascar o usar tabaco. Después de usar este producto, lave los guantes antes de quitarlos, quítese la ropa y lávela por separado antes de volverla a usar, y lávese las manos y la piel expuesta rápida y completamente con agua y jabón. Quítese la ropa mojada lo más pronto posible y dúchese.

PRIMEROS AUXILIOS

SI ENTRA EN LOS OJOS	Mantenga el ojo abierto y enjuague con agua despacio y con cuidado por 15-20 minutos. Si tuviera lentes de contacto, quítelos después de lavarse con agua los primeros minutos y después continúe lavando el ojo. Llame a un centro de control de envenenamiento o al médico para obtener recomendaciones de tratamiento.
SI SE TRAGA	Llame inmediatamente al centro de control de envenenamiento o al médico para obtener recomendaciones de tratamiento. Haga que la persona tome sorbos de un vaso con agua, si puede tragar. No induzca el vómito a menos que lo indique un centro de control de envenenamiento o el médico. No le dé nada por la boca a una persona inconsciente.

Tenga a la mano el envase del producto o la etiqueta cuando llame al centro de control de envenenamiento o al médico, o al buscar tratamiento. También puede comunicarse al 1-800-225-2883 para obtener consejos de tratamiento médico de emergencia.

15

2.75"

2.75"



STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE Keep firm freezing. Store in original container in a locked storage area inaccessible to children and pets. Avoid contamination of food or feedstuffs.

PESTICIDE DISPOSAL AND CONTAINER HANDLING Nonrefillable container. Do not reuse or refill this container. If empty, Place in trash or other for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place treated product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Harmful if swallowed. When using this product, wear long-sleeved shirt, long pants, socks, shoes, and mitt gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-225-2883 for emergency medical treatment advice.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. If pesticide gets on skin, wash immediately with soap and water. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems. This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

ORTHO® AND YOUR ENVIRONMENT: Your yard is a place for family and pets to enjoy. That's why Ortho® products are designed with care to provide effective solutions to weed problems. For best results, please follow instructions for appropriate usage, storage and disposal.

NOTICE: Buyer assumes all risks of use, storage, or handling of this product not in accordance with directions.

THE ORTHO® GUARANTEE: If for any reason you are not satisfied with this product, mail to proof of purchase to obtain a full refund of your purchase price.

Questions & Comments
Preguntas y comentarios
 call 1-800-225-2883 www.ortho.com

©2012 The ORTHO Group. World rights reserved.
 Sold by The ORTHO Group
 P.O. Box 190, Marietta, OH 43040

EPA Reg. No. 2217-896-239
 EPA Est. No. 23944-31
 239-ME-001FF, 58996-MD-1A
 081652-OH-1A
 Superscript is first
 item of lot number LB2233

PRESS TO RESEAL
 PRESIONE PARA VOLVER A CERRAR