



For use on lawns

# Spectracide

## WEED STOP<sup>®</sup>

### FOR LAWNS

**Plus CRABGRASS KILLER**

Herbicida para céspedes y contra mano de cangrejo

**Kills 250+**  
Types Of Weeds as listed

**Visible Results In 8 Hours**



crabgrass



dandelion



yellow nutsedge



white clover

**Won't Harm Lawns** When Used As Directed

**Kills the Root**

THIS PRODUCT CONTAINS: 0.018 lb 2,4-dichlorophenoxyacetic acid equivalent per gallon or 0.210%, 0.010 lb 3,7-dichloro-8-quinolinecarboxylic acid per gallon or 0.121%, 0.002 lb 3,6-dichloro-o-anisic acid equivalent per gallon or 0.024%, 0.001 lb N-(2,4-dichloro-5,4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl)phenyl) methanesulfonamide per gallon or 0.015%, Isomer Specific by ADAC Method.

**KEEP OUT OF REACH OF CHILDREN. MANTENGASE FUERA DEL ALCANCE DE LOS NIÑOS.**

**CAUTION** See back label for additional information.

**READY TO USE** 

Net 24 fl oz (1 pt 8 fl oz)

### Riesgos para el medio ambiente

Este pesticida es tóxico para los peces y los invertebrados acuáticos. El arrastre y el escurrimiento pueden resultar peligrosos para los organismos acuáticos de las zonas cercanas al sitio de aplicación. Para proteger el medio ambiente, no permita que el pesticida entre o se escurra por drenajes pluviales, zanjas de drenaje, cunetas ni aguas superficiales. Aplicar este producto cuando no haya viento y no se anticipe lluvia en las siguientes 24 horas asegurará que ni el viento ni la lluvia arrastren o quiten el pesticida de la zona de tratamiento.

Este producto químico tiene propiedades y características relacionadas con sustancias químicas detectadas en aguas subterráneas. El uso de este producto químico en zonas de suelos permeables, particularmente donde la capa freática es poco profunda, puede ocasionar la contaminación del agua subterránea. La aplicación alrededor de un tanque de agua o un pozo puede contaminar el agua potable o subterránea.

# Spectracide

**STOP** READ ENTIRE LABEL BEFORE USE.  
ALTO. LEA TODA LA ETIQUETA  
ANTES DE USAR.

**PEEL HERE**  
RESEALABLE LABEL  
**ABRA AQUÍ**  
ETIQUETA RESELLABLE

## WEED STOP® FOR LAWNS Plus CRABGRASS KILLER

Herbicida para  
céspedes y contra  
mano de cangrejo



Kills on  
Contact



Visible Results  
in 8 Hours



Rainfast  
in 3 Hours



Kills Weeds Including Crabgrass – Not the Lawn  
Kills 250+ Types of Weeds



Kills Down  
to the Root

### PRODUCT FACTS

#### WHAT IT DOES:

Kills major broadleaf and troublesome grass weeds including dandelion, chickweed and clover as well as crabgrass, foxtail and yellow nutsedge. (See inside for complete list.)

#### WHERE TO USE:

Lawns: Kills the weeds, not the lawn.™

#### WHEN TO USE:

Apply when daytime temperatures are between 45°F and 90°F.

#### QUESTIONS & COMMENTS:

Call 1-800-917-5438 or visit our website at [www.spectracide.com](http://www.spectracide.com)

### GUARANTEED RESULTS OR YOUR MONEY BACK

If you are not satisfied with this product for any reason, send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.

Application to Bermudagrass may cause temporary yellowing or discoloration but full recovery can be expected. Do not apply to Bermudagrass when daytime temperatures exceed 85°F.

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with directions.

**NOTA:** El comprador asume toda la responsabilidad para seguridad y uso que no estén de acuerdo con las instrucciones.

Distributed by Spectrum Group, Division of United Industries Corporation  
PO Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 2217-007-8045 EPA Est. Nos. 9688-MO-1 (U),  
79533-WI-1 (BT), 58006-ND-1 (AE), 11623-GA-1 (K), 11623-GA-3 (CN)

Circled letter is first letter of lot number. 17-14678 ©2012 UIC

PROOF OF PURCHASE

FPO UPC  
0 71121 95662 0

**BROADLEAF WEEDS CONTROLLED: / MALEZAS DE HOJA ANCHA CONTROLADAS:**

- amaranth, purple
- amaranth, slender
- artichoke
- aster, heath
- aster, purple
- aster, white heath
- aster, white prairie
- Austrian fieldcress
- bedstraw, catchweed
- bedstraw, northern
- bedstraw, pineywoods
- bedstraw, smooth
- beggarticks, hairy
- betony, Florida
- bindweed, field
- bindweed, hedge
- bitter wintercress
- bittercress, hairy
- bitterweed
- black-eyed Susan
- black medic
- blood flower
- milkweed
- blue lettuce
- brassbuttons
- bristly oxtongue
- broomweed
- buckhorn
- bullnettle
- burclover
- burdock
- burweed, lawn
- (spurweed)
- buttercup, bulbous
- buttercup, creeping
- buttonweed, common
- (poorjoe)
- buttonweed, Virginia
- Carolina geranium
- (wild)
- carpetweed
- catnip
- catsear, spotted (false dandelion)
- chamber bitter
- chickweed, common
- chickweed, mouseear
- chickweed, sticky
- chicory
- cinquefoil
- clover, alsike
- clover, crimson
- clover, hop
- clover, rabbit foot
- clover, red
- clover, strawberry
- clover, white
- clover, white sweet
- clover, yellow sweet
- cockle
- cocklebur
- cocklebur, oriental
- cocklebur, spiny
- common mullein
- corn spurry
- creeping beggarweed
- creeping Jenny
- (creeping Charlie)
- cudweed
- cupid shaving brush
- daisy, English
- daisy, oxeye
- dandelion, common
- dandelion, false
- day flower
- deadnettle
- dichondra
- dock, broadleaf
- dock, curly
- dogbane
- dogfennel
- dollarweed (pennywort)
- doveweed
- elderberry
- false sunflower
- falseflax
- fiddleneck
- filaree, redstem
- filaree, whitestem
- fleabane, daisy (annual)
- fleabane, rough
- galinsoga, hairy
- galinsoga, smallflower
- goldenrod
- ground ivy
- groundsel
- gumweed
- hairy fleabane
- hawkweed, meadow
- hawkweed, mouseear
- hawkweed, orange
- hawkweed, yellow
- healall
- heartleaf drymary
- hemp
- henbit
- hoary cress
- horsetail
- horseweed
- jimsonweed
- Johnny-jumpup violet
- knawel
- knotweed, prostrate
- kochia
- lambsquarters
- lespedeza
- mallow, alkali
- mallow, bristly
- mallow, common
- mallow, dwarf
- mallow, Venice
- marcela
- matchweed
- Mexicanweed
- moneywort
- morningglory, bigroot
- morningglory, ivyleaf
- morningglory, Mexican
- morningglory, red
- morningglory, tall
- morningglory, woolly
- mugwort
- mustard, ball
- mustard, black
- mustard, blue
- mustard, hedge
- mustard, Indian
- mustard, tansy
- mustard, tumble
- mustard, white

**BROADLEAF WEEDS CONTROLLED: / MALEZAS DE HOJA ANCHA CONTROLADAS:**

- mustard, wormseed
- nettle, stinging
- (burning)
- nettle, tall
- nettle, wood
- parsley-piert
- parsnip
- pearlwort
- pennycress
- (Frenchweed)
- pepperweed, perennial
- pepperweed, Virginia
- (peppergrass)
- pigweed, prostate
- pigweed, redroot
- pigweed, Russian
- pigweed, smooth
- pigweed, tumble
- pineappleweed
- plains coreopsis
- (tickseed)
- plantain, blackseed
- plantain, bracted
- plantain, broadleaf
- plantain, buckhorn
- plantain, hoary
- plantain, narrowleaf
- plantain, slender
- plantain, woolly
- poison ivy
- poison oak
- pokeweed
- prairie sunflower
- prickly lettuce
- (compass plant)
- prickly sida
- prostrate knotweed
- puncturevine
- purslane, common
- pusley, Brazil
- pusley, Florida
- pusley, large flower
- ragweed, bur
- ragweed, common
- ragweed, lanceleaf
- ragweed, western
- redstem filaree
- rough cinquefoil
- scarlet pimpernel
- shepherdspurse
- smartweed,
- ladysthumb
- smartweed, pale
- smartweed,
- Pennsylvania
- smooth chaff-flower
- smooth dock
- sorrel, red (sheep)
- sowthistle, annual
- sowthistle, spiny
- Spanish needles
- speedwell, bi-lobed
- speedwell, common
- speedwell, corn
- speedwell, ivyleaf
- speedwell, Persian
- speedwell, purslane
- speedwell, slender
- speedwell, snow
- speedwell, thymeleaf
- spiny amaranth
- spurge, spotted
- spurge, prostrate
- spurweed
- star of Bethlehem
- strawberry, Indian
- mock
- tansy ragwort
- tanweed
- thistle, blessed
- thistle, bull
- thistle, Canada
- thistle, flodman
- (prairie)
- thistle, musk
- thistle, platte
- thistle, Russian
- thistle, Scotch
- thistle, wavyleaf
- thistle, yellow
- (horrible)
- trailing crownvetch
- velvetleaf
- vervain, blue
- vervain, hoary
- vervain, prostrate
- vervain, tall
- vetch, bird
- vetch, hairy
- vetch, milk
- vetch, narrowleaf
- vetch, wild
- Virginia creeper
- western clematis
- western salsify
- wild aster
- wild buckwheat
- wild carrot
- wild four-o'clock
- wild garlic
- wild lettuce
- wild marigold
- wild mustard
- (yellow rocket)
- wild onion
- wild parsnip
- wild radish
- wild rape
- wild strawberry
- wild sweet potato
- wild violet
- woodsorrel, creeping
- woodsorrel, violet
- woodsorrel, yellow
- (oxalis)
- woolly croton
- wormseed
- yarrow, common
- yarrow, western
- yarrow, yellow

**GRASSY WEEDS CONTROLLED: / MALEZAS HERBOSAS CONTROLADAS:** crabgrass, large and smooth; foxtail, green, giant and yellow; yellow nutsedge



**READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.**

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### General Precautions and Restrictions:

- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.
- Do not allow people or pets to enter the treated area until sprays have dried.

### For home lawn care:

Spectracide® Weed Stop® for Lawns plus Crabgrass Killer is a ready-to-use (RTU) product intended for "spot" treatment of individual broadleaf and grass weeds by homeowners on residential lawns. This product should be applied to lawns containing the following species of grass: Kentucky bluegrass, perennial ryegrass, fescue species (including tall, red and fine leaf varieties), Bermudagrass\*, buffalograss and zoysiagrass.

\*Application to Bermudagrass may cause temporary yellowing or discoloration but full recovery can be expected. Do not apply to Bermudagrass when daytime temperatures exceed 85°F.

Spectracide Weed Stop for Lawns plus Crabgrass Killer should **not** be used on lawns containing bentgrass, St. Augustinegrass, bahiagrass, centipedegrass or carpetgrass. Do **not** use on dichondra or lawns with desirable clovers or legumes or on vegetable gardens, fruits or ornamentals (flowers, trees, groundcovers, hedges, landscape/flower beds and shrubs).

- This 24 fl oz retail container size treats approximately 180 weeds or up to 180 sq ft.

## TRIGGER SPRAYER PRODUCT

1. Shake well.
2. Adjust nozzle to coarse spray pattern to minimize wind drift.

3. Spray just enough Spectracide® Weed Stop® for Lawns plus Crabgrass Killer to lightly cover grass and broadleaf weeds. *Excessive spraying can injure some lawns.* Do not apply when daytime temperatures are above 90°F as lawn injury can occur. Spray only the weeds, not the entire lawn.
4. Weeds will begin wilting and browning overnight.

## USE TIPS

- Some hard-to-kill weeds may require re-treatment. Wait at least 30 days between applications — some weeds can take that long to die.
- Rainproof — rain or watering three hours after application will not wash away effectiveness.
- Do not allow spray to drift onto desirable plants since injury may result.

## STORAGE AND DISPOSAL

**Do not contaminate water, food, or feed by storage and disposal.**

**PESTICIDE STORAGE:** Turn the nozzle to 'OFF' position and store with sprayer above the level of liquid in container to prevent leakage. Store in original container in an area inaccessible to children and pets.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container.

**If empty:** Place in trash or offer for recycling if available.

**If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

## PRECAUTIONARY STATEMENTS

### Hazards to Humans and Domestic Animals

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Harmful if swallowed. Wear long-sleeved shirt and long pants, shoes plus socks and gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

## First Aid

<b>If swallowed:</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<b>If in eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center for treatment advice.</li> </ul>

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-917-5438 for emergency medical treatment advice.

### Environmental Hazards

This pesticide is toxic to fish and aquatic invertebrates. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.



**LEA TODA LA ETIQUETA PRIMERO. CUMPLA TODAS LAS PRECAUCIONES Y SIGA CUIDADOSAMENTE LAS INSTRUCCIONES.**

## MODO DE EMPLEO

Se considera una violación a la ley federal usar este producto de una manera que no sea la indicada en la etiqueta.

### Precauciones y restricciones generales:

- No aplique este producto de modo que entre en contacto con personas o mascotas, ya sea directamente o por arrastre. Mantenga a las personas y las mascotas fuera de la zona durante la aplicación.
- No permita que las personas ni las mascotas entren en la zona tratada hasta que los rocíos se hayan secado.

### Para el cuidado del césped residencial:

El herbicida para céspedes y contra mano de cangrejo de Spectracide® Weed Stop® es un producto listo para usar, fabricado para el tratamiento "localizado" de pastos y malezas de hoja ancha, por parte de propietarios en céspedes residenciales. Este producto debería aplicarse en céspedes que contengan las siguientes especies de pasto: Pasto azul de Kentucky, ryegrass perenne, especies de festuca (incluyendo las variedades de hoja alta, roja y fina), pasto Bermuda\*, pasto búfalo y césped zoysia.

\*La aplicación al pasto Bermuda puede provocar que el pasto se vuelva amarillo o se decolore temporalmente pero se puede esperar una recuperación completa. No lo aplique al pasto Bermuda cuando las temperaturas diurnas superan los 85°F.

El herbicida para céspedes y contra mano de cangrejo de Spectracide Weed Stop no se debe usar en céspedes que contengan agróstide, césped San Agustín, césped bahía, césped ciempiés o césped alfombra. No lo use en céspedes dichondra o con tréboles o legumbres deseables, en huertos de verduras o frutos, ni en jardines con plantas ornamentales (flores, árboles, cubresuelos, setos, lechos de flores o plantas y arbustos).

- Este tamaño de envase de venta de 24 onzas líquidas trata aproximadamente 180 malezas o hasta 180 pies cuadrados.

## PRODUCTO CON ROCIADOR DE GATILLO

1. Agite bien.
2. Ajuste la boquilla para descargar un rocío grueso para minimizar el arrastre por el viento.
3. Rocíe el herbicida para céspedes y contra mano de cangrejo de Spectracide® Weed Stop® sólo en cantidad suficiente para cubrir ligeramente el césped y las malezas de hoja ancha. **El exceso de rocío puede dañar algunos tipos de césped.** No lo aplique cuando las temperaturas diurnas sean superiores a 90°F ya que se puede dañar el césped. Rocíe sólo las malezas, no el césped entero.
4. Las malezas comenzarán a marchitarse y adquirir color marrón durante la noche.

## CONSEJOS SOBRE EL USO

- Puede ser necesario repetir el tratamiento en algunas malezas difíciles de eliminar. Espere por lo menos 30 días entre las aplicaciones; algunas malezas pueden demorar ese tiempo en morir.
- A prueba de lluvia: la lluvia o el riego después de tres horas de la aplicación no reducen la eficacia.
- No permita el arrastre del rocío sobre plantas deseables ya que puede causarles daño.

## ALMACENAMIENTO Y ELIMINACIÓN

**No contamine el agua ni los alimentos para personas y animales por medio del almacenamiento o la eliminación.**

**ALMACENAMIENTO DEL PESTICIDA:** Gire la boquilla hasta la posición "OFF" (apagado) y guárdelo con el rociador por encima del nivel de líquido del envase para evitar derrames. Guarde en su envase original, en un lugar que no sea accesible a los niños ni a las mascotas.

**ELIMINACIÓN DEL PESTICIDA Y MANIPULACIÓN DEL ENVASE:** Envase no rellenable. No vuelva a usar ni a rellenar este envase.

**Si está vacío:** Tírelo en la basura u ofrézcalo para reciclar, si existe esa opción.

**Si está parcialmente vacío:** Llame a su servicio de eliminación de desechos más cercano para obtener instrucciones de eliminación. Nunca tire el producto sin usar por ningún drenaje interno ni externo.

## DECLARACIONES PREVENTIVAS

### Riesgos para los seres humanos y los animales domésticos

**PRECAUCIÓN:** Causa irritación moderada a los ojos. Evite el contacto con los ojos o la ropa. Nocivo si se ingiere. Use camisa de manga larga y pantalones largos, calcetines con zapatos y guantes. Lávese muy bien con agua y jabón después de manipularlo y antes de comer, beber, masticar chicle, usar tabaco o usar el baño.

### Primeros Auxilios

<b>Si se ingiere:</b>	<ul style="list-style-type: none"> <li>• Llame inmediatamente a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.</li> <li>• Si la persona puede tragar, haga que beba poco a poco un vaso de agua.</li> <li>• No induzca el vómito a menos que así lo indique el centro de control de envenenamientos o el médico.</li> <li>• No administre nada por la boca a una persona que haya perdido el conocimiento.</li> </ul>
<b>Si entra en contacto con los ojos:</b>	<ul style="list-style-type: none"> <li>• Mantenga los ojos abiertos y enjuague con agua lentamente, con cuidado, durante 15 a 20 minutos. Si hay lentes de contacto, retírelos después de los primeros 5 minutos, luego continúe enjuagando los ojos.</li> <li>• Llame a un centro de control de envenenamientos para recibir instrucciones de tratamiento.</li> </ul>

Cuando llame a un centro de control de envenenamientos o a un médico, o intente obtener tratamiento, tenga a la mano el envase o la etiqueta del producto. También puede llamar al 1-800-917-5438 para obtener información acerca del tratamiento médico de urgencia.

## PRECAUTIONARY STATEMENTS

### Hazards to Humans and Domestic Animals

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Harmful if swallowed. Wear long-sleeved shirt and long pants, shoes plus socks and gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

### First Aid

**If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

**If in eyes:** Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-917-5438 for emergency medical treatment advice.

**NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.**

**Questions & Comments?** Call 1-800-917-5438 or visit our website at [www.spectracide.com](http://www.spectracide.com)

## DECLARACIONES PREVENTIVAS

### Riesgos para los seres humanos y los animales domésticos

**PRECAUCIÓN:** Causa irritación moderada a los ojos. Evite el contacto con los ojos o la ropa. Nocivo si se ingiere. Use camisa de manga larga y pantalones largos, calcetines con zapatos y guantes. Lávese muy bien con agua y jabón después de manipularlo y antes de comer, beber, masticar chicle, usar tabaco o usar el baño.

### Primeros Auxilios

**Si se ingiere:** Llame inmediatamente a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento. Si la persona puede tragar, haga que beba poco a poco un vaso de agua. No induzca el vómito a menos que así lo indique el centro de control de envenenamientos o el médico. No administre nada por la boca a una persona que haya perdido el conocimiento.

**Si entra en contacto con los ojos:** Mantenga los ojos abiertos y enjuague con agua lentamente, con cuidado, durante 15 a 20 minutos. Si hay lentes de contacto, retírelos después de los primeros 5 minutos, luego continúe enjuagando los ojos. Llame a un centro de control de envenenamientos para recibir instrucciones de tratamiento.

Cuando llame a un centro de control de envenenamientos o a un médico, o intente obtener tratamiento, tenga a la mano el envase o la etiqueta del producto. También puede llamar al 1-800-917-5438 para obtener información acerca del tratamiento médico de urgencia.

**NOTA: El comprador asume toda la responsabilidad para seguridad y uso que no estén de acuerdo con las instrucciones. ¿Preguntas o comentarios?** Llame al 1-800-917-5438.

Distributed by Spectrum Group, Division of United Industries Corporation, PO Box 142642, St. Louis, MO 63114-0642  
EPA Reg. No. 2217-887-8845 EPA Est. Nos. 9688-MO-1 (U), 79533-WI-1 (BT), 58996-MO-1 (AE),  
11623-GA-1 (CK), 11623-GA-3 (CN) Circled letter is first letter of lot number. 17-14678 © 2012 UIC