

& SPIDERS **ILLS ANTS**

HRST AID
the product container or label with you when calling a poison
to center or doctor, or going for treatment. You may also conthe center or doctor, or going for treatment. You may also conthe content of the content of the

DIRECTIONS FOR USE

Do not apply this product in a way that will contact adults, children, or palts, either directly or through drift. Remove palts, blinds, and cover ish aduarums before spraying. Do not allow adults, children, or pets to entire the treated area until sprays have dried. Do not apply when tood it present. Remove or cover dishes, utensits, food processing equipment, and food preparation surfaces, or wash them before use. Application is prohibited directly into sewers or drains, or to any area like a uttire, where drainage to sewers, somor drains, water bodies, or aquatite habitat can occur. Do not allow the product to enter any drain duming or after application. Not for use in outdoor residential misting systems, Do not wet treated articles to point of urnolf or or drip. Do not use treated articles to point of urnolf or drip. On other the production is the product to enter any drain systems, Do not wet treated articles to point of urnolf or drip. Do not not use treated article until spray has dried. Not for broadcast use on inconcrete.

For residential use in nonfood/nonfeed areas.

Use Information: GRANT'S KILLS ANTS® & Solders provides effec-tive control of pests in and on buildings and structures and their im-mediate surroundings, on modes of transport, whicks and trailers, and in apartment buildings, homes, and private residences.

Cack & Crevice Injection: Remove protective cap, hold container upright and attach injection tube for injection into cracks and crevices
where insents may be finding, living and breefing. Place injection tip 1/2
inch info cracks, crevices, holes and other small openings where insects frany be a problem. Pleases a one-second spary per sport. In serioscis frany be a problem, Pleases a one-second spary per sport. In serioscis frany be a problem, Pleases a one-second spary per sport. In serioscis france in the control of the control Surface Spray Applications: Remove protective cap, hold container uporpht and direct spray away from face. Hold can 12-15 inches from surface being sprayed. Press valve down and spray as directed. Spray surface until slightly wet (al a rate of 4 oz. product to treat approximately 25 sq. ft. of surface area).

Cockracking (including adult and immature stages of both non-resistant and organophosphate and carbamate resistant strains); Anis, Booklibe, Borelder Bugs, Centipodes, Crickets, Dermestids, Firebrats, Fleas, Palmetto Bugs, Silverfish, Sowbugs, Ticks and Waterbugs, Paply throughly to areas where these pests crawl and independent of the specially in cracks and crevices and hidden areas, around shiks and storage areas, behind baseboards, around doors and windows, bestorage areas, behind baseboards, around doors and windows, better the properties are the properties areas around storage.

Take off contaminated clothing.
Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

PRECAUTIONARY STATEMENTS Hazards to Humans & Domestic Animals

CAUTION: Avoid contact with skin or clothing. Wash thoroughly with seap and water after handling and before eating, drinking, chewing upth, using lobacco or using the toiler. Environmental Hazards: This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not apply directly to or near water. Drift and rundin flary be thazardous to fish in water adjacent to treated areas. Do not contaminate water when disposing of equipment, washwater, or instate, See Directions for Use for additional presultions and requirements.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. No not apply wits product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

Physidal or Chemical Hazards: Contents under pressure. Do not use or stude near heat or open flame. Do not puncture or incinerate container, Exposure to temperatures above 130°F may cause bursting. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Use Restrictions

GRANT'S KILLS ANTS® & SPIDERS may be used as a crack and crevice treatment or as a spot application in non-food/feed areas. All listed areas where insects hide or through which insects may enter

In light infestations or for preventative treatment, place spots approximately 3 teet apart. In long running cracks, move the injector tip along the crack while spraying. Move at the rate of 1 linear foot per second in heavy intestations and 3 teet per second in light in injections, See additional directions below for effective control of specified insects.



container CENTRAL first cript used t letter of

229-04-9/11

and under refrigerators, cabinets, sinks and stoves, the un

side of shelves, drawers, and bookcases. When pests are driven out, spray directly.

Ants: Spray around ant trails, doors and windows where ants enter premises: Spray around nests hidden under steps, brickwork and concrete; Break apart accessible nests and spray on and around

Carpenter Ants: For effective control, locate and treat nests and sur-rounding areas. Apply around doors and windows where ants enter premises and where they crawl and hide. Inject into wall voids and in-tested wood through existing openings or newly drilled small holes.

Brown Dog Ticks and Fleas in Buildings: Apply to infested pet bests and resting quarters, nearby cracks and crevices, under the edges of rugs and floor coverings, between and under custions of upholstered furniture where these pests may be present. Do not use directly on Spiders: 'Apply along and behind baseboards, to window and door frames, corners, pipes, storage localities, affics and crawl spaces over

which these pests may crawl.

Centipedes, Earwigs, Ground Beetles, Millipedes, Mole Crickets, Pillibugs, Sowbugs, Scorpions and Ticks: Apply around doors and windows where these pests may enter premises. Treat baseboards and storage areas where these pests are found.

Pantry Pests – Grain Beetles (Rusty, Merchant and Saw-Toothed), Flour Reetles (Red and Confused), Chocolate Molts, Citarette Beetles, Clover Mites, Cluster Files, Drugstore Beetles, Emileat Beetles, Rick Werevilk, Lesser Grain Borers, Spider Beetles, and Tobactor Molts: Treat exposed stages, Remove all foodstuffs, utensits and shelf paper and any intested foodstuffs, Apply spray to shelves and in cracks and crevices befind and under cuploratris and earliers. Allow spray to dry prior to replacement of shelf paper, food and utensits.

Carpet Beetles (Black, Furniture and Varied): Spray on and under edges of floor coverings, under rugs and furniture and in closets where these insects are found.

Webbing Clothes Moths: Use this product as a crack and crevice treatment in closets and storage spaces where these pests are found. This is an adjunct treatment and will not control moth larvae already on clothes. Do not apply to clothing.

OUTDORS: Point nozzle away from face. Hold can on slight downward angle. For best results, spray withen air is calin. Spray with wind
if breeze is blowing. Remove all exposed food and cooking utensits.
Cover all food handling surfaces or wash thoroughly after treatment
before use. Do not use on enable crops. Do not make applications
during rain. Do not water the treated area to the point of run-off. Do
not wet plants to point of runoff or dip. All unddoor applications must
be limited to spot or crack-and-crevice treatments only, except for the

Applications to building foundations, up to a maximum height of 3

Other than applications to building foundations, all outdoor applica-tions to Impervous surfaces such as sidewalks, driveways, patics, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications only.

Pests on Outside Surfaces of Buildings: For control of building infestation due to Ants. Clover Miles, Criskets, Earwigs, Millipedes and
Sowbugs (Phillipsy) – Spray foundation of building where nissets are
active and may find entrance up to a height of 3 feet. Hold can two (2)
to three (3) leet from surface to be treated and spray to slightly
moisten surface. Apply as a residual spray to outside surfaces of
buildings where insets tend to congregate. Apply as a spot or crackand-crevice spray to screens, window frames, eaves, porches, patios,
garages and refuse dumps.

STORAGE & DISPOSAL
Do not contaminate water, food or feed by storage of disposal.

Pesticide, Storage: Do not store near heat or open flame. Store in a

cool, dry area away from children.

Pesticide Disposal & Container Handling: Do Not Puncture or Incinreact Non-refillable container. Do not reuse or refil this container. If
empty — Place in trash or offer for recycling if available. If partly filled
— Call your local solid waste agency for disposal instructions.