

Preen

Preen

MULCH PLUS

MULCH PLUS


FOR **6 MONTHS**
BLOCKS WEEDS*

SEE USE DIRECTIONS FOR COMPLETE LIST OF TREATED WEEDS.

MULCH PLUS

Preen

Color Lasts **ALL** Year Guaranteed!



Color Lasts **ALL** Year Guaranteed!

MIDNIGHT BLACK MULCH

* SEE USE DIRECTIONS FOR COMPLETE LIST OF TREATED WEEDS.

ACTIVE INGREDIENTS
Trihaloallene..... 0.0032%
Iron sulfate..... 0.0005%
OTHER INGREDIENTS..... 99.9963%
TOTAL..... 100.0032%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back label for Pests, Use and additional Precautionary Statements.



COVERS 12 SQ. FT.

NET CONTENTS 2 CU. FT. (56.63L)



WITH **WEED BARRIER**TM
TECHNOLOGY*

BLOCKS WEEDS*
FOR **6 MONTHS**

*** SEE USE DIRECTIONS FOR COMPLETE LIST OF TREATED WEEDS.**

ACTIVE INGREDIENTS:

Trifluralin..... 0.0032%

Isoxaben..... 0.0008%

OTHER INGREDIENTS: . . . 99.9960%

TOTAL..... 100.0000%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See back panel for First Aid and additional Precautionary Statements.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Causes moderate eye irritation. Harmful if swallowed or inhaled. Avoid prolonged contact with skin, eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic skin reactions in some individuals. Wash thoroughly with soap and water after handling. If product gets on clothes, wash before reuse.

| FIRST AID | |
|---|--|
| IF IN EYES: | <ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice. |
| IF SWALLOWED: | <ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person. |
| IF INHALED: | <ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for treatment advice. |
| <p>Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-888-208-1368 for emergency medical treatment information.</p> | |

ENVIRONMENTAL HAZARDS

The active ingredients in this product are highly toxic to fish and other aquatic organisms including oysters and shrimp. Use with care when applying to areas adjacent to any body of water. Runoff from treated areas may adversely affect aquatic organisms in adjacent aquatic sites. Do not apply directly to water. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT. USE ONLY ACCORDING TO LABEL INSTRUCTIONS. Before buying this product, read the Warranty Section elsewhere on this label. If terms are not acceptable, return the unopened container to the place of purchase at once.

PRODUCT INFORMATION

This landscaping product contains a premium quality mulch such as Hardwood, Pine and Cypress or combination there of together with two long-lasting preemergence herbicides. One application of Preen Mulch Plus® provides 6 months control of broadleaf weeds* and annual grasses in flower and ornamental beds. Plus it helps landscaped areas retain moisture - protecting your plants, trees and shrubs from extreme temperatures. Preen Mulch Plus® provides increased weed* control when used as directed. This mulch contains natural forest products and contains no recycled waste wood. These materials are ideal for mulches because they naturally degrade over time, turning into valuable organic matter.

PRODUCT RESTRICTIONS

WEAR GLOVES WHEN HANDLING

Do not apply near fish pools, ponds, streams, or lakes.

For use ONLY on ornamental species.

Use only on established ornamental plants.

FOR OUTDOOR RESIDENTIAL USE.

DO NOT USE THIS MULCH AROUND FOOD PRODUCING FRUIT OR NUT TREES, VEGETABLES, HERBS, OR OTHER EDIBLE FOOD PLANTS.

Do not apply Preen Mulch Plus® on the following plant species or injury may result:

| | | | | | |
|-------------------------------|---------------------|--------------------------|----------------------------|---------------------------|--------------|
| Acanthus, oak leaf | Burning bush, dwarf | Cranesbill, ballerina | Lingwort, Bertram Anderson | Rhododendron: | Stoncrop |
| Baby's breath, white festival | Cajuput tree | Foxglove | Mustard | Carolina, Roseum, elegans | Yucca, green |
| Bleeding heart, luxuriant | Candytuft | Hydrangea | Periwinkle, wine | Sandwort, mountain | |
| Bugle | Coneflower, purple | Juniper, Prince of Wales | Phlox, summer | Spurge | |

Weeds Controlled and/or Suppressed

Annual Grass Weeds:

| | | | | | |
|-------------------|------------------------|-------------------------|------------------|----------------------|------------|
| Barley, hare | Cheat | Foxtail, yellow | Lovegrass | Sandbur, field | Stinkgrass |
| Barnyardgrass | Crabgrass | Goosegrass | Oat, wild | Shattercane | Swinecress |
| Bluegrass, annual | Cupgrass, Southwestern | Johnsongrass (seedling) | Panicum | Signalgrass | Witchgrass |
| Bromegrass | Fescue, raltail | Junglerice | Ryegrass, annual | Sprangletop, mexican | |

Broadleaf Weeds:

| | | | | | |
|------------------------|-----------------------|------------------------|-------------------------|-------------------------|--------------------|
| Aster | Dandelion | Henbit | Morningglory | Pusley, Florida | Sweetclover |
| Bindweed, field | Datura | Horseweed | Mustard | Radish, wild | Tansymustard |
| Bittercress | Dock, common | Jimsonweed | Nettle | Ragweed | Telegraphplant |
| Brassbuttons, Southern | Dogfenel | Knotweed | Nightshade, black | Rocket, London | Thistle |
| Burclover, California | Elipta | Kochia | Oxtongue, bristly | Rockpurslane | Turkey mullein |
| Bursage, annual | Eveningprimrose | Ladythumb | Pennywort | Shepherdspurse | Velvetleaf |
| Carpelweed | Fiddleneck, coast | Lambsquarter | Pepperweed, Virginia | Sibara | Willoweed, panicle |
| Carrot, wild | Filaree | Lanceleaf groundcherry | Phyllanthus, long-stalk | Sida, prickly | Woodsorrel |
| Celery, wild | Fireweed | Lettuce, prickly | Pigweed | Smartweed, Pennsylvania | |
| Chamberbitter | Fleabane | Mallow | Pimpernel, scarlet | Sorrell, red | |
| Chickweed | Galinsoga, hairy | Marestail | Pineappleweed | Sowthistle | |
| Clover, white | Geranium, Carolina | Mayweed | Plantain | Speedwell | |
| Cudweed, purple | Goosefoot, nettleleaf | Medic, black | Pokeweed | Spurge | |
| | Groundsel | Milkweed, honeyvine | Purslane | Sunflower | |

WHEN TO APPLY

This mulch contains preemergent herbicides and for best results, remove all weeds in the beds prior to applying Preen Mulch Plus®. Apply in the spring and fall after renovating beds. For best results, apply Preen Mulch Plus® after flowers and ornamentals have been planted into the soil. Do not apply over flower seeds.

Ornamental Bulbs - Apply 2 to 4 weeks after planting, or before or after flowering. **Do not apply to bulbs when flowering.**

HOW TO APPLY

Bulbs and Perennials — Spread Preen Mulch Plus® over the area to a depth of two inches. **Do not plant flowers directly into mulch.** If additional planting is desired after Preen Mulch Plus® has been applied, first remove the mulch from the selected area. Avoid getting treated mulch in the planting hole. Once the plant is firmly embedded in the soil, replace the mulch around the plant. **Annuals** — After plants have been set in the soil bed, spread Preen Mulch Plus® over the area to a depth of two inches. Make no more than one application per site per year. The active ingredients in Preen Mulch Plus® can cause injury to some annuals. If you have a concern about damage to your annuals, do not use this product.

PREEN MULCH PLUS® IS SUGGESTED FOR USE AROUND THESE ESTABLISHED PLANTS

Bulbs, Flowers, Ground Covers & Ornamental Grasses –

| | | | | | |
|--------------------------------------|--|---|---|--|--|
| Amaryllis | Coreopsis, Threadleaf | Gay feather | Iris: African, Bulbous, Blue Siberian, Yellow dwarf bearded | Palace purple | Stock |
| Angel's hair | Cranesbill | Gazania | Ivy: Algerian, English | Penstemon: Apple Blossom, Harwig | Stonewort (<i>Sedum</i>): Autumn Joy, Vera Jameson |
| Astilbe, Deutschland | Creepers, Virginia | Geranium: Ivy, Zonal | Jasmine: Angelwing, Asaian | Periwinkle: Bigleaf, Dwarf, Madagascar | Sweet alyssum |
| Aster: China, New England, New York | Daffodil | Gladiolus (corms more than 1" in diameter) | Licorice plant, White | Petunias, Garden | Teatree, Broom |
| Banana, Red abyssinian | Daisy: Angellia, Freeway, Gold coin, Paris, Swan River New | Grass: Beech, Crimson fountain, Dwarf mondo, Dwarf umbrella, Eulalia, Fountain, Mondo, Pampas, Ribbon | Lily: Fortnight, Francee plantain, Patriot plantain, Peruvian, Kafir | Plumbago, Dwarf | Tulip |
| Bee balm | Amethyst | Guara | Lily turf: Big blue, Green/creeping, Lilac beauty, Majestic, Monroe white, Silvery sunproof, Variegated liriopie, White | Primrose, Siskiyou evening | Verbena, St. Paul |
| Begonia: Heartleaf, White ambassador | Daylily | Hakonechloa, Golden | Lily-of-the-nile | Rosemary | Wallflower |
| Bidens, Peter's Gold | Descampsia | Heather: False, Mexican | Lisianthus, Pink | Ruella, Dwarf Katie | Yarrow, common |
| Blackeyed Susan | Dianthus, Crimson | Honeysuckle, Japanese | Lobelia | Sage: Graham's, Mexican bush, Russian | Yucca, Red |
| Blanket flower | treasure cheddar pink | Horse tail, Dwarf | Loosestrife, Dotted | Star cluster | Zinnia, Dwarf |
| Busy Lizzie | Dusty miller/Silver ragweed | Hosta, Albo-marginata | Marigold, Little hero | St. Johnswort | |
| Cape weed | Euryops, Dwarf | Hyacinth | Mexican hat | Statice | |
| Carex, Variegated | Fern | Iceland: Largeleaf, Trailing, Trailing rosea, White | Narcissus | | |
| Chrysanthemum | Fescue, Blue | | | | |
| Clematis, Blue bell | Fuschia, Santa Claus | | | | |
| Coral bells | Garlic, Society | | | | |

Shrubs –

| | | | | | |
|---|--|--|--|---|--|
| Abelia: Edward Goucher, Glossy | Bluebeard, Dark knight | Euonymus: Canadale gold, Chollipo, Emerald'n gold, Gold spot, Silver king, Spreading, Sunspot, Variegated evergreen | Juniper: Andorra, Bar Harbor, Blue, Blue chip, Blue rug, Blue star, Broadmoor, Creeping, Dwarf | Myrtle: Crape, Wax | Rose, Ramanas |
| Acacia: Abyssinica, Prostrate, Shoestring | Bottlebrush: Lemon, Weeping | Fern: Tassel, Japanese painted | Andorra, Emerald green, Emerald sea shore, Foemina-Hicks, Hollywood, Huntington, Media-old gold, Nana-dwarf blue Japanese garden, Parsonii, Pflizer, Pflizerana glauca-blue, Pflizerana-pflizer, Plumosa-Andorra, Prostrata, Savin, Sea green, Shore, Tamariscifolia-Tam, Torulosa-hollywood, Wiltonii-blue carpet | Nightshade, Paraguay | Rose of Sharon: Aphrodite, Helene, Red bird, Red heart, Woodbridge |
| Almond, Dwarf pink flowering | Bougainvillea: Barbara Karst, California gold, Pink pixie, Scarlet O'Hara, Temple fire, Texas dawn | Forsythia: Border, Spring glory | Lantana | Oleander: Hardy red, Ruby lace | Silver berry, Fruitland |
| Aptenia, Red apple | Boxwood: Common, Green velvet, Japanese, Korean | Fringe Flower | Laurel, Mountain | Osmanthus, Fortunes | Skimmia: Japanese, Reeve's |
| Aralia, Japanese | Broom: Hollandia-Scotch, Hollandia-warminster, Lena-Scotch | Gardenia: August beauty, Mystery, Radican | Lavander: English, English spike | Palm: Areca, Chinese fountain, Christmas, Pigmy late, Sago | Smoke Tree: Royal purple, Coral beauty, Eichholz |
| Arborvitae: Aureus nanadwarf golden, Emerald, Globosa-globe, Little giant-dwarf, Minima glauca-dwarf, Nigra-dark American, Pyramidalis, Rheingold, Techny, Woodwardii | Brush cherry, Dwarf | Heather: Cornish, Purple bell, Mediterranean pink, Spring torch scotch | Leaf: Copper, Sala/lemon | Photinia, Fraser's | Spiraea: Astilbe/False, Anthony Waterer, Bridal wreath, Dolchia, False, First snow, Japanese alpine, Shirobana |
| Azalea: Blue danube, Cannon's double, Caror, Coral bells, Fashion, Flame, Formosa, Gerard Christina, Gerard Roberta, Golden flare, Golden flare exbury, Gumbo pink, Helmut vogel, Hersey red, Higasa, Hino crimson, Hino pink, Hoi shot, Hume, Inga, Irene Koster, Klondike, Mildred, President Clay, Reijn, Snow, Tradition, Waucabusa | Camellia | Hibiscus, Ross Estey | Leucothoe: Coast, Drooping | Pine, Mugo-mugho | Pink breath of heaven |
| Bambo: Compacta-dwarf heavenly, Harbour dwarf-heavenly, Heavenly bamboo (Nandina), Nana-compacta-heavenly, Nana purpurea-heavenly, Woods dwarf heavenly | Cassia, Feathery | Holly: Balkans, Blue boy, Blue girl, Burford, China boy, China girl, Compacta-compact inkberry, Compacta-dwarf Japanese, Convexa, Dwarf Burford, Dwarf Chinese, Ebony magic, Gold coast, Green luster, Heller-Heller's Japanese, Hetzii's Japanese, Nana-dwarf yaupon, Needle point, Nordica-inkberry, Pendula-weeping yaupon, San Jose, Savannah, Stokesii Japanese, Yaupon | Lilac: Common, Chinese, Wild | Pink breath of heaven | Pittosporum: Green, Wheeler's dwarf |
| Barberry: Atropurea-redleaf Japanese, Aurea-golden Japanese, Cherry bomb, Crimson pygmy, Mentor, Rose glow, William Penn | Century plant | Hopseed bush | Lily-of-the-Nile, Queen Anne | Pittosporum: Green, Wheeler's dwarf | Plumbago |
| | Cinquefoil (<i>Potentilla</i>): Gold Drop, Goldfinger, Red Ace, Spring, Sunset, Tangerine | Ixora | Lily-of-the-Valley: Forest flame, Mountain fire, Snowdriit, Temple bells, Valley rose, Valley valentine | Privet (Ligustrum): Japanese, California, Glossy, Golden, Howardi, Lodense, Vicary golden, Wax, Wax leaf, Yellow tip | Pyracantha: Lolendei Monrovia, Monon, Red elf hybrid, Rutgers hybrid, Santa Cruz, Victory |
| | Cleyera, Japanese | Locust: Honey, Shademaster honey | Maple: Amur, Coral bark Japanese, Dwarf Japanese | Rhododendron: America, Butterfly, Catawba, Catawba album, Chionoides, Cunninham white, Daphnioides, Dwarf scarlet wonder, Elizabeth, English Roseum, Gomer Waterer, Jean Marie, Lord Roberts, Nova Zembla, PJM, Purple gem, Ramapo, Rocket, Rhodie Max (rosebay), Scintillation, Tribly, Unique, Vulcan | Rhaphiolepis: Charisma-Monruca, Enchantress-Moness, India |
| | Cotoneaster: Bearberry, Cranberry, Himalayan, Praecox-early, Pyrenees, Rock | Magnolia, Southern | Marguerite, Blue | Rhododendron: America, Butterfly, Catawba, Catawba album, Chionoides, Cunninham white, Daphnioides, Dwarf scarlet wonder, Elizabeth, English Roseum, Gomer Waterer, Jean Marie, Lord Roberts, Nova Zembla, PJM, Purple gem, Ramapo, Rocket, Rhodie Max (rosebay), Scintillation, Tribly, Unique, Vulcan | Rhaphiolepis: Charisma-Monruca, Enchantress-Moness, India |
| | Coyotebush | Mahogany | Marlberry, Chirimen | Rhododendron: America, Butterfly, Catawba, Catawba album, Chionoides, Cunninham white, Daphnioides, Dwarf scarlet wonder, Elizabeth, English Roseum, Gomer Waterer, Jean Marie, Lord Roberts, Nova Zembla, PJM, Purple gem, Ramapo, Rocket, Rhodie Max (rosebay), Scintillation, Tribly, Unique, Vulcan | Rhaphiolepis: Charisma-Monruca, Enchantress-Moness, India |
| | Cranberry Bush/Dwarf | Maple: Albus-flowering, Flame, Luteus-flowering, Red, Red Sunset, Rosus-flowering, Silver, Tangerine-flowering, Vesuvius red-flowering | Morning glory, Bush | Rhododendron: America, Butterfly, Catawba, Catawba album, Chionoides, Cunninham white, Daphnioides, Dwarf scarlet wonder, Elizabeth, English Roseum, Gomer Waterer, Jean Marie, Lord Roberts, Nova Zembla, PJM, Purple gem, Ramapo, Rocket, Rhodie Max (rosebay), Scintillation, Tribly, Unique, Vulcan | Rhaphiolepis: Charisma-Monruca, Enchantress-Moness, India |
| | Cranberry Bush | Mesquite, Chilean | | Rhododendron: America, Butterfly, Catawba, Catawba album, Chionoides, Cunninham white, Daphnioides, Dwarf scarlet wonder, Elizabeth, English Roseum, Gomer Waterer, Jean Marie, Lord Roberts, Nova Zembla, PJM, Purple gem, Ramapo, Rocket, Rhodie Max (rosebay), Scintillation, Tribly, Unique, Vulcan | Rhaphiolepis: Charisma-Monruca, Enchantress-Moness, India |
| | Cypress: Filifera-thread, Kosteri, Nana-dwarf Hinoki, Squarrosa | Mulberry, White | | Rhododendron: America, Butterfly, Catawba, Catawba album, Chionoides, Cunninham white, Daphnioides, Dwarf scarlet wonder, Elizabeth, English Roseum, Gomer Waterer, Jean Marie, Lord Roberts, Nova Zembla, PJM, Purple gem, Ramapo, Rocket, Rhodie Max (rosebay), Scintillation, Tribly, Unique, Vulcan | Rhaphiolepis: Charisma-Monruca, Enchantress-Moness, India |
| | Minima, Torulosa | Oak: Bear, Live, Pin, Red, Willow | | Rhododendron: America, Butterfly, Catawba, Catawba album, Chionoides, Cunninham white, Daphnioides, Dwarf scarlet wonder, Elizabeth, English Roseum, Gomer Waterer, Jean Marie, Lord Roberts, Nova Zembla, PJM, Purple gem, Ramapo, Rocket, Rhodie Max (rosebay), Scintillation, Tribly, Unique, Vulcan | Rhaphiolepis: Charisma-Monruca, Enchantress-Moness, India |
| | Daphne, Fragrant | | | Rhododendron: America, Butterfly, Catawba, Catawba album, Chionoides, Cunninham white, Daphnioides, Dwarf scarlet wonder, Elizabeth, English Roseum, Gomer Waterer, Jean Marie, Lord Roberts, Nova Zembla, PJM, Purple gem, Ramapo, Rocket, Rhodie Max (rosebay), Scintillation, Tribly, Unique, Vulcan | Rhaphiolepis: Charisma-Monruca, Enchantress-Moness, India |
| | Deutzia, Nakiana-dwarf | | | Rhododendron: America, Butterfly, Catawba, Catawba album, Chionoides, Cunninham white, Daphnioides, Dwarf scarlet wonder, Elizabeth, English Roseum, Gomer Waterer, Jean Marie, Lord Roberts, Nova Zembla, PJM, Purple gem, Ramapo, Rocket, Rhodie Max (rosebay), Scintillation, Tribly, Unique, Vulcan | Rhaphiolepis: Charisma-Monruca, Enchantress-Moness, India |
| | Dogwood: Baileyi, Baileyi-red-osier, Flaviramea, Flaviramea-yellowtwig, Sibirica-Siberian | | | Rhododendron: America, Butterfly, Catawba, Catawba album, Chionoides, Cunninham white, Daphnioides, Dwarf scarlet wonder, Elizabeth, English Roseum, Gomer Waterer, Jean Marie, Lord Roberts, Nova Zembla, PJM, Purple gem, Ramapo, Rocket, Rhodie Max (rosebay), Scintillation, Tribly, Unique, Vulcan | Rhaphiolepis: Charisma-Monruca, Enchantress-Moness, India |

Trees –

| | | | | | |
|---|--|--|--|---|------------------------------------|
| Ash, Shamei | Squarrosa-moss, Sawara-false | Locust: Honey, Shademaster honey | Palm: Cat, Mexican Fan, Parlor, Queen | Sequoia, Giant | Tab, Yellow |
| Birch: Paper, River | Dogwood: Cloud nine, Flowering | Magnolia, Southern | Pine: Austrian Black, Beach, Bosnian, Bristlecone, Canary Island, Columnar Scotch, Eastern white, Eldarica, Japanese black, Monterey, Pumilio-shrubby swiss mountain, Scotch, Shore, White | Sourwood | Toyon |
| Bottle tree | Elm, Chinese | Mahogany | Podocarpus | Spruce: Conica-dwarf Alberta, Dwarf | Tree Fern: Australian, Tasmanian |
| Carrot wood | Eucalyptus: Mealy, Redgum, Red ironbark, Silver dollar | Maple: Albus-flowering, Flame, Luteus-flowering, Red, Red Sunset, Rosus-flowering, Silver, Tangerine-flowering, Vesuvius red-flowering | Redbud | Alberta, Dwarf globe blue, Glauca-Colorado blue, Hoopsii-Hoop's blue, Koster-Koster blue, Norway, Pendula-weeping Norway, Repens-spreading Norway | Willow: Babylon weeping, Corkscrew |
| Cherry, Yoshino flowering | Ficus/Mini-Ficus | Mesquite, Chilean | Redcedar, Eastern | Sweetgum, American | |
| Coolibah tree | Fir: Balsam, White | Mulberry, White | | Strawberry, Gilt edge | |
| Cottonwood | Florida anise-tree | Oak: Bear, Live, Pin, Red, Willow | | Sycamore: American, California | |
| Cryptomeria, Japanese | Ginkgo (Maidenhair tree) | | | | |
| Cypress: Arizona, Emerald island leyland, Filicoides-fernspray, Gracilis-slender Hinoki, Italian, | Hawthorn, Green | | | | |
| | Hemlock, Eastern | | | | |

Non-bearing Fruit and Nut Trees and Non-bearing Vineyards* –

| | | | | | |
|------------|---------------------|---------------------------|-----------------------|-----------|------------------------|
| Almond | Blueberry | Elderberry | Kiwi | Orange | Pomegranate |
| Apple | Boysenberry | Fig | Lemon | Peach | Prune |
| Apricot | Carob | Filbert | Loganberry | Pear | Rasperry |
| Avocado | Cherry: sour, sweet | Gooseberry | Macadamia nut | Pecan | Walnut: black, English |
| Banana | Currant | Grape: American, European | Nectarine | Pistachio | |
| Blackberry | Dewberry | Grapefruit | Olive: Black, Russian | Plum | |

* Do not apply to fruit, nut or grape vineyard, which will bear fruit, within 1 year after application of Preen Mulch Plus®.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store this product only in its original container in a cool, dry, locked place out of the reach of children and animals.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available.

IF PARTLY FILLED: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY

The Manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Manufacturer, and to the extent consistent with applicable law, Buyer assumes the risk of any such use.

PREEN® GUARANTEE

To the extent consistent with applicable law, Lebanon Seaboard Corporation guarantees you will be satisfied with the performance of this product when used as directed, or your money back. If not satisfied, describe the nature of your problem, and send with proof of purchase to: Lebanon Seaboard Corporation, 1600 East Cumberland Street, Lebanon, PA 17042.

Preen® is a registered trademark of Lebanon Seaboard Corporation.

Mulch Plus® is a registered trademark of Lebanon Seaboard Corporation.

NET CONTENTS: 2 CU. FT. (56.63L)

NET WEIGHT 30 LBS. (13.608 KG)

COVERS 12 SQ. FT.

Fill is by volume. Some settling may occur during shipment.


*See Use Directions for complete list of treated weeds.

EPA Reg. No. 961-408-72106

Trifluralin CAS No. 1582-09-8

Isoxaben CAS No. 82558-50-7

CERTIFIED PRODUCT

| | |
|---|---|
|  | Premium Potting Soil |
| | Standard Potting Soil |
| | Landscape Soil & Soil Amendment |
| | Specialty Soils |
| | <input checked="" type="checkbox"/> Mulch |

This product has been registered and tested for conformance to the standards of the Mulch & Soil Council for the indicated product category. The Mulch & Soil standards do not contain a product category for pesticides, and this certification mark does not apply to pesticide claims. For more information, refer to the MSC website at www.mulchandsoilcouncil.org.

Manufactured by:
 Waupaca Northwoods, LLC
 N2564 County Road QQ
 Waupaca, WI 54981


1-800-233-1067

<http://mulch.preen.com>



PROOF OF PURCHASE
 COMPROBANTE DE COMPRA

(N) (S) (P) (F)

EPA Est. No. 72106-ID-001; 72106-SD-001; 72106-WA-001; 72106-CO-001;

Superscript used is first letter of lot number

MEDIDAS DE PRECAUCIÓN: PELIGROS A LOS SERES HUMANOS Y A LOS ANIMALES DOMÉSTICOS

PRECAUCION

Causa irritación leve en los ojos. Daño o mortal si se ingiere. Evite el contacto prolongado con los ojos, la piel o la ropa. El contacto prolongado o frecuente con la piel puede causar reacciones alérgicas en algunas personas. Lave la piel minuciosamente con agua y jabón después de la manipulación. Si el producto entra en contacto con la ropa, lávela antes de volver a usarla.

| PRIMEROS AUXILIOS | |
|---|---|
| SI ENTRA EN CONTACTO CON LOS OJOS: | <ul style="list-style-type: none"> Mantenga el ojo abierto y enjuague lenta y suavemente con agua durante 15-20 minutos. Si tiene puestos lentes de contacto, retírelos luego de 5 minutos y siga enjuagándose los ojos. Llame a un centro de control de tóxicos o a un médico para solicitar tratamiento. |
| SI SE INGIERE: | <ul style="list-style-type: none"> Llame inmediatamente a un centro de control de tóxicos o a un médico para obtener asesoramiento sobre el tratamiento. Haga que la persona tome agua, si puede tragar. No induzca el vómito, a menos que se lo indique un médico o el centro de control de tóxicos. No administre nada por vía oral a una persona inconsciente. |
| SI SE INHALA: | <ul style="list-style-type: none"> Lleve la persona a un lugar con aire fresco. Si la persona no respira, llame al 911 o a una ambulancia, luego administre respiración artificial, preferentemente boca a boca, si es posible. Llame a un centro de control de tóxicos o a un médico para solicitar tratamiento. |
| Tenga a mano el envase del producto o la etiqueta cuando llame al centro de control tóxicos o al médico para consultar por el tratamiento. También puede llamar al 1-888-208-1368 para obtener información de tratamiento médico de emergencia. | |

RIESGOS PARA EL AMBIENTE

Los ingredientes activos de este producto son extremadamente tóxicos para peces y otros organismos acuáticos, incluidos los camarones y las ostras. Úselo con cuidado al aplicarlo en áreas adyacentes a cualquier superficie acuática. El escurrimiento desde aguas tratadas puede perjudicar a los organismos acuáticos de los sitios acuáticos adyacentes. No lo aplique directamente en el agua. No contamine el agua cuando limpie el equipo o cuando deseche el agua con que lavó el equipo.

INSTRUCCIONES PARA EL USO

Constituye violación de la Ley Federal utilizar este producto de una manera distinta a la estipulada en la etiqueta. LEA LA ETIQUETA COMPLETAMENTE ANTES DE UTILIZAR ESTE PRODUCTO. USE SÓLO SEGÚN LAS INSTRUCCIONES DE LA ETIQUETA. Antes de comprar este producto, lea la sección de Garantía que aparece en esta etiqueta. Si no acepta los términos, devuelva inmediatamente el contenido al lugar de la compra.

INFORMACIÓN DEL PRODUCTO

Este producto contiene un abono de jardinería de primera calidad, tales como madera, pino y ciprés o una combinación de allí junto con otros dos herbicidas pre-emergentes de larga duración. Una de las aplicaciones de este producto de 6 meses, el control de malezas de hoja ancha y gramíneas anuales en camas de flores y plantas ornamentales. Además de que ayuda a las zonas ajardinadas a retener la humedad - la protección de sus plantas, árboles y arbustos de las temperaturas extremas. Este producto ofrece un mayor control de malas hierbas cuando se utiliza según las indicaciones. Este abono contiene productos de bosques naturales y no contiene residuos de madera reciclada. Estos materiales son ideales para coberturas, ya que, naturalmente, se degradan con el tiempo, convirtiéndose en la materia orgánica valiosa.

RESTRICCIONES DE PRODUCTOS

USE GUANTES PARA LA MANIPULACIÓN

No aplique cerca de albercas con peces, estanques, arrollos o lagos.

Para uso SÓLO en especies ornamentales. Use sólo en plantas ornamentales establecidas.

PARA USO RESIDENCIAL EN EXTERIORES. NO USE ESTE COMPUESTO DE MATERIALES NATURALES CERCA DE ÁRBOLES FRUTALES O DE FRUTOS QUE PRODUZCAN ALIMENTOS, NI DE VERDURAS, HIERBAS U OTRAS PLANTAS COMESTIBLES.

No aplique Preen Mulch Plus en las siguientes especies de plantas para evitar que sufran daños:

| | | | | | |
|-------------------------------|-------------------|------------------|------------------------------|-------------------------------|-------------|
| Acanto, hoja de roble | Pinillo | Rubdeckia morada | Junípero, Príncipe de Gales | Rododendro: Carolina, Roseum, | Uva de gato |
| Aliento de bebé (gypsophila), | Evónimo enano | Geranio alpino | Pulmonaria, Bertram Anderson | elegans | Yuca verde |
| manto de novia | Melaleuca | Dedalera | Hierba doncella | Arenaria Montana | |
| Corazón de virgen, frondosa | Cestillo de plata | Hortensia | Flox paniculada | Tártago | |

Malezas controladas y/o eliminadas

Malezas de césped anuales:

| | |
|-------------------|------------------------|
| Cebada, liebre | Cheat |
| Capín arroz | Garranchuelo |
| Césped azul anual | Piojillo |
| Bromo | Festuca, cola de ratón |

Malezas de hoja ancha:

| | | |
|-----------------------|---------------------|---------------------|
| Aster | Datura | Hierba carnífera |
| Corregüela | Acedera | Estramonio |
| Mastuerzo amargo | Manzanilla bastarda | Centaura negra |
| Botón dorado | Elipla | Falso ciprés |
| Trébol de carretilla | Primavera nocturna | Persicaria |
| Ambrosia áspera | Ortiga | Quinoa blanca |
| Verdolaga alfombra | Alfilerillo | Camambú |
| Zanahoria | Achicoria de cabra | Escarola |
| Vallisneria americana | Pulicaria | Malva |
| Peronilla del pasto | Estrellita venenosa | Erigeron del Canadá |
| Pamplina | Geranio Carolina | Manzanilla hedionda |
| Trébol blanco | Quinoa negra | Lupulina |
| Siempre viva púrpura | Senecio | Vid azul |
| Diente de león | Ortiga mansa | Dondiego de día |

| | | |
|-----------------|----------------|-----------------|
| Césped llorón | Roseta | Césped hediondo |
| Avena silvestre | Sorgo | Mastuerzo |
| Panicum | Césped barrera | Grama |
| Ballico anual | Triguillo | |

| | |
|----------------------|--------------------------------|
| Ambrosia | Cardo |
| Matacandil | Canutillo |
| Pata de guanaco | Malva amarilla |
| Alforja | Laurel de San Antonio espigado |
| Malva de caballo | Aleluya |
| Persicaria de estero | |
| Rosa de Jamaica | |
| Cardo ajonjero | |
| Verónica | |
| Tártago | |
| Girasol | |
| Trebol de olor | |
| Mostacilla | |
| Cola de chango | |

CUÁNDO APLICAR

Este compuesto de materiales naturales contiene herbicidas pre-emergentes y para obtener mejores resultados, se recomienda quitar toda la maleza de los mantos antes de su aplicación. Aplicar en la primavera y el otoño después de la renovación de camas. Para obtener mejores resultados, aplique Preen Mulch Plus después de haber plantado las flores y mantos ornamentales en el suelo. No aplique sobre semillas de flores. Bulbos ornamentales: aplique entre 2 a 4 semanas después de plantar o antes o después del florecimiento. No aplique cuando los bulbos están floreciendo.

CÓMO APLICAR

Bulbos y plantas perennes: esparza Preen Mulch Plus sobre el área a una profundidad de 5 cm. No plante flores directamente en el compuesto de materiales naturales. Si desea plantar algo después de haber aplicado Preen Mulch Plus, primero retire el compuesto de materiales naturales del área seleccionada. Evite que caiga compuesto de materiales naturales tratado en el agujero que usará para plantar. Una vez que la planta esté firmemente enterrada en el suelo, coloque el compuesto de materiales naturales alrededor de ella.

Plantas anuales: luego de que las plantas se han asentado en el suelo, esparza Preen Mulch Plus sobre el área a una profundidad de 5 cm. No aplique más de una vez por sitio al año. Los ingredientes activos de Preen Mulch Plus pueden dañar algunas plantas anuales. Si le preocupa dañar sus plantas anuales, no use este producto.

ESTE PRODUCTO SE SUGIERE PARA EL USO en torno a estas plantas ya establecidas

Bulbos, flores, cubiertas vegetales y céspedes ornamentales:

| | | | | | |
|--|--|---|--|--|--|
| Amarilis | Campanas de coral | Tulbaca violácea | Jacinto | Lysimachia punctata | Tártago japonés |
| Artemisia schmidtiana | Dama de noche | Sanitula | Uña de gato: hoja grande, rastrera, rosa rastrera, blanca | Jazmín asiático | Hierba de San Juan |
| Astilbe, Deutschland | Geranio | Gazania | Iris: africana, bulbosa, siberica azul, iris pumila | Sombrero mexicano | Pentas |
| Aster: China, Nueva Inglaterra, Nueva York | Parra virgen | Geranio: geranio de hiedra, pelargonio | Hiedra: hiedra de argelia, inglesa | Narciso | Acelga silvestre |
| Platanera de Abisinia | Narciso | Gladiolo (bulbo de más de 2,5 cm de diámetro) | Jazmín: alas de ángel, asiático | Campanilla de coral | Stock |
| Bergamota silvestre | Dalia, Wendy rosada enana | Césped: amophila brevifluga, cola de gato, convularia, araliáceas, eulalia, peniseto, convolaria, hierba de la pampa, pastos ornamentales | Flor de papel | Penstemon: flor de manzano | Uva de gato (Sedum): hierba callera, vera jameson |
| Begonia: planta camaleón, Begonia de invierno | Margarita: angelita, margarita del cabo, margarita de mar, margarita de París, brachicome | Guara | Lirio: iris blanco, hosta Francee, hosta Patriot, peruana, kafir | Vinca: hierba doncella, enana, pervinca tropical | Camelina dulce |
| Verbena amarilla | Azucena amarilla | Hakonechloa dorado | Liriope: grande de color azul, verde/trepadora, lila, majestuosa, blanca Monroe, plateada jaspeada, blanca | Petunias de jardín | Árbol de té, escoba |
| Margarita amarilla | Descampsia | Brezol: falso, mexicano | Lirio del Nilo | Plombagina, enana | Tulipán verbena |
| Gallardia | Dianthus gratianopolitanus | Madreselva japonesa | Lisiantum scirpoides | Primavera nocturna mexicana | St. Paul |
| Balsamina | Nesio/Callifora | Equisetum scirpoides | Lobelia | Romero | Aleli |
| Arctotheca caléndula | Margaritero gris | Hosta undulata | | Petunia mexicana | Milenrama común |
| Carex halleriana | Helecho | | | Salvia: salvia rosa, pectus, salvia rusa | Yuca roja |
| Crisantemo | Festuca azul | | | Cabeza de dragón | Zinia enana |
| Clemátide | Fuccia, Santa Claus | | | Cerastio | |
| Arbustos: | | | | | |
| Abelia: Edward Goucher, lustroso | Carióptera | Aureo-Marginata, evónimo Silver King, Euonymus kiautschovicus, evónimo Sunspot, evónimo Variegated evergreen | Blue Chip, Juniperus squamata | Solano del Paraguay | Rosa rugosa |
| Acacia: abyssinica, gaultheria depressa, amorphia canescens | Carióptera oscura | Margaritero gris | Blue Star, Juniperus sabina | Adelfa: laurel de flor, rosa laurel | Rosa de Sharon: afrodita, helena, pájaro colorado, corazón rojo, Woodbridge |
| Almendro enano con flores rosas | Calistemus: limón, llorón | Helecho: tassel, pintado japonés | Broadmoor, Juniperus horizontalis | Osmanthus fortunei | Eleagno |
| Aptenia cordifolia "manzana roja" | Bugambilia: arbusto pachisandra (Barbara Karst), California gold, Pink pixie, Scarlett O'Hara, temple fire, Texas dawn | Forsitia: intermedia, Spring glory | Creeping, Andorra enana, Juniperus scopulorum, Juniperus conferta, Foemina-Hicks, Hollywood, Huntington, Media-old gold, enana azul de jardín japonés, Parsonii, Pfitzer, Pfitzerana glauca-blue, Pfitzerana-pfitzer, Plumosa- Andorra, Prostrata, sabina, verde oscuro, Shore, Tamariscifolia-Tam, Torulusa-hollywood, Wiltonii-blue carpet | Palmera: areca, fuente china, navidad, pigmea, sago | Esquimia: japonés de Reeve |
| Aralia japonesa | Boj: común, boxus híbrida, japonés, coreano | Loropetalum chinense | Lantana | Photinia de Fraser | Árbol de humo: violeta real, belleza de coral, Eichholz |
| Arborvitae: platycladus orientalis, esmeralda, carex globosa, thuja occidentalis "Little giant", mínima glauca enana, thuja occidentalis nigra oscuro americano, piramidalis, rheingold, techny, woodwardii | Retama: holandia-Scotch, holandia-warmminster, lena-Scotch | Gardenia: belleza de agosto, misterio, radican | Laurel de montaña | Pino, mugo-mugho | Esquire: astilbe/falsa, Anthony Waterer, corona de novia, Dolchia, falsa, First Snow, de los Alpes japoneses, shirobana |
| Azalea: azul danubio, Cannon's double, Carror, campanas de coral, Fashion, Flame, Formosa, Gerard Christina, Gerard Roberta, Golden flare, Goldenflare exbury, Gumbo pink, Helmutvogel, Hersey red, Higasa, Hincorimson, Hino pink, Hot shot, Hume, Inga, Irene Koster, Klondike, Mildred, President Clay, Reijn, Snow, Tradition, rhododendrum indica | Eugenia enana | Nana gracilis | Laurel de montaña | Coleonema pulchrum | Pitosporo: verde, enano de Wheeler |
| Bambú: compacta enana, nandina doméstica, nandina, nandina doméstica compacta, nandina doméstica púrpura, nandina doméstica enana del bosque | Camelia | Brezol: de Cornualles, con campanas violetas, de color rosa mediterráneo, linterna de primavera escocesa | Lavanda: inglesa, alhucema | Pitostro: japonés, California, brillante, dorado, Howardi, Lodense, Vicary golden, cera, hoja de cera, punta amarilla | Plumbago |
| Agracejo: atropurea de hoja roja japonesa, pino dorado japonés (pinus densiflora "aurea"), rhododendron prunifolium, berberis thunbergii, japonés, mento, rose glow, William Penn | Casia plumosa | Hibisco Ross Estey | Leucothoe: costero, encorvado | Piracanta: árbol ardiente, piracanta Monon, espino de fuego, piracanta Red elf, piracanta Rutgers, Santa Cruz, Victoria | Rhododendro: americano, mariposa, catawba, catawba album, Chionoides, Cunningham blanco, Daphnoides, rhododendrum racemosum, Elizabeth, inglés |
| | Agave americana | Acebo: balcánico, Blue boy, Blue girl, de Burford, China boy, China girl, illex glabra compacto, enano japonés compacto, illex crenata convexa, enano de Burford, enano chino, illex aquilifolium, Gold coast, de la lustre, Hellari-Heller's japonés, Hetzli's japonés, yaupon enano, punta de aguja, illex glabra, yaupon que lora, de San José, de la Savannah, Stokesii japonés, yaupon | Lirio del Nilo, Reina Ana | Rhaphiolepis: charisma-monruce, enchantress-moness, de hoja redonda, espino de la india, monme de primavera | Rododendro: americano, mariposa, catawba, catawba album, Chionoides, Cunningham blanco, Daphnoides, rhododendrum racemosum, Elizabeth, inglés |
| | Cincoenrama (Potentilla): Gold Drop, Goldfinger, Red Ace, Verna, Sunset, Tangerine | Juniper: andorra, Bar Harbor, azul, Juniperus horizontalis wiltoni | Malva imperial | Rododendro: americano, mariposa, catawba, catawba album, Chionoides, Cunningham blanco, Daphnoides, rhododendrum racemosum, Elizabeth, inglés | Rododendro híbrido, PJM, Purple gem, Ramapo, Rocket, rhododendron maximum (rosebay), Scintillation, Tribly, Unique, Vulcan |
| | Clecyra japonesa | Chirca de monte | Margherita azul | Rododendro: americano, mariposa, catawba, catawba album, Chionoides, Cunningham blanco, Daphnoides, rhododendrum racemosum, Elizabeth, inglés | Rododendro híbrido, PJM, Purple gem, Ramapo, Rocket, rhododendron maximum (rosebay), Scintillation, Tribly, Unique, Vulcan |
| | Cotoneaster: gayuba, arándano, himalayo, Praecox (temprana), Pirineos, roca | Arce: farolito japonés, arce de amor, abutilón Luteus, arce rojo, arce de Canadá, abutilón Roseus, arce plateado, abutilón Tangerine, abutilón Vesubius red | Ardisia japónica | Rododendro: americano, mariposa, catawba, catawba album, Chionoides, Cunningham blanco, Daphnoides, rhododendrum racemosum, Elizabeth, inglés | Rododendro híbrido, PJM, Purple gem, Ramapo, Rocket, rhododendron maximum (rosebay), Scintillation, Tribly, Unique, Vulcan |
| | Arbusto de coyote | Arce plateado, abutilón Tangerine, abutilón Vesubius red | Dondiego de día, arbusto | Rododendro: americano, mariposa, catawba, catawba album, Chionoides, Cunningham blanco, Daphnoides, rhododendrum racemosum, Elizabeth, inglés | Rododendro híbrido, PJM, Purple gem, Ramapo, Rocket, rhododendron maximum (rosebay), Scintillation, Tribly, Unique, Vulcan |
| | Arándano/Arándano enano | Mezquita chilena | Mirto: crape, cera | Rododendro: americano, mariposa, catawba, catawba album, Chionoides, Cunningham blanco, Daphnoides, rhododendrum racemosum, Elizabeth, inglés | Rododendro híbrido, PJM, Purple gem, Ramapo, Rocket, rhododendron maximum (rosebay), Scintillation, Tribly, Unique, Vulcan |
| | Ciprés: filifera roscada, kosteri, hinoki nandina enana, squarrosa mínima, torulosa | Mora blanca | | Rododendro: americano, mariposa, catawba, catawba album, Chionoides, Cunningham blanco, Daphnoides, rhododendrum racemosum, Elizabeth, inglés | Rododendro híbrido, PJM, Purple gem, Ramapo, Rocket, rhododendron maximum (rosebay), Scintillation, Tribly, Unique, Vulcan |
| | Dafne perfumada | | | Rododendro: americano, mariposa, catawba, catawba album, Chionoides, Cunningham blanco, Daphnoides, rhododendrum racemosum, Elizabeth, inglés | Rododendro híbrido, PJM, Purple gem, Ramapo, Rocket, rhododendron maximum (rosebay), Scintillation, Tribly, Unique, Vulcan |
| | Deutzia, Nakiana enana | | | Rododendro: americano, mariposa, catawba, catawba album, Chionoides, Cunningham blanco, Daphnoides, rhododendrum racemosum, Elizabeth, inglés | Rododendro híbrido, PJM, Purple gem, Ramapo, Rocket, rhododendron maximum (rosebay), Scintillation, Tribly, Unique, Vulcan |
| | Cornejo: baileyi, osier baileyi rojo, flaviramea, flaviramea-yellowtwig, siberica-siberian | | | Rododendro: americano, mariposa, catawba, catawba album, Chionoides, Cunningham blanco, Daphnoides, rhododendrum racemosum, Elizabeth, inglés | Rododendro híbrido, PJM, Purple gem, Ramapo, Rocket, rhododendron maximum (rosebay), Scintillation, Tribly, Unique, Vulcan |
| | Euonymus: bonetero rastrero, bonetero del japon, evónimo Emerald'n Gold, evónimo japonico | | | Rododendro: americano, mariposa, catawba, catawba album, Chionoides, Cunningham blanco, Daphnoides, rhododendrum racemosum, Elizabeth, inglés | Rododendro híbrido, PJM, Purple gem, Ramapo, Rocket, rhododendron maximum (rosebay), Scintillation, Tribly, Unique, Vulcan |
| Árboles: | | | | | |
| Fresno | hinoki, ciprés italiano, falso ciprés | Tsuga del Canadá | Roble: Quercus ilicifolia, roble de virginia, pin, rojo, sauce | Podocarpus | Sicomoro: americano, de California |
| Abedul: abedul americano, abedul de río | Cornejo: cornejo florido, cornejo de flor | Algarrobo: acacia negra, Shademaister miel | Palmera: palma cascada, palmera mexicana, palma de salón, coco plumoso | Árbol de Judas | Lapacho amarillo |
| Árbol botella | Olimo chino | Magnolia sureña | Pino: austriaco negro, de playa, bosnio, bristlecone, Islas Canarias, columnar escocés, blanco oriental, afgano, negro japonés, lobloly, monterey, pumilio-shrubby suizo de montaña, rojo, escocés, Shore, blanco | Cedro rojo oriental | Toyon |
| Algarrobo | Eucalipto: eucaliptus cinerea, eucalipto rojo, eucaliptus tricarpa, dólar plateado | Caoba | | Secuoya gigante | Helecho arbóreo: australiano, tasmaniano |
| Madera de zanahoria | Ficus y ficus miniatura | Arce: farolito japonés, arce de amor, abutilón Luteus, arce rojo, arce de Canadá, abutilón Roseus, arce plateado, abutilón Tangerine, abutilón Vesubius red | | Oxydendrum arboreum | Sauce: sauce llorón, sauce tortuoso |
| Cerezo, floración de Yoshino | Abeto: balsámico, Douglas, blanco | Mezquita chilena | | Picea: picea blanca cónica enana, abeto de Alberta enano, azul Globe enano, Glauca-Colorado azul, picea azul, picea pungens, noruega, Picea abies Pendula, picea abies | |
| Árbol Coolibah | Árbol de anís de Florida | Mora blanca | | Fresa de bordes dorados | |
| Álamo de Virginia | Ginkgo biloba | | | | |
| Cedro japonés | Hawthorn, verde | | | | |
| Ciprés: ciprés de Arizona, ciprés de Leyland, ciprés japonés, ciprés de | | | | | |
| Árboles frutales, plantas y viñas que no producirán frutos: | | | | | |
| Almendro | Arándano | Baya | Kiwi | Naranja | Granada |
| Manzano | Mora Boysenberry | Higo | Limonero | Duraznero | Ciruela seca |
| Damasco | Madera de zanahoria | Avellana | Frambuesa norteamericana | Peral | Frambueso |
| Aguacate | Cerezo: amargo, dulce | Grosella | Nuez de macadamia | Pacana | Nogal: negro, inglés |
| Banano | Grosella | Parra: americana y europea | Nectarina | Pistacho | |
| Mora negra | Zarzamora | Toronja | Olivio: negro de Rusia | Ciruelo | |

*No se aplican a la viña de frutas u otros frutos o de uva, que dará sus frutos, dentro de un año después de la aplicación de este producto.

ALMACENAMIENTO Y ELIMINACIÓN

No contamine el agua, los alimentos o el forraje al almacenar o desechar.

ALMACENAMIENTO DEL PESTICIDA: guarde el producto en su envase original en un lugar fresco y seco cerrado, fuera del alcance de los niños y los animales.

PESTICIDAS uso y manipulación recipiente: El recipiente no rellenas. No vuelva a usar o rellenar este envase. **Si está vacío:** Coloque en la basura u ofrezca para reciclaje si está disponible.

Si está parcialmente lleno: Llame a su agencia local de desechos sólidos para obtener instrucciones de eliminación. Nunca vierta el producto no utilizado en drenajes interiores y exteriores.

GARANTÍA

El fabricante garantiza que este producto es conforme a su descripción química y es razonablemente adecuado para el propósito indicado en la etiqueta cuando se utiliza según las instrucciones en condiciones normales de uso, pero ni esta garantía ni ninguna otra garantía de comerciabilidad o aptitud para un propósito particular, expresa de las garantías implícitas, se extiende al uso de este producto contraviniendo instrucciones de la etiqueta, o en condiciones anormales, o bajo condiciones razonablemente no predecibles a un fabricante, y en la medida compatible con la ley aplicable, el comprador asume el riesgo de tal uso.

GARANTÍA PREEN®

En la medida compatible con la legislación aplicable, Libano Seaboard Corporation garantiza que usted estará satisfecho con el rendimiento de este producto cuando se utiliza según las instrucciones, o le devolvemos su dinero. Si no está satisfecho, describir la naturaleza de su problema, y enviar el comprobante de compra a: Lebanon Seaboard Corporation, 1600 E. Cumberland Street, Lebanon, PA 17042.

PRECAUCIÓN

MANTENGA FUERA DEL ALCANCE DE LOS NIÑOS

¡Duración de color garantizada TODO el año!

PREVENCIÓN DE MALEZAS PARA 6 MESES

PREVIENE LA MALEZA DURANTE 6 MESES

* Vea las Instrucciones de uso para la lista completa de las malezas tratadas.

Preen® es una marca registrada de Lebanon Seaboard Corporation.
Mulch Plus es una marca registrada de Lebanon Seaboard Corporation.

CONTENIDO NETO 2 PIES³ (56,63 L)

PESO NETO 30 LBS. (13,6 KG)

CUBRE 12 PIES² (1,11 m²)

El llenado es por volumen.

Puede que se produzca asentamiento durante el envío.

Fabricado por:
Waupaca Northwoods, LLC
N2564 County Road QQ
Waupaca, WI 54981

INGREDIENTES ACTIVOS:

Trifluralina0,0032%

Isoxaben0,0008%

OTROS INGREDIENTES: 99,9960%

TOTAL 100,0000%

EPA Reg. No. 961-408-72106

Trifluralin CAS No. 1582-09-8

Isoxaben CAS No. 82558-50-7

CERTIFIED PRODUCT

| | |
|--|---|
| | Tierra superior para macetas |
| | Tierra estándar para macetas |
| | Tierra para el césped y el jardín y enmiendas para la mejora de la tierra |
| | Tierra de especialidad |
| | ✓ Pajote |

Este producto se ha registrado y ha sido probado para la conformidad a los estándares del Mulch & Soil Council para la categoría indicada del producto. Los estándares del Mulch & Soil Council no contienen una categoría del producto para pesticidas, y para esta marca de la certificación no aplica a reclamos de pesticida. Para más información, refiérase a www.mulchandsoilcouncil.org.

(N) (S) (P) (F)

EPA Est. No. 72106-ID-001; 72106-SD-001; 72106-WA-001; 72106-CO-001;

El superíndice usado es la primera letra del número de lote.

www.mulchandsoilcouncil.org