

Mitre seal area --ink ok -- no copy

1.5" x 0.25" seal area - no ink



Date: Apr 23/10

PEEL PLASTIC PRODUCTS

Cust: Bayer

Design: Throw Packs

Size: 5.25" x 7.5" + 2" bottom gst

Eyeline/Eyemark - as per dieline

Process - 300 DPI - @ final size

022

Peel Plastics Products Ltd has done everything possible to ensure the accuracy of this dieline. It is your responsibility to check and confirm all dimensions and measurements before starting your project.

hanger hole .25" from top

1" tear notch

7.5"

BAYER ADVANCED

3in1

Tree & Shrub Plant Starter

READY-TO-USE THROW PACK

Provides Feeding, Moisture Control, & Insect Protection

Fertiliza, controla la humedad y protege contra los insectos

- Reduces Transplant Shock
- Promotes Plant & Root Growth
- Reduces Watering

Active Ingredient: Imidacloprid.....0.69%
Other Ingredients.....99.31%
Total.....100.00%

KEEP OUT OF REACH OF CHILDREN
CAUTION See back panel and insert for additional precautionary statements
Not for sale, sale into, distribution, and or use in Nassau, Suffolk, Kings, or Queens counties of New York

4-7-4
NET WT 2.6 oz (73.7gm)

Up To 3 Month Protection

PLACE POUCHES ON SIDES OF THE ROOT BALL

PANEL LISTED ESPAÑOL? SEE PANEL TRACING

5.25"


BAYER
ADVANCED
3in1 Tree & Shrub Plant Starter Ready-to-Use THROW PACK

This product is perfect whenever you are planting or transplanting ornamental plants, trees, and shrubs. This exclusive, patented formula combines a slow release fertilizer, moisture control agent, and insect control all in an easy to use pouch. Simply place the entire pouch in the planting hole to increase survival, plant growth and vitality of the newly planted tree or shrub. Now, getting plants off to a strong healthy start is easier than ever.

Place pouch in planting hole
Colocar la bolsa en el hueco de plantación

READ THE LABEL FIRST!
QUICK FACTS

- Provides nutrients, moisture control, and insect protection for up to 3 months
- Easy to Use – no mixing, no measuring

FEEDS	Provides initial and extended feeding for up to 3 months.
MOISTURE CONTROL	Helps to retain vital soil moisture
KILLS	Adelgids, aphids, Japanese beetles (adult), lace bugs, leafminers, scale, whiteflies and other listed pests
WHERE TO USE	Outdoor trees and shrubs, plus non-bearing fruit and nut trees
HOW TO USE	1. Dig planting hole bigger than root ball 2. Place plant in hole 3. Place pouch(es) 4-6 inches deep on side of root ball 4. Fill soil around root ball 5. Water in and walk away
HOW MUCH TO USE	Use 2 pouches per newly planted tree or 1 pouch per newly planted shrub



For questions or comments, call toll-free 1-877-BayerAG (1-877-229-3724) or visit us on-line at www.BayerAdvanced.com

FOR OUTDOOR RESIDENTIAL USE ONLY

ACTIVE INGREDIENT:	GUARANTEED ANALYSIS 4-7-4
Imidacloprid 0.69%	Total Nitrogen (N) 4.0%
OTHER INGREDIENTS 99.31%	2.7% Ammoniacal Nitrogen
Total 100.00%	1.3% Urea Nitrogen*
SOIL AMENDING GUARANTEED ANALYSIS	Available Phosphate (P ₂ O ₅) 7.0%
Active Ingredient	Soluble Potash (K ₂ O) 4.0%
Potassium Acrylate Copolymer 19.0%	Derived from diammonium phosphate, muriate of potash, and sulfur coated urea.
Inert Ingredients	*1.1% Slowly Available Nitrogen from Sulfur coated urea F1514
Fertilizer 78.88%	ALSO CONTAINS NON-PLANT FOOD INGREDIENT:
Pesticide Active Ingredient 0.92%	19.0% Potassium Acrylate Copolymer
Binder 0.5%	
Diluent 0.7%	

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-ba.com>

PRECAUTIONARY STATEMENTS
CAUTION HAZARDS TO HUMANS AND DOMESTIC ANIMALS

- Harmful if swallowed or absorbed through skin.
- Causes moderate eye irritation.
- Avoid contact with skin, eyes, or clothing.
- Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

- This pesticide is toxic to aquatic invertebrates. Do not apply directly to lakes, streams, rivers or ponds.
- Apply this product only as specified on this label.

EPA Reg. No. 72155-79

EPA Est. No. indicated by 3rd and 4th digits of the batch number on this package. (98) = 33967-NJ-1 (85) = 065387-AR-002

Produced for: Bayer Advanced, A Division of Bayer CropScience LP
P.O. Box 12014, 2 T.W. Alexander Drive, Research Triangle Park, NC 27709
Bayer (reg d), the Bayer Cross (reg d), Merit*, Bayer Advanced* are trademarks of Bayer. 79389795c 131230AV1



Water in, Walk away
Regar y dejar actuar

¡LEER LA ETIQUETA ANTES DE UTILIZAR EL PRODUCTO!

DATOS RÁPIDOS

- Proporciona nutrientes, control de la humedad y protección contra los insectos hasta por 3 meses
- Fácil de utilizar – Sin mezclar, sin medir

FERTILIZA	Brinda alimentación inicial y prolongada hasta por 3 meses
CONTROL DE LA HUMEDAD	Ayuda a retener la humedad vital de la tierra
MATA	Adelgidos, áfidos, escarabajos japoneses (adultos), chinches de encaje, minadores de las hojas, escamas, moscas blancas y otras plagas de la lista
DÓNDE USAR	Árboles y arbustos de exteriores, además de nogales y árboles sin frutos.
CÓMO USAR	1. Cavar un hueco de plantación más grande que el cepellón. 2. Colocar la planta en el hueco 3. Colocar la(s) bolsa(s) de 4 a 6 pulgadas (10 a 15 cm) de profundidad al costado del cepellón. 4. Rellenar con tierra alrededor del cepellón. 5. Regar y dejar actuar.
CUÁNTO USAR	Usar 2 bolsas por cada árbol recientemente plantado o 1 bolsa por cada arbusto recientemente plantado



Para hacer preguntas o comentarios, llamar al número gratuito 1-877-BayerAG (1-877-229-3724) o visítanos en www.BayerAdvanced.com

SÓLO PARA USO RESIDENCIAL EN EXTERIORES

INGREDIENTE ACTIVO:	ANÁLISIS GARANTIZADO 4-7-4
Imidacloprid 0.69%	Total Nitrogen (N) 4.0%
OTROS INGREDIENTES 99.31%	2.7% Nitrogeno en amoniac
Total 100.00%	1.3% Nitrogeno en urea*
ANÁLISIS PARA REPARACIÓN DEL SUELO GARANTIZADO	Fosfato disponible (P ₂ O ₅) 7.0%
Ingrediente activo	Potasio soluble (K ₂ O) 4.0%
Copolimero acrílico de potasio 19.0%	Derivado de fosfato de diamonio, muriato de potasa y urea recubierta con azufre. F1514
Ingrediente activos	*1.1% nitrogeno de disponibilidad lenta de urea con revestimiento sulfónico
Fertilizante 78.88%	CONTIENE ADEMÁS INGREDIENTE NO FERTILIZANTE:
Ingrediente activo pesticida 0.92%	19.0% Copolimero acrílico de potasio
Aglutinante 0.5%	
Diluyente 0.7%	

La información sobre los contenidos y niveles de metales en este producto está disponible en Internet en <http://www.regulatory-info-ba.com>

DECLARACIONES DE PRECAUCIÓN
PRECAUCIÓN
RIEGOS PARA SERES HUMANOS Y ANIMALES DOMÉSTICOS

- Es perjudicial si se ingiere o absorbe por la piel.
- Causa irritación moderada en los ojos.
- Evitar el contacto con la piel, los ojos o la ropa.
- Lavarse prolijamente con agua y jabón después de manipular este producto.

RIEGOS AMBIENTALES

- Este pesticida es tóxico para los invertebrados acuáticos. No aplicar directamente en lagos, arroyos, ríos o estanques.
- Aplicar este producto únicamente como se especifica en esta etiqueta.



7.5"

2"

3/21/14



3in1 Tree & Shrub Plant Starter Ready-to-Use THROW PACK

KILLS

Adelgids, Aphids, Armored Scales (suppression), Fungus Gnats, Japanese Beetles (Adult), Lace bugs, Leaf Beetles (including Elm Leaf and Viburnum Leaf Beetles), Leafhoppers (including Glassy-winged Sharpshooter), Leafminers (including Birch and Boxwood Leafminers), Mealybugs, Pine Tip Moth Larvae, Psyllids, Root Weevil Larvae (including black vine weevil), Royal Palm Bugs, Sawfly Larvae, Soft Scales (including lobate lac scales), Thrips, Whiteflies, White Grub larvae (such as Japanese Beetles, Chafers, European Chafer, Oriental Beetle, Asiatic Garden Beetle)

COVERAGE	Treats 1 newly planted tree or 2 newly planted shrubs		
DIRECTIONS FOR USE			
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.			
For best results, read and follow all label directions.			
BEFORE YOU USE Read and follow directions when using.	RESTRICTIONS • Do not apply near lakes, streams, rivers, or ponds. • Do not apply to soils which are waterlogged or saturated. • Do not allow pouches to become wet prior to placing in the planting hole. Do not handle the pouches with wet hands or gloves. Rough handling may cause breakage. • Do not apply this product, by any application method, to linden, basswood, or other Tilia species.		
HOW TO USE	Place plant in planting hole. Place pouch 4-6 inches deep on the side of the root ball, fill hole with soil or media, and water the plant thoroughly.		
FOR USE ON	Outdoor ornamental plants, trees, and shrubs, plus non-bearing fruit and nut trees.		
HOW MUCH TO APPLY	Newly Planted Trees: use 2 pouches Newly Planted Shrubs: use 1 pouch Each pouch contains 1.3 oz of product		
FOR BEST RESULTS	Place pouch on the side of the planting hole 4-6 inches deep so that it can be available to the roots of the newly planted tree or shrub. Water the plant thoroughly after planting. For established Trees & Shrubs: use Bayer Advanced 12 Month Tree & Shrub Protect & Feed.		
HOW IT WORKS	With watering, the contents of the pouch quickly release. The nutrients and insecticide move up throughout the plant, even to new growth. Essential nutrients and insect protection are provided to the newly developing plant. Moisture control helps retain water so that it is available when the plant needs it. This triple action formula helps increase plant survival, plant health, and overall vitality of the plant.		

	Children and pets may re-enter the treated area after it has dried.
--	---

IMPORTANT - Directions for Storage and Disposal

STORAGE CONDITIONS	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.
DISPOSAL 	If Empty: - Non-refillable container. Do not refill or reuse container. - Place empty container in trash or offer for recycling if available. If Partly Filled: - Call your local solid waste agency or toll free 1-877-229-3724 for disposal instructions. - Never place unused product down any indoor or outdoor drain.

FIRST AID + Neonicotinyl Insecticide

IF SWALLOWED	- Call a poison control center or doctor immediately for treatment advice. - Have person sip a glass of water if able to swallow. - Do not induce vomiting unless told to do so by the poison control center or doctor. - Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING	- Take off contaminated clothing. - Rinse skin immediately with plenty of water for 15 to 20 minutes. - Call a poison control center or doctor for treatment advice.
IF IN EYES	- Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. - Call a poison control center or doctor for treatment advice.

NOTE: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may contact 877-229-3763 for emergency medical treatment information. Active Ingredient: 0.69% Imidacloprid [CAS # 138261-41-3]

NOTICE: Research and testing have determined that the "Directions for Use" are appropriate for the proper use of this product under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

Produced for: Bayer Advanced, A Division of Bayer CropScience LP
P.O. Box 12014, 2 T.W. Alexander Drive, Research Triangle Park, NC 27709
Bayer (reg'd), the Bayer Cross (reg'd), Merit®, and Bayer Advanced™ are trademarks of Bayer.

EPA Reg. No. 72155-79
EPA Est. No indicated by 3rd and 4th digits of the batch number on this package.
(98) = 33967-NJ-1 (85) = 065387-AR-002
79423543c 131230AV1



Now That You've Purchased 3-in-1 Tree & Shrub Plant Starter



SAVE \$5

On Your Next Purchase Of Any Bayer Advanced Tree & Shrub Protect & Feed Granules or Concentrate Product (with mail-in rebate)



3in1 Tree & Shrub Plant Starter Ready-to-Use THROW PACK

MATA

Adélgidos, áfidos, escamas armadas (supresión), moscas de los hongos, escarabajos japoneses (adultos), chinches de encaje, escarabajo de la hoja (incluso los escarabajos de la hoja del olmo y los escarabajos de la hoja de viburnum), saltarillas (incluso la chicharrita de las alas cristalinas), minadores de las hojas (incluso minadores del abedul y minadores de las hojas de boj), cocos, larvas de la polilla de la punta del pino, psílidos, larvas del gorgojo de la raíz (incluso gorgojos negros de enredadera), chinches de la palmera real, larvas del himenóptero diprionido, cochinillas blandas (incluso escamas lobuladas de laca), trips, moscas blancas, larvas de gusanos blancos (como los escarabajos japoneses, las cetonias, el gusano blanco europeo, el escarabajo oriental y el escarabajo de jardín asiático)

COBERTURA	Trata 1 árbol recientemente plantado o 2 arbustos recientemente plantados		
INDICACIONES DE USO			
Es una violación de la Ley Federal utilizar este producto de manera contraria a la indicada en su etiqueta.			
Para obtener mejores resultados, leer y seguir todas las indicaciones de la etiqueta.			
ANTES DE USAR Leer y seguir las indicaciones de uso.	RESTRICCIONES • No aplicar cerca de lagos, arroyos, ríos o estanques. • No aplicar en tierras inundadas o saturadas. • No permitir que las bolsas se mojen antes de colocarlas en el hueco de plantación. No manipular las bolsas con las manos o guantes mojados. La manipulación brusca puede provocar la rotura de las bolsas. • No aplicar este producto, mediante ningún método de aplicación, sobre tilo, tilo americano u otra especie de Tilia.		
CÓMO USAR	Colocar la planta en el hueco de plantación. Colocar la bolsa de 4 a 6 pulgadas de profundidad al costado del cepellón, rellenar el hueco con tierra u otro elemento y regar la planta completamente.		
PARA USAR EN	Plantas, árboles y arbustos de exterior u ornamentales, además de nogales y árboles sin frutos.		
CUÁNTO APLICAR	Árboles recientemente plantados: 2 bolsas Arbustos recientemente plantados: 1 bolsa Cada bolsa contiene 1.3 onzas (37 g) de producto		
PARA OBTENER MEJORES RESULTADOS	Colocar la bolsa al costado del hueco de plantación de 4 a 6 pulgadas (10 a 15 cm) de profundidad para que sea accesible a las raíces del árbol o arbusto recientemente plantado. Regar con agua completamente después de plantar. Para árboles y arbustos establecidos: usar el producto para el control de insectos en árboles y arbustos por 12 meses Bayer Advanced 12 Month Tree & Shrub Protect & Feed.		
CÓMO FUNCIONA	El contenido de la bolsa se libera rápidamente con el riego. Los nutrientes y el insecticida ascienden por toda la planta, incluso hasta los nuevos brotes. Se proporcionan nutrientes esenciales y protección contra los insectos a la planta que recién se desarrolla. El control de la humedad ayuda a retener el agua que está disponible cuando la planta la necesita. Esta fórmula de triple acción ayuda a aumentar la supervivencia, la salud y la vitalidad general de la planta.		

	Los niños y las mascotas pueden reingresar al área tratada una vez que el producto se haya secado.
--	--

IMPORTANTE - Indicaciones para almacenamiento y eliminación

CONDICIONES DE ALMACENAMIENTO	Almacenar en el contenedor original en un lugar fresco y seco, fuera del alcance de los niños, preferentemente en un armario bajo llave.
ELIMINACIÓN 	Si está vacío: - Contenedor no reusable. No volver a rellenar ni utilizar este contenedor. - Colocar el contenedor vacío en la basura o entregarlo para reciclar si fuera posible. Si está parcialmente lleno: - Llamar a la agencia local de residuos sólidos o al número gratuito 1-877-229-3724 para solicitar indicaciones para la eliminación. - Nunca colocar el producto sin utilizar debajo de algún desagüe interno o externo.

PRIMEROS AUXILIOS + Insecticida neonicotinoide

EN CASO DE INGESTION	- Llamar inmediatamente a un médico o a un centro de control de envenenamiento para consultas sobre el tratamiento. - Hacer que la persona beba tragos de agua, si puede tragar. - No inducir el vómito a menos que lo indique un centro de control de envenenamiento o el médico. - No administrar nada por boca a una persona inconsciente.
----------------------	---


EN CASO DE CONTACTO CON LA PIEL O LA ROPA	- Quitar la ropa contaminada. - Enjuagar la piel con abundante agua durante 15 a 20 minutos. - Llamar a un centro de control de envenenamiento o a un médico para consultas sobre el tratamiento.
---	---

EN CASO DE CONTACTO CON LOS OJOS	- Mantener los ojos abiertos y enjuagar en forma lenta y suave con agua durante 15 a 20 minutos. - Quitar los lentes de contacto, si los hubiera, después de los primeros 5 minutos, luego continuar con el enjuague. - Llamar a un centro de control de envenenamiento o a un médico para consultas sobre el tratamiento.
----------------------------------	--

NOTA: Tener la etiqueta del producto a mano al llamar al centro de control de envenenamiento o al médico o al concurrir a un tratamiento. Para solicitar información médica de emergencia, llamar al número 877-229-3763. Ingrediente activo: 0.69% imidacloprida [CAS Nº 138261-41-3]

NOTA: Las investigaciones y pruebas han determinado que las "Indicaciones de uso" son adecuadas para el uso apropiado de este producto bajo las condiciones previstas. El Comprador asume la responsabilidad por la falta de rendimiento o seguridad si no se utiliza de acuerdo con las indicaciones.

Garantía de devolución de dinero: En caso de no estar satisfecho con el producto, gustosamente le devolveremos el precio original de la compra.



Insect Protection Plus Fertilizer. No Spraying Required!



How To Obtain Your \$5 Mail-In Rebate

- Purchase any one (1) Bayer Advanced 12 Month Tree & Shrub Protect & Feed Granules or Liquid Concentrate product.
- Save original dated cash register receipt dated between 01/01/14-10/31/17 and circle qualifying purchase.
- Enter the 10-digit UPC code here: (REQUIRED)



OFFICIAL MAIL-IN REBATE Requests Must Be Postmarked by 11/30/17

- Mail completed original rebate form and original cash register receipt to: Bayer Advanced \$5 Tree & Shrub Rebate, PO Box 2090, Grand Rapids, MN 55745-2090

Please send my rebate to: ☐ Yes, please e-mail me the Bayer Advanced Garden Gazette newsletter.

First Name Middle Initial Last Name

Street Address City State Zip

Daytime Phone E-mail Address Store Name (where product purchased)

ALWAYS READ AND FOLLOW LABEL INSTRUCTIONS. 1-877-BayerAG
Photocopies of original dated STORE receipt and offer form are accepted. Limit one \$5 rebate per household. Offer not valid with any other offer. Offer good only in USA. Void where prohibited, taxed, restricted by law. Allow 6-8 weeks for delivery. Bayer Advanced is not responsible for lost, stolen, late, mutilated, postage-due or misdirected mail. ALL REQUESTS NOT IN COMPLIANCE WITH THE TERMS AND CONDITIONS OF THIS OFFER WILL BE REJECTED.

Bayer (reg'd), Bayer Cross (reg'd), Bayer Advanced™ and Better Science. Better Results.® are trademarks of Bayer.