

PEEL FROM CORNER OF BOOKLET

20M-7-411

Manufactured For:
VPG Voluntary Purchasing Groups, Inc.
 230 FM 87
 BONHAM, TEXAS 75418
 EPA Reg. No. 7969-58-7401
 EPA Est. No. 7401-Tx-001
 NVA: 2009-04-025-127



7 32221 10434 1

FIRST AID	
If in Eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. • Call a Poison Control Center or doctor for treatment advice.
If on Skin or Clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a Poison Control Center or doctor for treatment advice.
If Swallowed:	<ul style="list-style-type: none"> • Call a Poison Control Center or doctor immediately for treatment advice. • DO NOT give any liquid to the person. • DO NOT induce vomiting unless told to do so by a Poison Control Center or doctor. • DO NOT give anything by mouth to an unconscious person.

Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

In the event of a medical or chemical emergency, contact ChemTel 
North America 1-800-255-3924 or Worldwide Intl. + 01- 813-248-0585

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage. Contains petroleum distillate. Vomiting may cause aspiration pneumonia.




Over the Top II Grass Killer

- **Systematic Selective Herbicide Kills Weedy Grasses Without Injuring Desirable Plants.**
- **Controls: Bermudagrass, Crabgrass, Foxtails, Quackgrass & Many Other Weedy Grasses.**
- **Concentrate Makes 8 Gallons of Spray Solution.**

KEEP OUT OF REACH OF CHILDREN WARNING

See The Attached Booklet For Complete Precautionary Statements, Directions For Use, First Aid, Conditions Of Sale And Warranty, and state-specific crop and/or use site restrictions.

ACTIVE INGREDIENT:
 Sethoxydim: 2-[1(ethoxyimino)butyl]-5-[2-(ethylthio)propyl]-3-hydroxy-2-cyclohexen-1-one* 18.0%
OTHER INGREDIENTS: 82.0%
TOTAL: 100.0%
 *Equivalent to 1.5 lbs. sethoxydim per gallon.

NET CONTENTS 8 FL. OZS.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING. Causes substantial but temporary eye injury. Causes skin irritation. Harmful if absorbed through skin or swallowed. **DO NOT** get in eyes, on skin, or on clothing. Wear long-sleeved shirt, long pants, chemical-resistant gloves made of any water proof material, protective eyewear, shoes, and socks. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

RE-ENTRY STATEMENT

DO NOT allow people or pets to come into contact with treated areas until spray has dried.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms. To protect the environment, **DO NOT** allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

ENDANGERED SPECIES CONCERNS

The use of any pesticide in a manner that may kill or otherwise harm an endangered or threatened species or adversely modify their habitat is a violation of federal law.

PHYSICAL AND CHEMICAL HAZARDS

COMBUSTIBLE. DO NOT use or store near heat or open flame.

Intended for residential/homeowner use on and around:

Flowers

Trees

Ornamental-

Evergreens

Fruits*

Groundcovers

Shrubs

Vegetables*

Bedding Plants

*See Table 2. **Fruits and Vegetables** for specific crops.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. **DO NOT** apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

STORAGE AND DISPOSAL

PESTICIDE STORAGE

Store unused product in original container only, out of the reach of children and animals. **NEVER TRANSFER THIS PRODUCT TO ANOTHER CONTAINER FOR STORAGE.**

CONTAINER DISPOSAL

Nonrefillable container. DO NOT reuse or refill this container. **If empty:** offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTE: Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith. Voluntary Purchasing Groups, Inc. warrants this product to conform to the chemical description on the label and for the purposes stated on the label. The limit of any liability incurred shall be the purchase price paid by the User or Buyer.

READ ENTIRE LABEL FOR DIRECTIONS FOR USE AND PRECAUTIONARY STATEMENTS.

This product is a selective systemic grass killer to eliminate existing weedy grasses growing in and around plant beds, landscapes, and individual shrubs and trees. (See **Tolerant Plants.**) This product can be used through a hose-end sprayer according to the directions of the sprayer used or through a tank-type sprayer.

This product can also be used around listed fruit and vegetable areas, (see **Table 2**), wherever listed weedy grasses occur. Use only tank-type sprayers.

WEEDY GRASSES CONTROLLED

This product kills most annual and hard-to-kill perennial grasses up to 1 foot high, including the examples listed below in one or two applications. Younger, actively growing seedling weeds are more easily killed than older, mature, well-established grassy weeds which may require a repeat application for control. Adding oil concentrate may help control of grassy weeds.

Barnyardgrass

Bermudagrass

Broadleaf Signalgrass

Crabgrass - Large, Smooth

Fall Panicum

Foxtails - Giant, Green, Yellow

Goosegrass

Johnsongrass - Seedling, Rhizome

Junglerice

Lovegrass

Orchardgrass - Seedling

Quackgrass

Tall Fescue - Seedling

Texas Panicum

Shattercane/Wildcane

Wild Proso Millet

Wirestem Muhly

Witchgrass

Wooly Cupgrass

Note: This product does not control sedge (including Nutsedge or Nutgrass), annual bluegrass, or broadleaf weeds. Red Fescue, Chewings Fescue, Hard Fescue, and Dichondra Turfs are also tolerant to this product.

APPLICATION TIMING

Apply when grassy weeds are actively growing, not exceeding the minimum of days from application to harvest when used on vegetables and fruits. Warm sunny weather will accelerate systemic movement from leaves and stems down to the roots to give complete kill. **DO NOT** mow or cut off tops of weeds before spraying. **DO NOT** apply if rainfall is expected within one hour following application. Growth of treated grass stops soon after application. Grass turns yellow and dies within one to three weeks depending on the grass species, stage of growth and weather conditions. Cool weather, drought and heat stress slow activity. **TABLE 1. ferti-lome® Over-The-Top II (concentrate) and Oil Concentrate Dilution**

Water (gals)	ferti-lome® Over-The-Top II		Oil Concentrate*		Coverage (sq ft)
	Fluid Ounces	Tbsp.	Fluid Ounces	Tbsp.	
1	1	2	1	2	1,800
3	3	6	3	6	5,400
5	5	10	5	10	9,000
8	8	16	8	16	14,400

One gallon of spray will treat 1,800 square feet.

*To prevent leaf burn of desirable plants, **DO NOT** use oil concentrate when comfort index (temperature °F + humidity) exceeds 150.

HOSE-END SPRAYER APPLICATION

Water Dilution/Premixing Not Needed. Determine the area to treat in square feet. Pour 1 fluid ounce of this product and 1 fluid ounce of oil concentrate in the hose-end sprayer bottle for each 1,800 square feet to be treated. Apply 1 fluid ounce per gallon. After application, wash the sprayer with a dilute soap solution and rinse according to the sprayer instructions.

Water Dilution/Premixing Needed. Some hose-end applicators recommend premixing liquid products with water before pouring into the sprayer bottle. Read the hose-end sprayer instructions for making treatments at 1 fluid ounce per 1,800 square feet. Clean the sprayer after use according to the sprayer instructions.

TANK SPRAYER APPLICATION

Mix 1 fluid ounce of this product plus 1 fluid ounce oil concentrate per 1 gallon water; spray to just wet the unwanted weedy grasses. One gallon of spray will treat 1,800 square feet. Wash sprayer by flushing soapy water through the sprayer; then flushing clean water through the sprayer.

Important:

For spot treating grassy weeds near lawns and around sensitive plants, a tank-type sprayer is recommended. Spray carefully to avoid spray or drift contact with desirable plants. If drift occurs, wash off foliage immediately with water.

FLOWERS, BEDDING PLANTS, EVERGREENS, SHRUBS, TREES AND ORNAMENTAL GROUNDCOVERS

This product may be applied over the top of desirable plants infested by weedy grasses, or as a directed spray to weedy grasses at the labeled rate. **DO NOT** exceed dosage rate per gallon of spray. Most ornamental species tested have been found tolerant to this product (see **Tolerant Plants** list). However, use with caution around the following plants as they may be damaged if spray contacts foliage: Azaleas (var. Snow), Japanese Privet, Potentilla, Snow in Summer, Red Oak and White Oak and ornamental grass.

This product may also be used on the following nonbearing food plants. **DO NOT** apply within 1 year of harvest.

Avocados Dates Figs Olives Plums Pomegranates Prunes

FRUITS AND VEGETABLES (use only with tank-type sprayers)

Use this product on the fruits and vegetables listed in **Table 2. Fruits and Vegetables**. **DO NOT** apply on or around any fruits and vegetables not listed on this label, especially Sweet Corn. **Apply on and around tolerant fruits and vegetables with a tank-type sprayer only**. A second application may be made to all listed fruits and vegetables except Peanut and Strawberry.

The quantities presented in **Table 1. ferti-lome® Over-The-Top II (concentrate) and Oil Concentrate Dilution** do not exceed the registered rates for the fruits and vegetables listed. **DO NOT** exceed the quantities presented.

TABLE 2. FRUITS AND VEGETABLES

CROP	MINIMUM TIME FROM LAST APPLICATION TO HARVEST (days)
Apple	14
Apricot	25
Artichoke (California only)	7
Asparagus	1
Beans, Green	15
Beans, Dry	30
Beet (garden)	60
Blackberry	45
Blueberry ¹	30
Broccoli	30

FRUITS AND VEGETABLES (continued)

CROP	MINIMUM TIME FROM LAST APPLICATION TO HARVEST (days)
Cabbage	30
Cantaloupe	14
Carrots	30
Cauliflower	30
Celery	30
Cherries (Sweet and Sour)	25
Citrus	15
Crabapple	14
Cranberries ¹	60
Cucumber	14
Eggplant	20
Endive(Florida only)	15
Grape	50
Horseradish	60
Lentils ¹	50
Lettuce, head	30
Lettuce, leaf	15
Loganberry	45
Mint	20

FRUITS AND VEGETABLES (continued)

CROP	MINIMUM TIME FROM LAST APPLICATION TO HARVEST (days)
Muskmelon	14
Nectarine	25
Onion, Garlic	30
Peach	25
Peanut ²	40
Pear	14
Peas, green	15
Peas, dry	30
Pepper	20
Potato	30
Pumpkin	14
Quince	14
Raspberry	45
Spinach	15
Squash (all)	14
Strawberry ²	7

FRUITS AND VEGETABLES *(continued)*

CROP	MINIMUM TIME FROM LAST APPLICATION TO HARVEST (days)
Tomato	20
Tree Nuts	15
Watermelon	14

¹Not for use in California

²Use no more than one application per season. Up to two applications per season may be made on all other plants.

TOLERANT PLANTS

Trees - Common Name

Acacia, Knife Leaf	Cherry, Black	Jacaranda
Arborvitae, Eastern	Crabapple, Flowering	Kentucky Coffee Tree
Ash, Green	Cypress, False	Larch, European
Basswood, American	Dogwood, Flowering	Laurel, Indian
Berkman's, Oriental	Elm, Chinese Evergreen	Linden
Birch	Eucalyptus	Linden, Littleleaf
Black Locust	Fir	Locust, Honey
Bottle-brush	Goldenrain Tree	Loquat
Bottle Tree	Guava	Magnolia, Southern
Brisbane Box Tree	Gum, Blue	Maple, Red
Cajeput Tree	Hackberry, Common	Mimosa Tree
Carob Tree	Hemlock, Canadian	Myoporum
Carrot Wood	Holly, Chinese	New Zealand Christmas
Catalpa, Southern	Ironbark, Red	Tree

Trees - Common Name (continued)

Oak	Plum, Wild	Sumac, Standard,
Olive Tree	Poplar, Hybrid	African
Olive, Russian	Popular, Yellow, Tulip	Sweet Gum
Orchid Tree, Purple	Tree	Sycamore
Osage Orange	Purpleleaf, Bailey Acacia	Tea Tree, Australian
Palm, Mediterranean Fan	Redwood, Coast	Tipu Tree
Palo Verde, Green	Sandcherry, Western	Walnut, Black
Paulownia Royal	Sensitive Plant	Weeping Fig, Exoctica
Pear, Common	Silk Tree	Willow
Pepper, Brazilian	Spruce, Black Hills	Yate, Bushy
Pine, Aleppo	Strawberry Tree	Yew, English

TOLERANT PLANTS

Shrubs - Common Name

Abelia, Glossy	Cedar, Eastern Red	Euonymus, Evergreen
Acacia, Bailey	Cherry, Brush	Fig, Creeping
Andromeda	Chokecherry sp.	Firethorn
Arborvitae, Oriental	Copper Plant, Caribbean	Forsythia, Greenstem
Arrowwood, Southern	Cotoneaster, Bearberry	Flax, New Zealand
Azalea, Mollis hybrid	Coyote Bush	Fuchsia, Australian
Bamboo, Heavenly	Cranberry Bush,	Gardenia
Barberry, Japanese	American	Gold Vine, Guinea
Bird Of Paradise Bush	Grape Myrtle	Hakea
Bluebeard	Currant, Alpine	Hawthorn, Indian
Boxwood, Common	Dogwood, Red Osier	Hibiscus, Blue
Buckthorn, Glossy, Alder	Elaeagnus	Hibiscus, Chinese
Camellia	Escallonia	Holly, Dwarf Burford

Shrubs - Common Name (continued)

Honeysuckle, Bush	Oleander	Silver King
Hydrangea	Orchid, rockrose	Sky Flower, Brazilian
Jasmine Asiatic	Oregon Grape	Snowball Bush
Jessamine, Carolina	Osmanthus, Holly-leaf	Spindle Tee
Joboba	Palm, Natal	Spirea
Juniper, Chinese	Pampas Grass	Star Plant, Lavender
Lantana, Purple Trailing	Photinia	Tea Tree, Australian
Laurustinus	Photinia, Fraser	Texas Ranger
Lemonade Sumac	Pink Lady	Toyon, California Holly
Lilac, Common Purple	Pink Powder Puff	Trumpet Vine, Pink
Liriope, Green	Pittosporum, Variegated	Veronica
Mickey Mouse Bush	Japanese	Viburnum, Japanese
Mirror Plant, Creeping	Plumbago, Cape	Wayfaring Tree
Mock Orange	Podocarpus, Yew	Weeping Fig, Exotica
Mountain Lilac, Carmel	Privet	Wheeler's Dwarf,
Creeper	Purple Hop Bush	Variegated
Myrtle, Dwarf	Pyracantha	Yellow Bells
Nandina, Heavenly	Rhododendron –	Yesterday-Today-and-
Bamboo	Azalea	Tomorrow
Nannyberry	Sandcherry, Purpleleaf	Yew
Ninebark	Serviceberry, Allegheny	

TOLERANT PLANTS (continued)

Ornamentals & Bedding Plants - Common Name

Alyssum	Bellflower, Tussock	Bower Vine
Asparagus, Myers	Bittersweet, American	Cactus, Barrel
Aster, New York	Black-Eyed Susan	Candytuft
Baby's Breath	Bleeding Heart	Canna
Begonia	Butterfly Weed	Cassia, Feathery

Ornamentals & Bedding Plants - Common Name (continued)

Chrysanthemum, Marguerite	Honeysuckle, Amar	Plantain Lily
Cockscomb	Honeysuckle, Fly	Purple Loosestrife
Coleus	Hopseed Bush, Purple	Raspberry Ice
Coneflower, Purple	Impatiens	Sage
Coralbells	Iris	Sea Pinks, Thrift
Coreopsis	Ivy, Grape	Sedum, Stonecrop
Cup of Gold Vine	Jack-in-the-Pulpit	Shrimpplant
Daffodil	Jade Plant	Sky Flower, Brazilian
Dahlia	Jasmine, Madagascar	Snail Vine
Daisy Bush	Lamb's Ear	Snapdragon
Daisy Bush, Blue	Lavender, English	Speedwell, Spike
Daylily	Lilac, Chinese	Statice, Perennial
Dianthus	Lily-of-the-Nile, Peter	Stock
Dragonhead, False	Pan	Sweet Grass
Dusty Miller	Lily-of-the-Valley	Sweet William
Fern, Sprenger's	Lobelia	Transvaal Daisy
Asparagus	Marigold	Trumpet Vine, Blood
Fescue, Blue	Mirror Plant	Red
Flowering Tobacco	Moneywort, Creeping	Tulip
Fountain Grass, Red	Jenny	Verbena
Gazania	Moss, Rose	Wandering Jew
Geranium	Pansy, Johnny-Jump-Up	Wisteria
Gerbera Daisy	Pepper, Ornamental	Yarrow
Geum	Periwinkle,	Yellow Trumpet
Gladiolus	Madagascar	Zinnia
Heather, False	Petunia	
	Phlox, Perennial	

TOLERANT PLANTS *(continued)*

Ground Covers - Common Name

Aaron's Beard	Freeway	Plumbago, Dwarf
Aptenia	Gazania, Trailing	Pork and Beans
Bergenia, Winter-blooming	Green Carpet	Rosea Ice Plant
Bugleweed	Ivy, Algerian	Rosemary, Dwarf
Capeweed	Lantana, Lavender	Rupture Wort
Carpathian, Harebell	Lily-turf, Big Blue	St. Johnswort,
Cinquefoil, Spring	Lippla	Creeping
Coyote Brush	Mondo Grass	Stonecrop, Sedum
Crownvetch	Myoporum	Verbena
Cushion Bush	Pachysandra	
Daisy, Trailing African,	Periwinkle	

CONDITIONS OF SALE AND WARRANTY

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result, because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of Voluntary Purchasing Groups, Inc. ("VPG") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

VPG warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, VPG MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND VPG'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, VPG AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. VPG and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of VPG.

This page left blank intentionally.



Over-The-Top II

Manufactured For:



230 FM 87 • BONHAM, TX 75418

EPA Reg. No. 7969-58-7401

EPA Est. No. 7401-TX-1

NVA 2009-04-025-0127



16