

Table 1: Outdoor Surfaces Use		Enforcer: Flea Spray for Yards Concentrate VI PRECAUTIONARY STATEMENTS
Pest Ants', Centipedes, Cockroaches, Crickets, Fleas, Millipedes, Mosquitoes, Palmetto bugs, Scorpions, Sowbugs, Pillbugs, Spiders, Deer ticks, Waterbugs	Comments "Apply a 3 ft. band around the building and upwards along the foundation to 3 feet and around windows, doors, and roof overhangs. Apply as a coarse spary to thoroughly and uniformly wet the foundation and/or band airea so that the insecticide will reach the soil or thatch level where pests may be active "Repeat treatment every 8 weeks (2 months).	Hazards to Humans and Domestic Animals (AUTION) Harmful if swallowed. Gauses moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, dinking, chewing gum, or using tobacco. KEEP OUT OF REACH OF CHILDREN First Aid If swallowed: - Gall a Poison Control Center or doctor immediately for treatment advice. - Have a person sip a glass of water if able to swallow. - Do not induce wonition unless told to do so by a Poison Control Center or doctor.
*Argentine, Southern, Field, Alleghany mound, Florida carpenter, Comfield, Honey, Pavement, Nuisance. LAWNS APPLICATION INSTRUCTIONS: Measure the area to be sprayed and follow the instructions in Table 2. Treat when insects begin to appear and repeat treatment to maintain control as directed. Apply as directed, keeping in mind that complete coverage is crucial.		Do not give anything by mouth to an unconscious person. If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact leness, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the product contact 1-877-541-2016 for emergency medical treatment information.
Table 2: Surface Insects		
Pest Ants*, Armyworms, Cockroaches Crickets, Cutworms, Earwigs, Fleas, Lawn moths (sod webworms), Millipedes, Mosquitoes, Palmetto bugs, Sowbugs, Mites, Spittlebugs, Deer ticks (which may transmit Lyme Disease) and Waterbugs	Comments Completely wet grass a few hours prior to application. To achieve the best control of surface insects, postpone additional watering or mowing for 24 hours following treatment. To zo treats 8,000 sq. ft. Do not apply more than 14 times per year per location.	IBLEFSY1638B - (opy: 4-11 - MADE IN U.S.A.
*Argentine, Southen, Field, Alleghany mound, Florida carpenter, Cornfield, Honey, Pavement, Nuisance.		Questions? Call 1-888-805-4357, Mon Fri., 9am to 5pm EST.

Environmental Hazards This product is extremely toxic to fish. Drift and runoff from treated areas may be hazardous to aquatic organisms in heighboring areas This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not

apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

DIRECTIONS FOR USE

Do not water the treated area to the point of run-off. Do not make applications during rain. In New York State, this product may not be applied to lawns within 100 ft. of a coastal marsh,

or stream that drains directly into a coastal marsh. READ THE ENTIRE LABEL BEFORE USE. GENERAL INFORMATION

Enforcer Flea Spray for Yards Concentrate VI kills grubs, ants, fleas, chinch bugs, mosquitoes, sod webworms, aphids, I

READY SPRAY NO771 F DIRECTIONS

Connect the Ready to Spray nozzle to a hose, making sure that the dial on the nozzle is in the "OFF"

larea and recheck in a few hours. If any staining is observed, do not use this product. PESTS OUTSIDE THE HOME Enforcer Flea Spray for Yards Concentrate VI is for use on ornamental plants next to building foundations, to these nests are active.

surfaces of porches, buildings, screens, overhangs, window frames, garages, patios and other areas where BARRIER APPLICATION INSTRUCTIONS: Treat when insects begin to appear and repeat treatment to

maintain control as directed. Apply a continuous band of insecticide around the foundation of the

building, windows, vents, overhangs, doors and other areas to significantly decrease possible access by crawling pests. For optimum results, remove any leaf litter and debris around the foundation. Cut back any branches or vegetation that come into contact with the foundation. Rake back deep mulch and remove

any other material that may serve as harborage sites for pests.

Determine the area to be treated. For lawns, measure the area to be sprayed. For trees, shrubs and flowers, apply as a thorough cover spray. Treat when insects begin to appear and repeat treatment to maintain control only as

directed. Apply as directed, keeping in mind that complete coverage is crucial.

Ready Spray Nozzle Instructions Shake container well before use

APPLICATION INSTRUCTIONS

beetles, whiteflies, mites, deer ticks, Japanese beetles, European crane flies, fire ants and other listed insects.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not allow children or pets into the treated area until dry.

ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment byer the treated area will help avoid run off to water bodies or drainage systems.

surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or

turning the dial counter clockwise until it stops. Water will automatically mix with the product. Spray desired area until wet to control insect pests. Evenly spray the area by walking at a steady

pace and sweep evenly, slightly overlapping treated areas. To STOP spraying, turn the dial counter clockwise quickly until it stops and the safety tab engages into the notch on the valve. Turn the water off. To ease pressure before removing nozzle from the hose, bend the safety tab back and dial "ON" until water stops spraying. 7. Make sure the dial is in the "OFF" position with safety tab in the valve notch to store unused product.

position with the safety tab in the valve notch.

do not come in contact with treated areas

Keep in a cool area away from heat, sunlight or open flame.

3. Turn on water. Begin treatment on the furthest area and work back toward the faucet so that you

To START spraying, direct nozzle toward treatment area and bend the safety tab back and hold while

NOTE: This product is non-staining to most home siding depending on age and cleanliness. Prior to applying this product to areas that may contact home siding (vinyl siding in particular), test in a hidden.

Do not contaminate water, food or feed by storage or disposal. Pesticide Storage: Store in cool, dry area away from children and domestic animals. Container Disposal: If empty: Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Do not rinse unless required for recycling. If recycling is not available: then dispose of container in a sanitary landfill or, if allowed by State and local authorities, by burning, If burned, stay out of smoke. If partly filled: Call your local solid waste agency for disposal instructions. Unless otherwise instructed, place in trash. Never pour unused product down the drain or on the ground. Enforcer. Flea Spray for Yards Concentrate VI

STORAGE AND DISPOSAL

KEEP OUT OF REACH OF CHILDREN CAUTION

LBLEFSY163BB • Copy 4-11 ACTIVE INGREDIENT: 0.5% EPA Reg. No. 53883-197-40849

Lambda-cvhalothrin EPA Est. No. 53883-TX-002(C). Total: 100 0% 40849-GA-1(F) Postscript is is first letter of code number

Distributed By:

Zep Commercial Sales & Service,

a unit of 7ep Inc. 1310 Seaboard Ind. Blvd. Atlanta, GA 30318

NET CONTENTS: 16 fl oz (473 ml)

on container

See attached label booklet for directions for use

and additional precautionary language.