



# OxyFect<sup>TM</sup> H

Peroxide Disinfectant Cleaner

\*Virucidal • Hospital Disinfectant

**DISINFECTANT  
357**

<b>ACTIVE INGREDIENTS:</b>	
Hydrogen Peroxide.....	6.88%
<b>INERT INGREDIENTS .....</b>	<b>93.12%</b>
<b>TOTAL .....</b>	<b>100.00%</b>

**NET CONTENTS: 1 U.S. GALLON (3.78 L)**

**KEEP OUT OF REACH  
OF CHILDREN  
DANGER**

SEE SIDE PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS  
AND FIRST AID.

EPA EST. NO. 4170-OH-1  
EPA EST. NO. 4170-OH-2  
EPA REG. NO. 4170-101  
*The EST. NO. appears on the container*

**Disinfectant:** At a dilution of 6.5 oz. per gallon of water (1:20), 200 ppm hard water in the presence of 5% organic soil load, with a 10 minute contact time this product kills: (Bacteria): *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Salmonella enterica*, Community Acquired Methicillin Resistant *Staphylococcus aureus* (CA-MRSA) (NARSA) (NRS123) (USA 400) *Enterococcus faecalis* – Vancomycin Resistant (VRE), *Staphylococcus aureus* - Methicillin Resistant (MRSA)

(Fungus/ Mold): *Aspergillus niger* (\*Viruses): \*Hepatitis B Virus (HBV) (HBV), \*Herpes Simplex Virus Type 2, \*Influenza Type A. Kills Pandemic 2009 H1N1 influenza A virus (formerly called swine flu). This product can be used as a disinfectant in the following areas: Bathrooms, Athletic Facilities, Office Buildings, Colleges, Exercise Facilities, Institutional Facilities, Showers and Bath areas. **This product can be used in the following hospital/healthcare settings:** Health Care Facilities, Hospitals, Medical Offices, Nursing Homes. **This product can be used on the following washable, hard, inanimate, non-porous surfaces:** Aluminum, Bathtubs, Countertops, Desks, Floors, Garbage Cans, Shower Stalls, Sinks, Tables, Toilets, Urinals, Walls and other hard nonporous inanimate surfaces made of: Glazed Ceramic, Glazed Porcelain, Metal, Plastic, Sealed Stone, Stainless Steel, Bathroom Fixtures. **NOTE: DO NOT USE ON BRASS.**

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product is not for use in residential settings. **This product contains hydrogen peroxide. This product must not be mixed or stored with products containing ammonia, bleach, or other oxidizing agents. Contact with metals, metal ions, wood dust, or wood shavings may cause product decomposition.**

**CLEANING/DEODORIZING DIRECTIONS:** For cleaning and deodorizing, dilute 2 oz. of concentrate per gallon of water. Cleaning may be accomplished with a clean mop, sponge, squeegee, wet vacuum system or a trigger spraying device. Spray 6-8 inches from the surface to be treated, thoroughly wetting the surface. After cleaning, remove suspended soils with a clear water rinse, vacuum pick up, or by wiping with a clean mop, sponge, squeegee, or cloth or allow to air dry. Do not breathe spray.

**DISINFECTION/CLEANING/DEODORIZING DIRECTIONS:** To disinfect hard, non-porous, inanimate surfaces, dilute 6.5 oz. of concentrate per gallon of water (1:20). Remove heavy soil deposits from surfaces. Apply to surfaces using a cloth, mop, sponge, or coarse trigger sprayer. Spray 6-8 inches from surface to be treated, thoroughly wetting the surface. Allow to remain wet for 10 minutes. Rub with brush, sponge, or cloth. Do not breathe spray. Wipe area with a clean cloth or allow to air dry. This product is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that (1) is introduced into the human body either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body.

**TOILET BOWLS/URINALS:** Swab bowl with brush to remove heavy soil prior to cleaning or disinfecting. Clean by applying use-solution around the bowl and up under the rim. Stubborn stains may require brushing. To disinfect, first remove or expel over the inner trap the residual bowl water. Pour in 2 oz. of the use-solution. Swab the bowl completely using a scrub brush or mop, making sure to get under rim. Let stand for 10 minutes. Rinse by flushing.

**\*Virucidal Activity:** When used as directed at 5.0 oz per gallon of water (1:20), 200 ppm hard water in the presence of 5% organic soil load, this product is effective against Influenza Type A (ATCC VR-100) Respiratory Syncytial Virus, Rotavirus (Strain WA), Herpes Simplex Virus Type 2 (ATCC VR-734) with a 10 minute contact time.

**\*This product kills HIV-1 in 1 (one) minute and Hepatitis B Virus (HBV) in 10 minutes on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids** in settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS).

**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 AND HBV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS:** **Personal Protection:** Disposable protective gloves, gowns, face masks, and eye coverings must be worn during all cleaning of body fluids, blood, and decontamination procedures. **Cleaning Procedures:** Blood and body fluids must be thoroughly cleaned from surfaces and objects before application of this product. **Contact Time:** Allow surface to remain wet for 1 minute to kill HIV-1 and 10 minutes for all other bacteria and viruses claimed. **Disposal of Infectious Material:** Blood and other body fluids should be autoclaved and disposed of in accordance with Federal, State, and local regulations for infectious waste disposal.

**GLASS CLEANING:** Dilute 1 oz. of product per gallon of water. Spray onto glass surface. Use through a coarse hand pump trigger sprayer device. Do not breathe spray. Wipe dry with an absorbent cloth or towel.

SDS No. 357



RLB5652

©2016 Betco Corporation  
1001 Brown Avenue | Toledo, Ohio 43607  
400 Van Camp Road | Bowling Green, Ohio 43402  
Made in U.S.A. | All Rights Reserved.

888-60 BETCO (888-462-3826) | Betco.com



## PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

### DANGER

Corrosive. Causes irreversible eye damage. Causes skin burns. Harmful if swallowed or inhaled. Do not get in eyes, on skin or on clothing. Wear eye protection (goggles, safety glasses with side shields, or face shield). Wear coveralls worn over long-sleeved shirt and long pants, chemical resistant gloves, socks, and chemical resistant footwear. Avoid contamination of food. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing, and wash clothing before reuse.

### FIRST AID

**IF IN EYES:** Hold eye open. Rinse gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor immediately for treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing immediately. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move victim to fresh air. If not breathing, call 911 or an ambulance, then, give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. **Have the product container or label with you when calling a poison control center or doctor or going for treatment.**  
**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

### PHYSICAL OR CHEMICAL HAZARDS

This product is an oxidizer. Do not store near heat, flame, or in direct sunlight. Avoid storage at elevated temperatures. Do not store near wood shavings, dust or similar combustible materials.

## STORAGE AND DISPOSAL

Keep product under locked storage, inaccessible to children. Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available.

**PESTICIDE STORAGE:** Do not reuse empty container.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.



0935716

**Disinfectant:** At a dilution of 6.5 oz. per gallon of water (1:20), 200 ppm hard water in the presence of 5% organic soil load, with a 10 minute contact time this product kills: (Bacteria): Pseudomonas aeruginosa, Staphylococcus aureus, Salmonella enterica, Community Acquired Methicillin Resistant Staphylococcus aureus (CA-MRSA) (NARS) (NRS123) (USA 400) Enterococcus faecalis – Vancomycin Resistant (VRE), Staphylococcus aureus - Methicillin Resistant (MRSA)

(Fungus/ Mold): Aspergillus niger (\*Viruses): \*Hepatitis B Virus (HBV), \*Herpes Simplex Virus Type 2, \*Influenza Type A. Kills Pandemic 2009 H1N1 influenza A virus (formerly called swine flu). This product can be used as a disinfectant in the following areas: Bathrooms, Athletic Facilities, Office Buildings, Colleges, Exercise Facilities, Institutional Facilities, Showers and Bath areas. **This product can be used in the following hospital/healthcare settings:** Health Care Facilities, Hospitals, Medical Offices, Nursing Homes. **This product can be used on the following washable, hard, inanimate, non-porous surfaces:** Aluminum, Bathtubs, Countertops, Desks, Floors, Garbage Cans, Shower Stalls, Sinks, Tables, Toilets, Urinals, Walls and other hard nonporous inanimate surfaces made of: Glazed Ceramic, Glazed Porcelain, Metal, Plastic, Sealed Stone, Stainless Steel, Bathroom Fixtures. **NOTE: DO NOT USE ON BRASS.**

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product is not for use in residential settings. **This product contains hydrogen peroxide. This product must not be mixed or stored with products containing ammonia, bleach, or other oxidizing agents. Contact with metals, metal ions, metal dust, or wood shavings may cause product decomposition.**

**CLEANING/DEODORIZING DIRECTIONS:** For cleaning and deodorizing, dilute 2 oz. of concentrate per gallon of water. Cleaning may be accomplished with a clean mop, sponge, squeegee, wet vacuum system or a trigger spraying device. Spray 6-8 inches from the surface to be treated, thoroughly wetting the surface. After cleaning, remove suspended soils with a clear water rinse, vacuum pick up, or by wiping with a clean mop, sponge, squeegee, or cloth or allow to air dry. Do not breathe spray.

**DISINFECTION/CLEANING/DEODORIZING DIRECTIONS:** To disinfect hard, non-porous, inanimate surfaces, dilute 6.5 oz. of concentrate per gallon of water (1:20). Remove heavy soil deposits from surfaces. Apply to surfaces using a cloth, mop, sponge, or coarse trigger sprayer. Spray 6-8 inches from surface to be treated, thoroughly wetting the surface. Allow to remain wet for 10 minutes. Rub with brush, sponge, or cloth. Do not breathe spray. Wipe area with a clean cloth or allow to air dry. This product is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that (1) is introduced into the human body either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body.

**TOILET BOWLS/URINALS:** Swab bowl with brush to remove heavy soil prior to cleaning or disinfecting. Clean by applying use-solution around the bowl and up under the rim. Stubborn stains may require brushing. To disinfect, first remove or expel over the inner trap the residual bowl water. Pour in 2 oz. of the use-solution. Swab the bowl completely using a scrub brush or mop, making sure to get under rim. Let stand for 10 minutes. Rinse by flushing.

**\*Virucidal Activity:** When used as directed at 5.0 oz per gallon of water (1:20), 200 ppm hard water in the presence of 5% organic soil load, this product is effective against Influenza Type A (ATCC VR-100) Respiratory Syncytial Virus, Rotavirus (Strain WA), Herpes Simplex Virus Type 2 (ATCC VR-734) with a 10 minute contact time.

**\*This product kills HIV-1 in 1 (one) minute and Hepatitis B Virus (HBV) in 10 minutes on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids** in settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS).

**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 AND HBV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS: Personal Protection:** Disposable protective gloves, gowns, face masks, and eye coverings must be worn during all cleaning of body fluids, blood, and decontamination procedures. **Cleaning Procedures:** Blood and body fluids must be thoroughly cleaned from surfaces and objects before application of this product. **Contact Time:** Allow surface to remain wet for 1 minute to kill HIV-1 and 10 minutes for all other bacteria and viruses claimed. **Disposal of Infectious Material:** Blood and other body fluids should be autoclaved and disposed of in accordance with Federal, State, and local regulations for infectious waste disposal.

**GLASS CLEANING:** Dilute 1 oz. of product per gallon of water. Spray onto glass surface. Use through a coarse hand pump trigger sprayer device. Do not breathe spray. Wipe dry with an absorbent cloth or towel.

SDS No. 357



7 00427 01246 3

RLB5652

©2016 Betco Corporation  
1001 Brown Avenue | Toledo, Ohio 43607  
400 Van Camp Road | Bowling Green, Ohio 43402  
Made in U.S.A. | All Rights Reserved.

888-GO BETCO (888-462-3826) | Betco.com



**PRECAUTIONARY STATEMENTS  
Hazards to Humans and Domestic Animals**

**DANGER**

Corrosive. Causes irreversible eye damage. Causes skin burns. Harmful if swallowed or inhaled. Do not get in eyes, on skin or on clothing. Wear eye protection (goggles, safety glasses with side shields, or face shield). Wear coveralls worn over long-sleeved shirt and long pants, chemical resistant gloves, socks, and chemical resistant footwear. Avoid contamination of food. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing, and wash clothing before reuse.

**FIRST AID**

**IF IN EYES:** Hold eye open. Rinse gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor immediately for treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing immediately. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move victim to fresh air. If not breathing, call 911 or an ambulance, then, give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. **Have the product container or label with you when calling a poison control center or doctor or going for treatment.**  
**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

**PHYSICAL OR CHEMICAL HAZARDS**

This product is an oxidizer. Do not store near heat, flame, or in direct sunlight. Avoid storage at elevated temperatures. Do not store near wood shavings, dust or similar combustible materials.

**STORAGE AND DISPOSAL**

Keep product under locked storage, inaccessible to children. Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available.

**PESTICIDE STORAGE:** Do not reuse empty container.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinseate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinseate into application equipment or a mix tank or store rinseate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.



**OxyFect™ H**

Peroxide Disinfectant Cleaner

\*Virucidal • Hospital Disinfectant

**DISINFECTANT  
357**

**ACTIVE INGREDIENTS:**  
Hydrogen Peroxide.....6.88%  
**INERT INGREDIENTS** .....93.12%  
**TOTAL** .....100.00%

**NET CONTENTS: 1 U.S. GALLON (3.78 L)**

**KEEP OUT OF REACH  
OF CHILDREN  
DANGER**

SEE SIDE PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS  
AND FIRST AID.

EPA EST. NO. 4170-OH-1  
EPA EST. NO. 4170-OH-2  
EPA REG. NO. 4170-101

The EST. NO. appears on the container



0935716