(REV 6-28-10) - 202



ELIMINATOR®

WEED & GRASS KILLER CONCENTRATE

HERBICIDA CONCENTRADO PARA PASTO Y MALEZA

KILLS OVER 175 TYPES OF WEEDS! AS LISTED

- Makes up to 10 Gallons
- Use Around Flower Beds, Trees, Shrubs & Driveways
- Eliminates Roots & Weeds
- Starts Working in Hours

ACTIVE INGREDIENT:	
*Glyphosate, Diisopropylamine salt	41.0%
OTHER INGREDIENTS	59.0%
TOTAL	100.0%

*Acid equivalent or glyphosate content = 30.54%

KEEP OUT OF REACH OF CHILDREN

CAUTION See back booklet for additional precautionary statements.

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

PRECAUCION Para obtener información de precaución adicional, vea en la contraetiqueta el folleto con declaraciones precautorias.

Net 1 pt (16 fl oz / 473 mL)

17-13286

nogales o plantas de vid.

JARDINERÍA ORNAMENTAL: Para usar en la preparación de superficies para cultivar plantas ornamentales, árboles, arbustos, pasajes con plantas del desierto, jardines de piedras, lechos de flores o plantaciones similares. Las zonas tratadas se pueden replantar 1 día después del tratamiento.

ACONDICIONAMIENTO DE TERRENOS PARA ZONAS CON FAUNA SILVESTRE: Use el herbicida concentrado para pasto y maleza Eliminator® para preparar zonas para plantar parcelas de comida para fauna silvestre. Con el herbicida concentrado para pasto y maleza Eliminator se pueden controlar las plantas exóticas o indeseables para permitir la siembra o recuperación de especies de plantas autóctonas. Los tratamientos localizados se pueden dirigir de manera de eliminar selectivamente las plantas no deseadas. **Evite el arrastre del rocío hacia las plantas deseables.**

PARA RENOVACIÓN O REPOSICIÓN DEL CÉSPED:

- Use 2½ onz. líq. (5 cdas. soperas) por 1 galón de agua por cada 300 pies cuadrados de área que se va a tratar.
- Use este producto para eliminar el césped anterior y las malezas y pastos actuales.
- Para obtener mejores resultados, aplique durante la primavera o el otoño, cuando las temperaturas diurnas sean de 60°F por lo menos.
- Si el césped está seco, riéguelo un día sí y otro no durante una semana antes de aplicar el herbicida concentrado para pasto y maleza Eliminetor.
- No corte el pasto durante los 7 días anteriores ni posteriores al tratamiento.
- Después de 7 días, prepare la tierra para plantar rastrillando o cultivando el césped con arado rotatorio.
- Rastrille y retire la paja o los residuos sueltos.
- Si es necesario, mezcle el fertilizante inicial y los acondicionadores para la tierra. Nivele la tierra.
- Aplique las semillas de acuerdo a las instrucciones del envase, o coloque los panes de césped. Las semillas de césped deben mantener un buen contacto con la tierra para germinar y crecer.
- Mantenga la zona húmeda durante dos semanas para que el césped nuevo se establezca, después riegue cuando sea necesario.

PARA EL CONTROL DE MATORRALES: Aplique a los matorrales verdes y en la etapa de crecimiento activo. En el caso de plantas que tengan una altura superior a 5 pies, pódelas y rocíe el nuevo crecimiento. Las aplicaciones a los matorrales en el otoño pueden retrasar el control en la temporada siguiente. Se puede requerir una segunda aplicación en las especies difíciles de controlar como zarzamora, kudzu o roble venenoso.

PARA TRATAMIENTO DE TOCONES: Los tocones se pueden tratar para evitar un nuevo crecimiento. Para obtener mejores resultados, lleve a cabo el tratamiento cuando la vegetación se encuentra en la etapa de crecimiento activo o inmediatamente después de haberlo cortado (dentro de los cinco minutos).

- Corte el tocón próximo a la superficie del suelo.
- Efectúe cuatro a cinco agujeros de clavo en el tocón.
- Inunde el tocón con el producto sin diluir.

Este procedimiento controlará o eliminará muchos tipos de matorrales leñosos y árboles, como por ejemplo aliso, eucalipto de Australia (bluegum), especies del género Arcutus, roble, caña brava (giant reed), tamarisco (salt cedar), liquidámbar (sweetgum) y la especie Lithocarpus densiflora (tan oak).

PARA ELIMINAR ENREDADERAS:

- Si la enredadera está creciendo sobre un poste, una cerca o un tronco de un árbol con corteza madura, córtela hasta una altura de 3 a 4 pies y rocíe de modo de cubrir completamente lo que queda de la enredadera.
- Si la enredadera está trepando sobre un arbusto o un tronco de árbol inmaduro (verde), para evitar que esas plantas sufran daño, corte la enredadera en la base y rocíe el crecimiento nuevo. Proteja al arbusto y al tronco verde del arrastre del rocío con una lámina de plástico o cartón.

ALMACENAMIENTO Y ELIMINACIÓN

Almacenamiento del pesticida: Use y guarde este producto sólo en su envase original. Guarde el producto en un lugar de almacenamiento seguro lejos del calor o del fuego. No permita que se congele.

Eliminación del pesticida: Enjuague el envase no rellenable. No vuelva a usar ni rellenar este envase. Ofrézcalo para reciclar, si existe esa opción. Llame a su servicio de eliminación de desechos más cercano para obtener instrucciones de eliminación. Nunca tire el producto sin usar por un drenaje interno ni externo.

Derrame o filtración: En caso de derrame o filtración, absorba con toallas de papel y tírelas en la basura.

DECLARACIONES PREVENTIVAS

Riesgos para los seres humanos y los animales domésticos

PRECAUCIÓN. Nocivo si se absorbe por la piel. Causa irritación moderada a los ojos. Evite el contacto con los ojos, la piel o la ropa. Después de manipularlo, lávese muy bien con agua y jabón. Mantenga a los niños y a las mascotas fuera de las zonas tratadas hasta que el rocío se haya secado. Evite la contaminación de alimentos. No contamine los suministros de agua.

PRIMEROS AUXILIOS

Si entra en contacto con la piel: Quítese la ropa contaminada. Lave la piel con abundante agua durante 15 a 20 minutos. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.

Si entra en contacto con los ojos: Mantenga los ojos abiertos y enjuague con agua lentamente, con cuidado, durante 15 a 20 minutos. Si hay lentes de contacto, retírelos después de los primeros 5 minutos, luego continúe enjuagando los ojos. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento. Cuando llame a un centro de control de envenenamientos o a un médico, o intente obtener tratamiento, tenga a la mano el envase o la etiqueta del producto.

Riesgos para el medio ambiente

Para proteger el medio ambiente, no permita que el pesticida entre o se escurra por alcantarillas pluviales, zanjas de drenaje, cunetas ni aguas superficiales. Aplicar este producto cuando haga buen tiempo cuando no se pronostique lluvia en las siguientes 24 horas, asegurará que ni el viento ni la lluvia sople o quite el pesticida de la zona de tratamiento. Enjuagar el equipo de aplicación encima de la zona tratada ayudará a evitar el escurrimiento a masas de agua o sistemas de drenaje.

STOP READ & FOLLOW LABEL INSTRUCTIONS

PEEL HERE

ELIMINATOR

WEED & GRASS KILLER CONCENTRATE

MAKES UP TO 10 GALLONS

WHAT IT DOES:
Kills All Types of Weeds and Grasses

WHERE TO USE OUTDOORS:
- *On Patios, Walkways, Driveways*
- *Around Flowers, Shrubs and Trees*
- *Along Fences in Large Areas for Lawn Replacement*

WHEN TO USE:
For Best Results, Apply During Warm, Sunny Weather (Above 60°F)

QUESTIONS OR COMMENTS?
Call 1-800-332-5553

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.
NOTA: El comprador asume toda la responsabilidad para seguridad y uso que no esté de acuerdo con las instrucciones.

Distributed by Chemsico
Division of United Industries Corp.
PO Box 142642
St. Louis, MO 63114-0642
EPA Reg. No. 67760-49-9688
EPA Est. Nos. 39754-WI-1 (8), 9688-MO-1 (U), 79533-WI-1 (BT), 39609-MO-1 (BM), 58996-MO-1 (AE)
Circled letter is first letter of lot number.
17-13287 © 2010 UIC
Eliminator® is a registered trademark of Wal-Mart Stores, Inc.

PROOF OF PURCHASE

FPO UPC
0 44579 41267 3

CONTROLS ALL TYPES OF WEEDS AND GRASSES INCLUDING: / CONTROLA TODOS TIPOS DE MALEZAS Y PASTOS INCLUYENDO:

Annual weeds and grasses: / Pastos y malezas anuales:

- annual ryegrass
- annual bluegrass
- barnyardgrass
- beggarweed
- black medic
- blue medic
- blue toadflax
- brassbuttons
- blue mustard
- bromegrass
- bur clover
- buttercup
- cheeseweed
- chickweed
- clover
- common groundsel
- common lambsquarters
- common plantain
- common ragweed
- crabgrass
- creeping beggarweed
- diffuse lovegrass
- dog fennel
- evening primrose
- false dandelion
- tall panicum
- fennel
- fiddleneck
- field pennycress
- field sandbur
- filaree
- Florida pusley
- foxtail
- garden spurge
- goosegrass
- green foxtail
- hemp sesbania
- henbit
- horseweed/marestail
- ironweed
- knotweed
- lambsquarters
- little bitter cress
- London rocket
- maiden cane
- mallow
- mayweed
- mouseear chickweed*
- oxalis*
- Pennsylvania smartweed
- pennywort
- pigweed
- prickly lettuce
- prostrate spurge
- puncture vine
- purslane
- redroot pigweed
- sandspur
- shepherdspurse
- smartweed
- smooth cat's ear
- smooth pigweed
- sowthistle
- spotted spurge
- spreadingtop
- spurges
- tansy mustard
- tansy ragwort
- teaweed
- Texas panicum
- tumble mustard
- velvetleaf
- wild geranium*
- witch grass
- wild mustard
- yellow nutgrass
- yellow oxalis

*annual or perennial/ anual o perenne

Perennial weeds, grasses and brush: / Malezas, pastos y matorrales perennes:

- alder
- artichoke thistle
- barleygrass
- barnyardgrass
- bentgrass
- Bermudagrass
- blackberries
- bluegrass
- broadleaf plantain
- brownseed paspalum
- buckhorn plantain
- bull thistle
- Canada thistle
- cattail
- ceanothus
- centipedegrass
- cherry
- cocklebur
- cogongrass
- common mullein
- common ragweed
- coral bead
- coyote brush*
- creeping bentgrass
- creeping Charlie
- creeping lantana
- curly dock
- dallisgrass
- dandelion
- dewberry
- dog fennel
- elderberry
- false dandelion
- fescue species
- field bindweed
- guineagrass
- hairy crabgrass
- honeysuckle
- horsenettle
- horseradish
- iceplant
- Johnsongrass
- Kentucky bluegrass
- kikuyugrass
- knapweed
- knawel
- kudzu
- lantana
- maiden cane
- milkweed
- mouseear chickweed*
- multiflora rose
- nimblewill
- nutgrass (nutsedge)
- oak species
- oleander
- orchardgrass
- oxalis*
- pampasgrass
- pennywort
- perennial ryegrass
- plantain
- poison oak
- poison ivy
- poison hemlock
- primrose
- purple nutsedge*
- purple nutsedge
- quackgrass
- quaking aspen
- ragweed
- raspberry
- red clover
- smooth bromegrass
- sourdock
- sowthistle
- St. Augustinegrass
- sumac
- tall fescue
- tansy ragwort
- thistle
- Timothy
- torpedograss
- trumpetcreeper
- vasey grass
- Virginia creeper
- white clover
- whitetop
- wild barley
- wild blackberry
- wild carrot
- wild morning-glory
- wild oats
- wild sweet potato
- willow
- yarrow
- yellow nutgrass
- yellow starthistle
- zoysia

*annual or perennial/ anual o perenne

HOW IT WORKS

This product is a non-selective herbicide that will kill all vegetation contacted. This herbicide kills unwanted plants by inhibiting the production of a substance found only in plants. It enters plants through the sprayed foliage and moves down to the roots. Avoid direct spray or drift onto desirable plants, lawn grasses, shrubs and trees. Protect desirable plants and vegetation with a piece of plastic or cardboard. If desirable plants are accidentally sprayed, wash plants with water immediately. Any Eliminator® Weed & Grass Killer Concentrate not absorbed by the plant is broken down into natural materials. This product has no soil activity and thus will not affect nearby untreated plants.

STOP Read and follow label instructions

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

People and pets should not be allowed in treated areas until spray has dried.

This product is formulated for "spot" treatment of individual weeds and grasses or for treatment of large areas as instructed on this label (see specific site areas below). Apply with a plastic, aluminum or stainless steel tank-type sprayer. **Do not apply with galvanized or unlined steel sprayer, or through any irrigation system or sprinkling can.**

MIXING INSTRUCTIONS

TANK SPRAYER (plastic, aluminum or stainless steel)

- Add 2 ½ fl oz (5 Tbsp) to 1 gal of water
- Spot treat or spray evenly over 300 sq ft

DIAL TYPE HOSE-END SPRAYER

- Set sprayer to the "fl oz/gallon" level specified in the directions
- Use only enough product for the area to be treated
- Close sprayer, attach to hose and apply

CONCENTRATE PLUS WATER (HOSE END) TYPE SPRAYER

- Determine the amount of concentrate required
- Pour concentrate into sprayer jar to the required "fl oz" level
- Replace sprayer top on jar and apply

AMOUNT TO USE:

- 2 ½ fl oz (5 Tbsp) treats 300 sq ft

1 Tablespoon (Tbsp) equals 3 teaspoons (tsp)
1 fl oz equals 2 Tablespoons (Tbsp)

- For easy to kill weeds such as seedlings add 1½ fl oz (3 Tbsp) to one gallon of water

HOW TO APPLY

- Completely wet the foliage of the target vegetation. Do not overspray.
- A single application controls most weeds.
- Most treated weeds usually show initial symptoms in two to four days and complete kill in one to two weeks.
- Harder-to-control weeds or large weeds may require a repeat application.
- Protect desirable plants with a piece of plastic or cardboard.
- If desirable plants are accidentally sprayed, wash plants with water immediately.
- Ornamental flowers, trees and shrubs may be planted one day after application to weeds in planting bed.
- Do not mow, cut or otherwise disturb treated vegetation for at least seven days following application.

WHEN TO APPLY

- For best results apply during warm, sunny weather (above 60°F).
- Apply when weeds are actively growing and no rain is forecast for 24 hours.
- Rainfall or watering two hours after application will not wash away effectiveness.
- To avoid drift to desirable plants, apply when the air is calm.

WHEN TO REPLANT

- All ornamental flowers, trees and shrubs may be planted **1 day after** application. Artichoke (Jerusalem), Beans (all), Beet Greens, Broccoli, Brussels Sprouts, Cabbage (all), Carrot, Cauliflower, Celery, Chard (Swiss), Chicory, Collards, Endive, Horseradish, Kale, Kohlrabi, Leek, Lentils, Lettuce, Mustard Greens, Okra, Onion, Rape Greens, Parsley, Parsnips, Potato, Radish, Rhubarb, Rutabaga, Spinach, Sweet Potato, Turnip and Yams.
- The following fruits, vegetables and herbs may be planted **3 days after** application: Corn, Cucumber, Eggplant, Garlic, Gourds, Melons (all), Peas (all), Peppers (all), Pumpkin, Squash (summer and winter), Tomatillo, Tomato (by seed) and Watercress.
- Lawn grasses may be planted **7 days after** application.
- Tomatoes from transplant and unlisted fruits, vegetables and herbs may be planted **30 days after** application.

WHERE TO USE

GENERAL WEED CONTROL: Use along fences, paths, patios, sidewalks, curbs and driveways, around ornamental trees, shrubs, flower beds and plantings, around buildings. Use for trimming and edging landscapes. **DO NOT use for spot weed treatment in lawns, since Eliminator® Weed & Grass Killer Concentrate kills all green plants, including lawn grasses.**

SPOT TREATMENTS: Spray directly on actively growing weeds in and around flower beds, ornamental trees, fruit and nut trees, grapevines, shrubs, fences, driveways and walkways. ***If Eliminator Weed & Grass Killer Concentrate is used to control weeds around fruit and nut trees or grapevines, allow 21 days before eating the fruit or nuts.*** Do not spray fruit and nut trees or grapevines directly.

LANDSCAPES: For use in preparing areas for planting of ornamentals, trees, shrubs, desert landscapes, rock gardens, flower beds or similar plantings. Treated areas can be replanted 1 day after treatment.

WILDLIFE AREAS SITE PREPARATION: Use Eliminator Weed & Grass Killer Concentrate for planting wildlife food plots. Exotic or undesirable plants can be controlled with Eliminator Weed & Grass Killer Concentrate to allow for planting or recovery of native plant species. Spot treatments may be directed to selectively remove unwanted plants. **Avoid spray drift to desirable plants.**

FOR LAWN RENOVATION/REPLACEMENT:

- Use 2 ½ fl oz (5 Tbsp) to 1 gal of water for each 300 sq ft of area to be treated.
- Use this product to remove the old lawn and existing weeds and grasses.
- For best results, apply in spring or fall, when daytime temperatures are at least 60°F.
- If the lawn is dry, water lawn every other day for a week before applying Eliminator® Weed & Grass Killer Concentrate.
- Do not mow for 7 days before or after treatment.
- After 7 days, prepare the soil for planting by raking or roto-tilling the lawn.
- Rake up and remove loosened thatch or debris.
- Mix in starter fertilizer and soil amendments, if needed. Level the soil.
- Apply seed according to directions on seed package, or install sod. Grass seed must have good contact with soil to germinate and grow.
- Keep area moist for two weeks to establish new lawn, then water as needed.

FOR BRUSH CONTROL: Apply to green and actively growing brush. For plants taller than 5 feet, cut them back and spray the regrowth. Fall applications to brush may delay control to the following season. A second application may be required on hard-to-control species such as blackberry, kudzu or poison oak.

FOR STUMP TREATMENT: Stumps can be treated to prevent regrowth. For best results, treat when the vegetation is actively growing or (within five minutes) after being cut down.

- Cut the stump close to the soil surface.
- Make four to five nail holes in the stump.
- Flood the stump with undiluted product.

This procedure will control or suppress many types of woody brush and trees, such as alder, bluegum eucalyptus, madrone, oak, giant reed, saltcedar, sweetgum, and tan oak.

TO KILL VINES:

- If vine is growing up a pole, fence or mature tree trunk, cut vine to a height of 3 to 4 feet and spray to thoroughly cover remaining vine.
- If vine is climbing a shrub or immature (green) tree trunk, to avoid damage to these plants, cut vine at base and spray its regrowth. Shield shrub and green trunk from spray drift with a sheet of plastic or cardboard.

STORAGE AND DISPOSAL

Pesticide Storage: Use and store this product only in its original container. Store product in a secure storage area away from sources of heat or open flame. Protect product from freezing.

Pesticide Disposal: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Spill or leak: In case of spill or leak, soak up with paper towels and discard in trash.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION. Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Keep children and pets away from treated areas until spray has dried. Avoid contamination of food. Do not contaminate water supplies.

FIRST AID

If on Skin: Take off contaminated clothing. Rinse skin with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

Environmental Hazards

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid runoff to water bodies or drainage systems.

CÓMO FUNCIONA

Este producto es un herbicida no selectivo que mata toda la vegetación con la que entra en contacto. Este herbicida mata las plantas no deseadas al inhibir la producción de una sustancia que sólo se encuentra en las plantas. Entra en las plantas a través del follaje rociado y se mueve hacia abajo hasta las raíces. Evite el rocío directo o el arrastre a plantas, céspedes, arbustos y árboles deseables. Proteja las plantas y vegetación deseables con un trozo de plástico o cartón. Si las plantas deseables se rocían accidentalmente, lávelas inmediatamente con agua. Todo el herbicida concentrado para pasto y maleza Eliminator® que la planta no absorba se degrada en sustancias naturales. Este producto no tiene actividad en el suelo y por lo tanto no afecta a las plantas cercanas no tratadas.

ALTO Lea y siga las instrucciones de la etiqueta

MODO DE EMPLEO

Se considera una violación a la ley federal usar este producto de una manera que no sea la indicada en la etiqueta.

ALTO No permita que las personas ni las mascotas entren en las zonas tratadas hasta que el rocío se haya secado.

Este producto está formulado para el tratamiento "localizado" de pastos y malezas individuales o para el tratamiento de zonas grandes según se indica en esta etiqueta (consulte las zonas específicas a continuación). Aplique con un rociador con tanque de plástico, aluminio o acero inoxidable. **No aplique con un rociador de acero galvanizado o sin forro, ni mediante ningún sistema de riego ni irrigador.**

INSTRUCCIONES PARA LA MEZCLA

ROCIADOR CON TANQUE (plástico, aluminio o acero inoxidable)

- Agregue 2½ onz. líq. (5 ctas. soperas) a 1 galón de agua
- Aplique el tratamiento localizado o rocíe uniformemente sobre 300 pies cuadrados

ROCIADOR CON APLICADOR PARA MANGUERA CON SELECTOR

- Ajuste el rociador al nivel de "onz. líq./galón" especificado en las instrucciones
- Use sólo la cantidad de producto adecuada para la zona que se va a tratar
- Cierre el rociador, conecte a la manguera y aplique

ROCIADOR PARA MANGUERA CON APLICADOR PARA CONCENTRADO Y AGUA

- Determine la cantidad necesaria de concentrado
- Vierta el concentrado dentro de la jarra del rociador hasta el nivel necesario de "onz. líq."
- Vuelva a colocar la tapa del rociador en la jarra y aplique

CANTIDAD A USAR:

- 2½ onz. líq. (5 cdas. soperas) tratan 300 pies cuadrados
- 1 cucharada sopera (cda. sopera) = 3 cucharaditas (cdtas.)
- 1 onz. líq. = 2 cucharadas soperas (cdas. soperas)
- Para malezas fáciles de eliminar, como plántulas, agregue 1½ onz. líq. (3 cdas. soperas) a un galón de agua

CÓMO APLICAR

- Cubra completamente el follaje de la vegetación que tiene como objetivo. No rocíe en exceso.
- Una sola aplicación controla la mayoría de las malezas.
- En general, la mayoría de las malezas tratadas muestran los primeros síntomas en dos a cuatro días y la eliminación completa tiene lugar en una a dos semanas.
- Las malezas grandes o más difíciles de matar pueden requerir de otra aplicación.
- Proteja todas las plantas deseables con un trozo de plástico o cartón.
- Si las plantas deseables se rocían accidentalmente, lave las plantas inmediatamente con agua.
- Las flores, árboles y arbustos ornamentales se pueden plantar un día después de la aplicación a las malezas en lechos para plantar.
- No corte, pode ni altere de ninguna otra manera a la vegetación tratada durante por lo menos siete días después de la aplicación.

CUÁNDO APLICAR

- Para obtener mejores resultados, aplique el producto cuando el clima esté cálido y soleado (temperaturas superiores a 60°F).
- Aplique cuando las malezas se encuentren en la etapa de desarrollo activo y no se pronostiquen lluvias por 24 horas.
- La lluvia o el riego después de las dos horas de la aplicación no reduce la eficacia.
- Aplique cuando no haya viento para evitar el arrastre hacia plantas deseables.

CUÁNDO PLANTAR DE NUEVO

- Todas las flores, árboles y arbustos ornamentales se pueden plantar **1 día después** de la aplicación. Alcachofa de Jerusalén, tríjoles (todos), hojas de betabel, brócoli, coles de Bruselas, col (todas), zanahoria, coliflor, apio, acelga (Suiza), achicoria, berza, endibia, rábano picante, col rizada, colinabo, puro, lentejas, lechuga, hoja de mostaza, okra, cebolla, colza, perejil, chirivía, papa, rábano, ruibarbo, nabo sueco, espinaca, papa dulce, nabo y camotes.
- Las siguientes frutas, hortalizas e hierbas, se pueden plantar **3 días después** de la aplicación: Maíz, pepino, berenjena, ajo, calabazas no comestibles, melones (todos), chícharos (todos), pimientos y chiles (todos), calabaza (pumpkin), calabaza (de verano e invierno), tomatillo, tomate (por semilla) y berro.
- Los céspedes se pueden plantar **7 días después** de la aplicación.
- Los tomates provenientes de transplantes y las frutas, hortalizas e hierbas que no están en la lista se pueden plantar **30 días después** de la aplicación.

DÓNDE USAR

CONTROL GENERAL DE MALEZAS: Use cerca de cercas, senderos, patios, aceras, rebordes de aceras y caminos de entrada de automóviles, alrededor de árboles ornamentales, arbustos, lechos de flores y plantaciones y alrededor de edificios. Use para el recorte y bordeado de jardines. **NO lo use en céspedes para el tratamiento localizado de malezas, ya que el herbicida concentrado para pasto y maleza Eliminator® mata todas las plantas verdes, incluyendo a los céspedes.**

TRATAMIENTOS LOCALIZADOS: Rocíe directamente las malezas que se encuentren en la etapa de crecimiento activo y alrededor de lechos de flores, árboles ornamentales, árboles frutales y nogales, plantas de vid, arbustos, cercas, caminos de entrada de automóviles y senderos. ***Si el herbicida concentrado para pasto y maleza Eliminator se utiliza para controlar malezas alrededor de árboles frutales y nogales o plantas de vid, deje pasar 21 días antes de comer la fruta o las nueces.*** No rocíe directamente a los árboles frutales y

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION. Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Keep children and pets away from treated areas until spray has dried. Avoid contamination of food. Do not contaminate water supplies.

FIRST AID • ***If on Skin:*** Take off contaminated clothing. Rinse skin with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

Environmental Hazards • To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid runoff to water bodies or drainage systems.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Questions or Comments? Call 1-800-332-5553.

DECLARACIONES PREVENTIVAS

Riesgos para los seres humanos y los animales domésticos

PRECAUCIÓN. Nocivo si se absorbe por la piel. Causa irritación moderada a los ojos. Evite el contacto con los ojos, la piel o la ropa. Después de manipularlo, lávese muy bien con agua y jabón. Mantenga a los niños y a las mascotas fuera de las zonas tratadas hasta que el rocío se haya secado. Evite la contaminación de alimentos. No contamine los suministros de agua.

PRIMEROS AUXILIOS • ***Si entra en contacto con la piel:*** Quítese la ropa contaminada. Lave la piel con abundante agua durante 15 a 20 minutos. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.

Si entra en contacto con los ojos: Mantenga los ojos abiertos y enjuague con agua lentamente, con cuidado, durante 15 a 20 minutos. Si hay lentes de contacto, retírelos después de los primeros 5 minutos, luego continúe enjuagando los ojos. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento. Cuando llame a un centro de control de envenenamientos o a un médico, o intente obtener tratamiento, tenga a la mano el envase o la etiqueta del producto.

Riesgos para el medio ambiente • Para proteger el medio ambiente, no permita que el pesticida entre o se escurra por alcantarillas pluviales, zanjas de drenaje, cunetas ni aguas superficiales. Aplicar este producto cuando haga buen tiempo cuando no se pronostique lluvia en las siguientes 24 horas, asegurará que ni el viento ni la lluvia sople o quite el pesticida de la zona de tratamiento. Enjuagar el equipo de aplicación encima de la zona tratada ayudará a evitar el escurrimiento a masas de agua o sistemas de drenaje.

NOTA: El comprador asume toda la responsabilidad para seguridad y uso que no esté de acuerdo con las instrucciones.

¿Preguntas o comentarios? Llame al 1-800-332-5553.

Distributed by Chemsico, Division of United Industries Corp.
PO Box 142642, St. Louis, MO 63114-0642
EPA Reg. No. 67760-49-9688 EPA Est. Nos. 39754-WI-1(R), 9688-MO-1(U), 79533-WI-1(BT), 39609-MO-1(BM), 58996-MO-1(AE)
Circled letter is first letter of lot number. . 17-13287 © 2010 UIC