

KILLS COMPLETELY
STUMPS & ROOTS WON'T GROW

IMAGE[®]
HERBICIDE FROM LILLY MILLER[®]

BRUSH & VINE KILLER



BLACKBERRY



TREE STUMPS



KUDZU



POISON IVY • POISON OAK

KILLS 85+
TOUGH BRUSH, VINES & WEEDS

KILLS ABOVE AND BELOW THE GROUND

COVERS 4,000 SQ. FT.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back booklet for additional
Precautionary Statements &
First Aid.

300525129 - 08/22 • IMI24_v20

ACTIVE INGREDIENT:

Triclopyr: (3, 5, 6-trichloro-2-pyridinyloxyacetic acid), triethylamine salt* 8.0%

OTHER INGREDIENTS: 92.0%

TOTAL 100.0%

*Equivalent to 5.7% triclopyr acid.

Net Contents: 1 QT (32 FL OZ) (946 mL)

**VISIBLE RESULTS IN
AS LITTLE AS
48 HOURS**




IMAGE[®]

HERBICIDE FROM LILLY MILLER[®]

BRUSH & VINE KILLER

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For outdoor residential use only.

PRODUCT FACTS:

WHERE TO USE 	This product can be used in many places around your yard, such as along fences and driveways, under decks, around patios and buildings, or in driveways and parking areas.
KILLS 	Use this product to kill these plants: Blackberry, Honeysuckle, Horsetail Rush (Field), Kudzu, Locust, Maples, Mesquite, Mimosa, Mulberry, Poison Ivy, Poison Oak, Raspberry, Scotch Broom, Sumac, Trumpet Creeper, Virginia Creeper, Wild Blackberry, Wild Grape, Wild Rose and many more listed on the label.
WHEN TO USE 	Spray when the air is calm and there is no wind. To kill unwanted woody plants, brush and vines, wet the brush completely with the spray. This product works through the leaves and bark -- excess spray that runs off onto the soil will not improve control. After leaves have dropped off (3 - 4 weeks after spraying), cut down the brush and dispose of it. Once the brush is gone, the area may be replanted.
HOW MUCH TO USE	4 fl.oz. - 8 fl.oz. diluted in one gallon of water covers 500 sq. ft.
COVERAGE	Treats up to 4,000 sq. ft.



Questions & Comments: Call 1-800-265-0761 or visit our website at www.imageforweeds.com

See inside for additional Precautionary Statements, First Aid and complete Directions for Use.

300525130 08/22 IM124_v20



0 70624 25024 2

Distributed by: **AMBRANDS**

1000 Parkwood Circle, Suite 700

Atlanta, GA 30339

1-800-265-0761

www.imageforweeds.com

gardendivision@central.com

EPA Reg. No. 802-594-73342

EPA Est. No. 59144-GA-1



Image, Lilly Miller, Central Garden & Pet and Central Garden & Pet with design are trademarks of Central Garden & Pet Company. ©2019, 2022 Central Garden & Company.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For outdoor residential use only.

- Controls horsetail rush
- Makes up to 8 gallons of spray
- Easy to apply with a pump-up or hose-end sprayer
- Won't harm the soil – replant in just 1 month

WHAT IS THIS PRODUCT? AND WHAT WILL IT DO?

Image® Herbicide from Lilly Miller® Brush & Vine Killer kills blackberry vines, plus many kinds of brush and unwanted woody plants. This product can be used in many places around your yard, such as along fences and driveways, under decks, around patios and buildings, or in driveways and parking areas. The area can be planted again just a few weeks after spraying.

This product will also prevent woody plants from sending up sprouts from the roots, once they are cut down.

Use this product to kill these plants:

Alder, Arkansas Rose, Arrowwood, Ash, Aspen, Beech, Birch, Blackberry, Blackgum, Box Elder, California Rose, Cascara, Ceanothus, Cherry, Chinquapin, Chocho Cherry, Common Chickweed, Cottonwood, Douglas Fir, Dogwood, Elderberry, Elm, Hawthorn, Hazel, Honeysuckle, Hornbeam, Horsetail Rush (Field), Kudzu, Locust, Madrone, Maples, Mesquite, Mimosa, Mulberry, Oaks, Persimmon, Pine, Poison Ivy, Poison Oak, Poplar, Raspberry, Salmonberry, Sassafras, Scotch Broom, Spurge, Sumac, Sweetbark Magnolia, Sweetgum, Sycamore, Tanoak, Thimbleberry, Trumpet Creeper, Tulip Poplar, Vine Maple, Virginia Creeper, Western Hemlock, Wild Blackberry, Wild Grape, Wild Rose, Willow, Winged Elm.

Use this product to kill the following broadleaf weeds, Bermudagrass and kikuygrass in perennial bluegrass, perennial ryegrass or tall fescue lawns:

Black medic, Bull thistle, Burdock, Canada thistle, Chicory, Clover, Creeping beggarweed, Curly dock, Dandelion, Field bindweed, Goldenrod, Ground ivy, Lambsquarters, Lespedeza, Matchweed, Mustard, Oxalis, Plantain, Ragweed, Smartweed, Sweet clover, Vetch, Wild carrot (Queen Anne's lace), Wild lettuce, Wild violet, Yarrow

HOW DO I USE THIS PRODUCT?

When to use: Spray brush anytime it is actively growing – in Spring, after leaves are fully open, in Summer, when there is sufficient water, or in the Fall, before the leaves begin to change color.

What to do: Spray Image® Herbicide from Lilly Miller® Brush & Vine Killer using a pump sprayer or a hose-end sprayer. Use a spray pattern which gives small droplets without a fine mist. Overpumping the sprayer will make a fine mist. Spray when the air is calm and there is no wind. Wet the brush completely with the spray. This product works through the leaves and bark; there's no need to wet the soil. After leaves have dropped off (3-4 weeks after spraying), cut down the brush and dispose of it. Once the brush is gone, the area may be replanted.

What not to do: Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the treated area during application. Do not allow people or pets onto treated areas until sprays have dried. Do not spray when it is windy. Do not allow spray mist to drift onto vegetables, flowers, ornamental shrubs and trees, small fruits, fruit trees, or any other desirable plants. They will be damaged. Do not spray when rain is expected within 24 hours. Do not water the area for 24 hours after spraying. Do not use this product around vegetables, fruits or other plants you eat. Do not use this product when temperatures are above 85 degrees F.

IN LAWN: Do not exceed 16 fl. oz. of this product per 1,000 sq. ft. per application. Do not exceed 45.6 fl. oz. of this product per 1,000 sq. ft. per year per application site. Allow a minimum of 28 days between

applications. This product is persistent and may be present in treated plant materials for over 30 days after application. Do not remove grass clippings off-site for compost distribution or mulching until 30 days after application.

SPRAY DRIFT ADVISORIES: Take precautions to minimize spray drift.

Mixing and Measuring – Shake well before using.

It's a good idea to have a separate sprayer just for weed and brush killers, to avoid mix-ups.

Use this amount of product	In this amount of water	To cover this area
1/2 - 1 cup (4 - 8 fl. oz.)	1 gallon	500 sq. ft.
1 - 2 cups (8 - 16 fl. oz.)	2 gallons	1000 sq. ft.
1½ - 3 cups (12 - 24 fl. oz.)	3 gallons	1500 sq. ft.

WHAT WILL I SEE?

In one to two weeks the leaves will begin to wilt, turn brown and drop off.

STUMP TREATMENT

Image® Herbicide from Lilly Miller® Brush & Vine Killer can also be used to prevent woody plants and trees from sending up sprouts from the roots. Right after the tree or bush has been cut down, apply this product to the stump. Use the product straight from the bottle, do not add water. Use a paint brush or small sprayer to completely cover the freshly cut surface. Do not reuse the paint brush; wrap it in several layers of newspaper and discard it in the trash. Image® Herbicide from Lilly Miller® Brush & Vine Killer will be absorbed into the roots and reduce the number of sprouts coming up in the lawn and surrounding areas.

STORAGE AND DISPOSAL

Pesticide Storage: Store this product in its original container and keep out of reach of children and domestic animals.

Pesticide Disposal: If partly filled – Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Container Handling: If empty – Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

NOTICE: To the extent consistent with applicable law, Seller makes no warranty, express or implied, concerning the use of this product other than indicated on the label. To the extent consistent with applicable law, Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

To the extent consistent with applicable law, the Seller guarantees this product to the extent of the purchase price, only when used according to label directions.

IN CASE OF EMERGENCY CALL: 1-800-265-0761

Image, Lilly Miller, Central Garden & Pet and Central Garden & Pet with design are trademarks of Central Garden & Pet Company. ©2019, 2022 Central Garden & Company.

IMAGE[®]

HERBICIDE FROM LILLY MILLER[®]

BRUSH & VINE KILLER

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Harmful if swallowed or absorbed through the skin. Avoid contact with eyes, skin or clothing during and after application. When applying this product, wear a long-sleeved shirt, long pants, shoes and socks, and waterproof gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

FIRST AID

If swallowed	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If on skin or on clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-265-0761 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not expected for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

GROUNDWATER ADVISORY: This chemical has properties and characteristics associated with chemicals detected in groundwater. This chemical may leach into groundwater if used in areas where soils are permeable, particularly where the water table is shallow.

This product may impact surface water quality due to runoff of rainwater. This is especially true for poorly draining soils and soils with shallow ground water. This product is classified as having high potential for reaching surface water via runoff for several weeks after application.

NON-TARGET ORGANISM ADVISORY: This product is toxic to plants and may adversely impact the forage and habitat of non-target organisms, including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of non-target organisms by following label directions intended to minimize spray drift.

STORAGE AND DISPOSAL

Pesticide Storage: Store this product in its original container and keep out of reach of children and domestic animals.

Pesticide Disposal: *If partly filled*— Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Container Handling: *If empty*— Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

Distributed by: **AMBRANDS**
1000 Parkwood Circle, Suite 700
Atlanta, GA 30339



gardendivision@central.com
1-800-265-0761

EPA Reg. No. 802-594-73342
EPA Est. No. 59144-GA-1