



Trimec[®]

CRABGRASS

PLUS LAWN WEED KILLER

READY SPRAY



Kills Crabgrass And Over 200 Listed Weeds*



ACTIVE INGREDIENTS:

2,4-D, dimethylamine salt 6.42%

Quinclorac 2.13%

Dicamba, dimethylamine salt . . . 0.60%

OTHER INGREDIENTS: 90.85%

TOTAL 100.00%

THIS PRODUCT CONTAINS:

0.456 lb 2,4-dichlorophenoxyacetic acid equivalent per gallon or 5.33%. 0.182 lb 3,7-dichloro-8-quinolinecarboxylic acid per gallon or 2.13%. 0.043 lb 3,6-dichloro-o-anisic acid equivalent per gallon or 0.50%. Isomer Specific By AOAC Methods.

See attached booklet for complete Precautionary Statements and Directions for Use (including First Aid and Storage and Disposal).

KEEP OUT OF REACH OF CHILDREN CAUTION

*See inside booklet for a complete list of weeds controlled

761/2-2021

NET CONTENTS: ONE QUART (32 FL. OZ.)



Trimec[®]

CRABGRASS

PLUS LAWN WEED KILLER

READY SPRAY

Just Connect To Garden Hose & Spray!

→ Getting Started

- **Kills:** Crabgrass, foxtail and most troublesome broadleaf weeds including dandelion, clover, thistle, and over 200 other weeds listed.
- **Where to Use:** On established lawns without harming lawn grasses when used as directed (do not use on Bahiagrass, Bentgrass (colonial and creeping), Carpetgrass, Centipedegrass, Dichondra, Seashore Paspalum, St. Augustine-grass, and turfgrass species that are not listed on this label.) See inside label for complete directions.
- **Coverage:** This quart bottle treats 5,000 sq. ft.



For questions or comments
call toll-free **800.884.3179**
Mon.-Fri. 8:00 a.m. – 4:30 p.m. CST



pbi / Gordon
CORPORATION
Employee-Owned



or visit: **GordonsUSA.com**

See inside pages for complete
Precautionary Statements and
Directions for Use (including First
Aid and Storage and Disposal).

761/2-2021 AP040616
EPA REG. NO. 2217-896
EPA EST. NO. 2217-KS-1 (01),
2217-KS-2 (02)

Circled digit is first digit of lot number.



(ONE QUART)

#761460



Trimec **CRABGRASS**

PLUS LAWN WEED KILLER

READY SPRAY

ACTIVE INGREDIENTS:

2,4-D, dimethylamine salt	6.42%
Quinclorac	2.13%
Dicamba, dimethylamine salt	0.60%

OTHER INGREDIENTS: 90.85%

TOTAL 100.00%

THIS PRODUCT CONTAINS:

0.456 lb 2,4-dichlorophenoxyacetic acid equivalent
per gallon or 5.33%

0.182 lb 3,7-dichloro-8-quinolinecarboxylic acid
per gallon or 2.13%

0.043 lb 3,6-dichloro-o-anisic acid equivalent
per gallon or 0.50%

Isomer Specific By AOAC Methods.

**KEEP OUT OF REACH
OF CHILDREN
CAUTION**



**READ THE ENTIRE LABEL FIRST.
OBSERVE ALL PRECAUTIONS AND
FOLLOW DIRECTIONS CAREFULLY.**

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Harmful if swallowed. When using this product, wear long-sleeved shirt, long pants, socks, shoes, and rubber gloves.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

User Safety Recommendations

- Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. If pesticide gets on skin, wash immediately with soap and water.
- Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

First Aid	
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to by a poison control center or doctor. • Do not give anything to an unconscious person.
<p>Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-800-5556 for emergency medical treatment advice.</p>	

Environmental Hazards

This pesticide is toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

1. Use Restrictions

- For residential lawn use only.
- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until sprays have dried.
- Use on established lawns. Do not use on Bahiagrass, Bentgrass (colonial and creeping), Carpetgrass, Centipedegrass, Dichondra, Gardens (including vegetables, fruit trees, vines and berries), Ornamental plants (flowers, trees, groundcovers, landscape beds and shrubs), Seashore Paspalum, St. Augustinegrass, and turfgrass species that are not listed on this label.)
- Do not use clippings from the treated areas as mulch or compost around flowers, ornamentals, trees, or in vegetable gardens.
- Do not apply this product to food crops (gardens, fruits, and vegetables), forage crops, or ornamental plants including flowers, trees, shrubs, hedges, woody ornamentals, groundcovers established in landscape plantings and other nontarget plants.
- Do not spray exposed roots of ornamentals and trees.

Spray Drift Management

It is the responsibility of the applicator to avoid spray drift at the application site. Do not allow the

herbicide solution to mist, drip, drift, or splash onto desirable broadleaf plants, as small amounts of this product can damage sensitive plants near the treated area. If desirable plants are accidentally sprayed, immediately rinsing leaves with water may reduce or eliminate plant damage.

2. How Much To Apply

For Bermudagrass (common and hybrid), Buffalograss, Kentucky Bluegrass, mixtures of cool season grasses containing fine fescues (red, hard and chewings), Ryegrass (perennial and annual), Tall Fescue, and Zoysiagrass

Entire Lawn Treatments: This container covers 5,000 sq.ft. Measure the size of your yard. If the area to be treated is larger than 5,000 sq.ft., you may need to buy more containers.

Over-application or rates above those specified on this label can cause turf injury.

3. When To Use

Apply this product when weeds are small and actively growing.

Weed species	Timing	Comments
Crabgrass (large and smooth):	Apply in spring from crabgrass emergence until the crabgrass is 3 to 4 inches in height.	Re-treat at the same rate at 21 days later for dense populations or for continued crabgrass emergence.
Foxtail (green, giant and yellow):	Apply in spring and early summer during the early growth stages or when foxtail is 1 to 4 inches in height.	Re-treat at the same rate at 21 days later for dense populations.
Broadleaf signalgrass	Apply in spring and early summer during the early growth stages or during the 3 to 7 leaf stage.	Re-treat at the same rate at 21 days later if needed.

(continued on next page)

Weed species (cont.)	Timing (cont.)	Comments (cont.)
Dandelion, plantain, buttercup, speedwell, knotweed and other listed broadleaf weeds	Apply in spring when broadleaf weeds are small and actively growing.	Apply when broadleaf weeds are young and actively growing with adequate soil moisture.
Henbit, chickweed, white clover, ground ivy, lawn burweed and other listed broadleaf weeds	Apply in fall when broadleaf weeds are young and actively growing.	Apply when broadleaf weeds are young and actively growing with adequate soil moisture.
The maximum application rate is 6.4 fl.oz. of product per 1,000 sq.ft. per application. The maximum number of applications is limited to 2 per year with a minimum of 21 days between applications. The maximum seasonal rate is 12.8 fl.oz. of product per 1,000 sq.ft.		

4. How To Apply

1. Connect your garden hose to the hose-end sprayer. With your thumb, snap off the safety locking tab that prevents accidental discharge of spray solution. Leave control valve in the OFF position.
2. To BEGIN spraying: Turn on water at faucet. Extend hose to the furthest point from the faucet. Point nozzle toward the lawn to be treated and turn the control valve to the ON position. Water will automatically mix with the product. Walk backwards as you apply in order to avoid contact with the treated area. For best results, spray evenly over the measured area.
3. To STOP spraying: Turn control valve to the OFF position. Turn off water at faucet. To relieve pressure, turn control valve to ON position and wait until water stops spraying before removing sprayer from hose.

5. Use Precautions

- Apply when weeds are young and actively growing.
- Delay mowing 2 days before and until 2 days after the application of this product.
- If the lawn is dry, water 24 hours before using this product.
- Do not water lawn within 24 hours of treatment.
- Certain hard-to-kill weeds may need to be spot treated in 21 days.
- For new lawns, apply only when grass has reached a height of at least 2 inches.
- Bare spots may be seeded 3 to 4 weeks after application.
- Spray when air temperatures are cooler than 90°F.
- Avoid applications during the spring transition of the warm season grasses and during periods of extremely high temperatures.
- Application to bermudagrass may cause temporary yellowing or discoloration but full recovery can be expected. Do not apply to bermudagrass when daytime temperatures exceed 85°F.

6. Grass and Broadleaf Weeds Killed

GRASS WEEDS		
Crabgrass, large and smooth	Foxtail, green, yellow and giant	Signalgrass, broadleaf

BROADLEAF WEEDS	
Annual yellow sweetclover Aster Austrian fieldcress Bedstraw Beggarticks Betony, Florida Bindweed, field Bird vetch Bitter wintercress Bittercress, hairy Bitterweed Black-eyed Susan Black medic Black mustard Blackseed plantain Blessed thistle Bloodflower milkweed Blue lettuce Blue vervain Bracted plantain Brassbuttons Bristly oxtongue Broadleaf dock Broadleaf plantain Broomweed Buckhorn Buckhorn plantain Bulbous buttercup	Bull thistle Bullnettle Burclover Burdock Burning nettle Burweed Buttercup Buttonweed Canada thistle Carolina geranium Carpetweed Catchweed bedstraw Catnip Catsear Chickweed, common Chickweed, mouseear Chicory Cinquefoil Clover, crimson Clover, hop Clover, red Clover, strawberry Clover, sweet Clover, white Cockle Cocklebur Common mullein <i>(cont. on next page)</i>

BROADLEAF WEEDS (cont.)

Creeping Jenny (Creeping Charlie)	Horsenettle
Cudweed	Jimsonweed
Curly dock	Knawel
Daisy, English	Knotweed
Daisy fleabane	Kochia
Daisy, oxeye	Lambsquarters
Dandelion	Lespedeza
Dichondra	Mallow
Dogbane	Matchweed
Dogfennel	Mexicanweed
Dollarweed	Milk vetch
False dandelion	Morningglory
Falseflax	Mouseear hawkweed
False sunflower	Mugwort
Fiddleneck	Musk thistle
Florida pusley	Mustard
Frenchweed	Narrowleaf plantain
Galinsoga	Narrowleaf vetch
Goathead	Nettle
Goldenrod	Orange hawkweed
Ground ivy	Oriental cocklebur
Gumweed	Oxalis
Hairy fleabane	Parsley-piert
Hawkweed	Parsnip
Healall	Pearlwort
Heartleaf drymary	Pennycress
Heathaster	Pennywort
Hedge bindweed	Peppergrass
Hedge mustard	Pepperweed
Hemp	Pigweed
Henbit	Pineywoods bedstraw
Hoary cress	Plains coreopsis (tickseed)
Hoary plantain	Plantain
Hoary vervain	(cont. on next page)

BROADLEAF WEEDS (cont.)

Poison ivy	Spiny sowthistle
Poison oak	Spotted catsear
Pokeweed	Spotted spurge
Poorjoe	Spurweed
Prairie sunflower	Stinging nettle
Prickly lettuce	Strawberry, India mock
Prickly sida	Tall nettle
Prostrate knotweed	Tall vervain
Prostrate pigweed	Tansy ragwort
Prostrate spurge	Tansy mustard
Prostrate vervain	Tanweed
Puncturevine	Thistle
Purslane, common	Trailing crownvetch
Ragweed	Tumble mustard
Red sorrel	Tumble pigweed
Redroot pigweed	Velvetleaf
Redstem filaree	Venice mallow
Rough cinquefoil	Virginia buttonweed
Rough fleabane	Virginia creeper
Russian pigweed	Virginia pepperweed
Russian thistle	Wavyleaf bullthistle
Scarlet pimpernel	Western clematis
Scotch thistle	Western salsify
Sheep sorrel	White mustard
Shepherd's purse	Wild aster
Slender plantain	Wild buckwheat
Smallflower galinsoga	Wild carrot
Smooth dock	Wild four-o'clock
Smooth pigweed	Wild garlic
Sorrel	Wild geranium
Sowthistle	Wild lettuce
Spanish needles	Wild marigold
Speedwell	Wild mustard
Spiny amaranth	Wild onion
Spiny cocklebur	(cont. on next page)

BROADLEAF WEEDS (cont.)

Wild parsnip
Wild radish
Wild rape
Wild strawberry
Wild sweet potato
Wild vetch
Wild violet
Woodsorrel

Woolly croton
Woolly morningglory
Woolly plantain
Wormseed
Yarrow
Yellow rocket
Yellowflower
pepperweed

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Keep from freezing. Store in original container in a locked storage area inaccessible to children and pets.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND DISCLAIMER

FOR USE ONLY AS DIRECTED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL,

OR SPECIAL DAMAGES
RESULTING FROM THE
USE OR HANDLING OF THIS
PRODUCT. If these terms are
not acceptable, return this product
unopened immediately to the point of
purchase, and the purchase price will be
refunded in full. The terms of this Limited
Warranty and Disclaimer cannot be varied by
any written or verbal statements or agreements at
the point of sale or elsewhere.

GORDON'S® logo and TRIMEC® are registered trademarks
of PBI-Gordon Corporation.

761/2-2021 AP040616

EPA REG. NO. 2217-896

EPA EST. NO. 2217-KS-1 ①, 2217-KS-2 ②

MANUFACTURED BY
PBI/GORDON CORPORATION
P.O. BOX 860350
SHAWNEE, KANSAS 66286
www.GordonsUSA.com

**THIS PAGE IS BLANK
INTENTIONALLY.**

**THIS PAGE IS BLANK
INTENTIONALLY.**



**READ THE ENTIRE LABEL FIRST.
OBSERVE ALL PRECAUTIONS AND
FOLLOW DIRECTIONS CAREFULLY.**

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Harmful if swallowed. When using this product, wear long-sleeved shirt, long pants, socks, shoes, and rubber gloves.

First Aid	
If in eyes:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
If swallowed:	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to by a poison control center or doctor.• Do not give anything to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-800-5556 for emergency medical treatment advice.	

761/2-2021 AP040616

EPA REG. NO. 2217-896

EPA EST. NO. 2217-KS-1 ①1, 2217-KS-2 ②2

**MANUFACTURED BY
PBI/GORDON CORPORATION**

P.O. BOX 860350

SHAWNEE, KANSAS 66286

www.GordonsUSA.com

PEEL HERE TO OPEN ▲