



Trimec CRABGRASS

Plus

LAWN WEED KILLER

READY - TO - USE

▶ **KILLS CRABGRASS AND OVER 200 LISTED WEEDS**
*in Country & Suburban Lawns!**



▶ **Won't Harm Lawns***

ACTIVE INGREDIENTS:

2,4-D, dimethylamine salt	0.313%
Quinlorac	0.104%
Dicamba, dimethylamine salt	0.029%
OTHER INGREDIENTS:	99.554%
TOTAL	100.000%

See attached booklet for complete Precautionary Statements and Directions for Use, including Storage and Disposal, and back panel for First Aid.

*See inside booklet for a complete list of weeds controlled
†When used as directed

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See back panel for substatement of ingredient statement.

**NET CONTENTS:
ONE QUART (32 Fl. Oz.)**



Trimec CRABGRASS

Plus

LAWN WEED KILLER

READY - T O - U S E

→ Product Facts

- **What It Does:** Kills major broadleaf and troublesome grass weeds including dandelion, chickweed, clover as well as crabgrass and foxtail. (See inside for complete list.)
- **Where to Use:** Lawns: Kills the weeds not the lawn when used as directed. This product is for spot treatment only.
- **When to Use:** Apply when daytime temperatures are between 50°F and 90°F, (do not apply above 85°F for bermudagrass).



For questions or comments call toll-free 800.884.3179
Mon.-Fri. 8:00 a.m. - 4:30 p.m. CST



or visit: GordonsUSA.com



pbi/gordon
CORPORATION

Employee-Owned

THIS PRODUCT CONTAINS:

- 2,4-dichlorophenoxyacetic acid equivalent, 0.260%
- 3,7-dichloro-8-quinolinecarboxylic acid, 0.104%
- 3,6-dichloro-o-anisic acid equivalent, 0.024%

Isomer Specific by AOAC Method.

755/6-2017 AP110216
EPA REG. NO. 2217-906
EPA EST. NO. 2217-KS-2



(ONE QUART)



Trimec[®] CRABGRASS[®]

PLUS LAWN WEED KILLER
READY - T O - U S E

ACTIVE INGREDIENTS:

2,4-D, dimethylamine salt	0.313%
Quinclorac	0.104%
Dicamba, dimethylamine salt	0.029%
OTHER INGREDIENTS:	99.554%
	TOTAL 100.000%

THIS PRODUCT CONTAINS:

- 2,4-dichlorophenoxyacetic acid equivalent, 0.260%
- 3,7-dichloro-8-quinolinecarboxylic acid, 0.104%
- 3,6-dichloro-o-anisic acid equivalent, 0.024%

Isomer Specific by AOAC Method.

KEEP OUT OF REACH OF CHILDREN CAUTION

**READ THE ENTIRE LABEL FIRST.
OBSERVE ALL PRECAUTIONS AND
FOLLOW DIRECTIONS CAREFULLY.**

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals**CAUTION:** Causes moderate eye irritation. Harmful if swallowed. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash clothing before reuse. Wear long sleeved shirt, long pants, shoes and socks.

First Aid:	
If in eyes:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If swallowed:	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-800-5556 for emergency medical treatment advice.	

ENVIRONMENTAL HAZARDS:

This pesticide is toxic to fish and aquatic invertebrates. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

This product has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS:

- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until sprays have dried.
- Apply when daytime temperatures are between 50° and 90°F (do not apply above 85°F for bermudagrass). Do not treat when air temperatures exceed 90°F as damage to turfgrass may occur.
- Do not apply this product to food crops (gardens, fruits and vegetables), forage crops, or ornamental plants including flowers, trees, shrubs, hedges, woody ornamentals, groundcovers established in landscape plantings and other nontarget plants.
- Do not spray exposed roots of ornamentals and trees.
- This product is for spot treatment only.
- Do not use clippings from treated area as compost or mulch in vegetable gardens, flower beds, or around other desirable plants.

PRODUCT FACTS:**What It Does:**

Kills major broadleaf and troublesome grass weeds including dandelion, chickweed, clover as well as crabgrass and foxtail. (See below for complete list.)

Where to Use:

Lawns: Kills the weeds not the lawn when used as directed.

When to Use:

Apply when daytime temperatures are between 50° and 90°F, (do not apply above 85°F for bermudagrass).

Questions & Comments:Call 1-800-884-3179 or visit our website at www.GordonsUSA.com**SHAKE WELL BEFORE USING.****HOW IT WORKS:**Trimec[®] Crabgrass Plus Lawn Weed Killer Ready-To-Use contains three proven weed killers that target lawn weeds and crabgrass. The herbicides enter the lawn weeds through their leaves and move inside the weeds, even down into the roots. And lawns listed on this label will not be harmed when used as directed.**WHERE TO USE:**Trimec[®] Crabgrass Plus Lawn Weed Killer Ready-To-Use is a ready-to-use (RTU) product intended for the treatment of individual weeds, patches of weeds or sparse weeds scattered throughout home lawns. Trimec[®] Crabgrass Plus Lawn Weed Killer Ready-To-Use can be applied to the following established turfgrass species:

Cool season turfgrass	Warm season turfgrass
Kentucky bluegrass	Bermudagrass, common and hybrid
Ryegrass, perennial and annual	Zoysiagrass
Tall fescue	Buffalograss
Mixtures of cool season grasses containing fine fescues (red, hard and chewings) and bentgrass	

DO NOT apply Trimec[®] Crabgrass Plus Lawn Weed Killer Ready-To-Use to the following:

Warm season turfgrass	Other areas
St. Augustinegrass	Lawns with desirable clovers or legumes
Bahiagrass	Dichondra
Centipedegrass	Ornamental plants (flowers, trees, groundcovers, landscape beds and shrubs)
Carpetgrass	Turfgrass species that are not listed on this label.
Seashore paspalum	Gardens including vegetables, fruit trees, vines and berries.

WEEDS CONTROLLED

GRASS WEEDS:

- crabgrass (large and smooth)
- foxtail (green, yellow and giant)
- kikuyugrass and
- broadleaf signalgrass

BROADLEAF WEEDS:

Annual yellow sweetclover	Bitterweed	Bristly oxtongue
Aster	Black-eyed Susan	Broadleaf dock
Austrian fieldcress	Black medic	Broadleaf plantain
Bedstraw	Black mustard	Broomweed
Beggarticks	Blackseed plantain	Buckhorn
Betony, Florida	Blessed thistle	Buckhorn plantain
Bindweed, field	Bloodflower milkweed	Bulbous buttercup
Bird vetch	Blue lettuce	Bull thistle
Bitter wintercress	Blue vervain	Bullnettle
Bittercress, hairy	Bracted plantain	Burclover
	Brassbuttons	(cont. on back panel)

BROADLEAF WEEDS (cont.):

Burdock	Jimsonweed	Smooth dock
Burning nettle	Knawel	Smooth pigweed
Burweed	Knotweed	Sorrel
Buttercup	Kochia	Sowthistle
Buttonweed	Lambsquarters	Spanish needles
Canada thistle	Lespedeza	Speedwell
Carolina geranium	Mallow	Spiny amaranth
Carpetweed	Matchweed	Spiny cocklebur
Catchweed bedstraw	Mexicanweed	Spiny sowthistle
Catnip	Milk vetch	Spotted catsear
Catsear	Morningglory	Spotted spurge
Chickweed, common	Mouseear hawkweed	Spurweed
Chickweed, mouseear	Mugwort	Stinging nettle
Chicory	Musk thistle	Strawberry, India mock
Cinquefoil	Mustard	Tall nettle
Clover, crimson	Narrowleaf plantain	Tall vervain
Clover, hop	Narrowleaf vetch	Tansy ragwort
Clover, red	Nettle	Tansy mustard
Clover, strawberry	Orange hawkweed	Tanweed
Clover, sweet	Oriental cocklebur	Thistle
Clover, white	Oxalis	Trailing crownvetch
Cockle	Parsley-piert	Tumble mustard
Cocklebur	Parsnip	Tumble pigweed
Common mullein	Pearlwort	Velvetleaf
Creeping Jenny (Creeping Charlie)	Pennycress	Venice mallow
Cudweed	Pennywort	Virginia buttonweed
Curly dock	Peppergrass	Virginia creeper
Daisy, English	Pepperweed	Virginia pepperweed
Daisy fleabane	Pigweed	Wavyleaf bullthistle
Daisy, oxeye	Pineywoods bedstraw	Western clematis
Dandelion	Plains coreopsis (tickseed)	Western salsify
Dichondra	Plantain	White mustard
Dogbane	Poison ivy	Wild aster
Dogfennel	Poison oak	Wild buckwheat
Dollarweed	Pokeweed	Wild carrot
False dandelion	Poorjoe	Wild four-o'clock
Falseflax	Prairie sunflower	Wild garlic
False sunflower	Prickly lettuce	Wild geranium
Fiddleneck	Prickly sida	Wild lettuce
Florida pusley	Prostrate knotweed	Wild marigold
Frenchweed	Prostrate pigweed	Wild mustard
Galinsoga	Prostrate spurge	Wild onion
Goathead	Prostrate vervain	Wild parsnip
Goldenrod	Puncturevine	Wild radish
Ground ivy	Purslane, common	Wild rape
Gumweed	Ragweed	Wild strawberry
Hairy fleabane	Red sorrel	Wild sweet potato
Hawkweed	Redroot pigweed	Wild vetch
Healall	Redstem filaree	Wild violet
Heartleaf drymary	Rough cinquefoil	Woodsorrel
Heathaster	Rough fleabane	Woolly croton
Hedge bindweed	Russian pigweed	Woolly morningglory
Hedge mustard	Russian thistle	Woolly plantain
Hemp	Scarlet pimpernel	Wormseed
Henbit	Scotch thistle	Yarrow
Hoary cress	Sheep sorrel	Yellow rocket
Hoary plantain	Shepherd's purse	Yellowflower pepperweed
Hoary vervain	Slender plantain	
Horsenettle	Smallflower galinsoga	

WHEN TO USE:

Apply this product when weeds are small and actively growing.

CRABGRASS (large and smooth):

- **Spring:** Apply this product from crabgrass emergence until the crabgrass is 3-4 inches in height. This period begins the first time that you can see crabgrass in your lawn. Re-treat at 21 days later for dense populations.

FOXTAIL (GREEN, GIANT AND YELLOW):

- **Spring and early summer:** Apply this product to foxtail during the early growth stages or when foxtail is 1-4 inches in height. Re-treat at 21 days later for dense populations.

BROADLEAF WEEDS:

- **Spring:** Apply when **dandelion, plantain, buttercup, speedwell, knotweed** and other broadleaf weeds are young and actively growing with adequate soil moisture for best results.
- **Fall:** Apply when **henbit, chickweed, white clover, ground ivy, lawn burweed** and other broadleaf weeds are young and actively growing with adequate soil moisture for best results.

HOW TO USE:**TRIGGER SPRAYERS:**

1. Shake well.
2. Adjust the nozzle to coarse spray pattern to minimize wind drift. Spray the weeds only. Spray to lightly cover broadleaf and grass weeds. Excessive spraying can injure some lawns. Do not apply when daytime temperatures are above 90°F as lawn injury can occur (do not apply above 85°F for bermudagrass).

USE PRECAUTIONS:**For newly seeded areas:**

- Do not apply within 4 weeks after seedling emergence of Kentucky bluegrass, fine fescue mixtures and perennial ryegrass. Apply this product to newly seeded grasses when well-established (approximately 6 weeks after seedling emergence) or after the third mowing.

For newly sodded, sprigged, or plugged areas:

- The application of this product to newly sodded, sprigged, or plugged grasses should be delayed until 3 to 4 weeks after the sodding, sprigging, or plugging operations.

Seeding:

- Turf species listed on this label can be seeded into the treated areas at four (4) weeks after the application of this product.

Irrigation:

- Do not apply this product immediately before rainfall or irrigation. For best results, do not irrigate or water the turfgrass within 24 hours after application.
- Avoid applications of this product when turfgrasses are under stress since injury may result.

Mowing:

- Delay mowing 2 days before and until 2 days after the application of this product.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Keep from freezing. Store in original container in a locked storage area inaccessible to children and pets.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND DISCLAIMER

FOR USE ONLY AS DIRECTED. THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

Gordon's® logo and Trimec® are registered trademarks of PBI-Gordon Corporation.

755/6-2017 AP110216
EPA REG. NO. 2217-906
EPA EST. NO. 2217-KS-2

MANUFACTURED BY
PBI/GORDON CORPORATION
1217 WEST 12TH STREET
KANSAS CITY, MISSOURI 64101
www.GordonsUSA.com

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Harmful if swallowed. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash clothing before reuse. Wear long sleeved shirt, long pants, shoes and socks.

First Aid:	
If in eyes:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
If swallowed:	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to by a poison control center or doctor.• Do not give anything to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-800-5556 for emergency medical treatment advice.	

755/6-2017 AP110216
EPA REG. NO. 2217-906
EPA EST. NO. 2217-KS-2

MANUFACTURED BY
PBI/GORDON CORPORATION
1217 WEST 12TH STREET
KANSAS CITY, MISSOURI 64101
www.GordonsUSA.com

PEEL HERE TO OPEN ▲